

भारत का राजपत्र

The Gazette of India

साप्ताहिक/WEEKLY
प्राधिकार से प्रकाशित
PUBLISHED BY AUTHORITY

सं 27] नई दिल्ली, शनिवार, 5 जुलाई, 2003 (आषाढ 14, 1925)
No. 27] NEW DELHI, SATURDAY, 5 JULY, 2003 (ASADHA 14, 1925)

इस भाग में भिन्न पृष्ठ संख्या दी जाती है जिससे कि यह अलग इंकलन के रूप में रखा जा सके।
(Separate paging is given to this Part in order that it may be filed as a separate compilation)

भाग III—खण्ड 2

[PART III—SECTION 2]

[पेटेन्ट कार्यालय द्वारा जारी की गई पेटेन्ट्स और डिजाइन्स से सम्बन्धित अधिसूचनाएँ और नोटिस]

[Notifications and Notices Issued by the Patent Office relating to Patents and Designs]

THE PATENT OFFICE
PATENTS AND DESIGNS
Kolkata, the 5th July 2003

ADDRESSES AND JURISDICTION OF THE OFFICES OF THE PATENT OFFICE

The Patent Office has its Head Office at Kolkata and Branch Offices at Mumbai, Delhi and Chennai having Territorial Jurisdiction on a Zonal basis as shown below:—

- Patent Office Branch,
Todi Estates, 11rd Floor,
Sun Mill Compound,
Lower Parel (West),
MUMBAI-400 013.

The States of Gujarat,
Maharashtra, Madhya Pradesh,
Goa and Chhattisgarh and the Union Territories of Daman and Diu & Dadra and Nagar Haveli.
Telegraphic Address "PATOFFICE"
Phone No. (022) 492 4058, 496 1370, 490 3684.
Fax No. (022) 490 3852.

2. Patent Office Branch,
W-5, West Patel Nagar,
New Delhi-110 008.

The States of Haryana,
Himachal Pradesh,
Jammu and Kashmir,
Punjab, Rajasthan,
Uttar Pradesh, Uttaranchal, Delhi and the Union Territory of Chandigarh.

Telegraphic Address "PATENTOFIC"
Phone No. (011) 587 1255, 587 1256,
587 1257, 587 1258, 587 7245.
Fax No. (011) 587 6209, 587 2532.

3. Patent Office Branch,
Guna Complex, 6th Floor, Annex-II,
443, Annasalai, Teynampet,
Chennai-600 018.

The States of Andhra Pradesh,
Karnataka, Kerala, Tamilnadu and Pondicherry and the Union Territory of Lakshadweep.

Telegraphic Address "PATENTOFFIC"

Phone No. (044) 431 4324/4325/4326.
Fax No. (044) 431 4750/4751.

4. Patent Office (Head Office),
Nizam Palace, 2nd M.S.O. Building,
5th, 6th & 7th Floor,
234/4, Acharya Jagadish Bose Road,
Kolkata—700 020.
Rest of India.

Telegraphic Address "PATENTS"

Phone No. (033) 247 4401, 247 4402, 247 4403.
Fax No. (033) 247 3851, (033) 240 1353.

पेटेंट कार्यालय
एकस्व तथा अभिकल्प

कोलकाता, दिनांक 5 जुलाई 2003

पेटेंट कार्यालय के कार्यालयों के पते एवं क्षेत्राधिकार

पेटेंट कार्यालय का प्रधान कार्यालय कोलकाता में अवस्थित है तथा मुम्बई, दिल्ली एवं चेन्नई में इसके शाखा कार्यालय हैं, जिनके प्रादेशिक क्षेत्राधिकार जोन के आधार पर निम्न रूप में प्रदर्शित हैं:—

1. पेटेंट कार्यालय शाखा,
टोडी इस्टेट, तीसरा तल,
सन मिल कम्पाउंड,
लोअर पौरल (वेस्ट),
मुम्बई - 400 013।

गुजरात, महाराष्ट्र, मध्य प्रदेश,
गोआ तथा छत्तीसगढ़ राज्य क्षेत्र एवं
संघ शासित क्षेत्र, दमन तथा दीव,
दादर और नगर हवेली।

तार पता - "पेटेंटिफिक"

फोन - (022) 492 4058, 496 1370, 490 3684.
फैक्स - (022) 490 3852.

2. पेटेंट कार्यालय शाखा,
डब्ल्यू-5, वेस्ट पेटेन नगर,
मई दिल्ली - 110 008।

हरियाणा, हिमाचल प्रदेश, जम्मू
तथा कश्मीर, पंजाब, राजस्थान,
उत्तर प्रदेश, दिल्ली तथा उत्तरांचल राज्य
क्षेत्रों, एवं संघ शासित क्षेत्र चंडीगढ़।

तार पता - "पेटेंटिफिक"

फोन - (011) 587 1255, 587 1256, 587 1257,
587 1258, 587 7245.
फैक्स - (011) 587 6209, 587 2532.

All applications, notices, statements or other documents or any fees required by the Patents Act, 1970 as amended by the Patents (Amendment) Act, 1999 or the Patents Rules, 1972 as amended by The Patents (Amendment) Rules, 1999 will be received only at the appropriate offices of the Patent Office.

Fees : The fees may either be paid in cash or may be sent by Bank Draft or Cheques payable to the Controller of Patents drawn on a scheduled Bank at the place where the appropriate office is situated.

3. पेटेंट कार्यालय शाखा,
गुना कम्प्लेक्स, छठा तल, एनेक्स-II,
443, अनामसलाई, तेनामपेड़,
चेन्नई - 600 018।

आन्ध्र प्रदेश, कर्नाटक, केरल, तमिलनाडु
तथा पांडिचेरी राज्य क्षेत्र एवं संघ
शासित क्षेत्र, लक्ष्मीपैटपाटी।

तार पता - "पेटेंटिफिक"
फोन - (044) 431 4324/4325/4326.
फैक्स - (044) 431 4750/4751.

4. पेटेंट कार्यालय (प्रधान कार्यालय),
निजाम पैलेस, द्वितीय बहुतलीय कार्यालय
भवन, 5वां, 6वा व 7वां तल,
234/4, आचार्य जगदीश चोपड़ा मार्ग,
कोलकाता - 700 020।

भारत का अवशेष क्षेत्र।

तार पता - "पेटेंटस"
फोन - (033) 247 4401, 247 4402, 247 4403.
फैक्स - (033) 247 3851, (033) 240 1353.

पेटेंट अधिनियम, 1970 तथा पेटेंट (संशोधन) अधिनियम, 1999 अथवा पेटेंट (संशोधन) नियम, 1972 द्वारा अपेक्षित सभी आवेदन, सूचनाएं, विवरण या अन्य दस्तावेज या कोई फोस पेटेंट कार्यालय के केवल समुचित कार्यालय में ही ग्रहण किए जाएंगे।

शुल्क : शुल्कों की अदायगी या तो नकद की जाएगी अथवा जहाँ उपयुक्त कार्यालय अवस्थित हैं, उस स्थान के अनुसूचित बैंक से नियंत्रक को भुगतान योग्य बैंक ड्राफ्ट अथवा चेक द्वारा की जा सकती है।

SPECIAL NOTICE

‘ All the Patent application filed up to 31st October, 2001 other than those (a) for which secrecy directions have been imposed and continued under Section 35, (b) applications along with provisional specification deemed to have been abandoned under Section 9(1) and (c) applications which have been withdrawn before 18 months from the date of filing on date of priority as the case may shall be deemed to have been published under Section 11A of The Patents (Amendment) Act, 2002. The particulars of the application together with provisional and/or complete specification and abstract may be inspected at the appropriate office.

In pursuance of the amendment of Section 53 of The Patents Act, 1970 by The Patents (Amendment) Act, 2002 and in pursuance of the sub-section(1) of Section 53 of the Act, the term of every patent irrespective of drug/ food which has not expired and has not ceased to have effect on the 20th May, 2003 shall be “*twenty years*” from the date of filing of the application for patent.

THE PATENT OFFICE
KOLKATA -05.07.2003

**APPLICATION FOR THE PATENT FILED AT THE HEAD OFFICE 234/4 ACHARYA
JAGDISH BOSE KOLKATA - 700 020.**

The data shown in the crescent bracket are the dated claimed under section 135, under Patent Act, 1970.

25.04.2003

| | |
|------------|--|
| 240/KOL/03 | MOHENDRA NATH DUTTA. <i>FLOATING WATER WHEEL TURBINE.</i> |
| 241/KOL/03 | DEBATOSH DATTA. <i>PROCESS FOR INDUCING CONTROLLABLE THERAPEUTIC ANGIOGENESIS.</i> |
| 242/KOL/03 | ASHIS KUMAR LAHIRI. <i>PROCESS FOR PREPARING OPHTHALMIC COMPOSITION EFFECTIVE AGAINST PATHOGENIC MICROBODIES.</i> |
| 243/KOL/03 | ASHIS KUMAR LAHIRI. <i>PROCESS FOR PREPARING A NOVEL OPHTHALMIC COMPOSITION SHOWING IMPROVED ACTION AGAINST OCULAR DISEASES.</i> |

28.04.2003

| | |
|------------|---|
| 244/KOL/03 | INDIAN INSTITUTE OF TECHNOLOGY. <i>AN HIGHLY STABLE γ-Al₂O³ MESOPOROUS STRUCTURE AND ITS PROCESS FOR MANUFACTURE.</i> |
| 245/KOL/03 | BLUNDSTONE PTY LTD. <i>A LAST LOCKING DEVICE.</i> <i>(CONVENTION NO. PS 0276 FILED ON 02.05.2002 IN AUSTRALIA.)</i> |
| 246/KOL/03 | TORRENT PHARMACEUTICALS LTD. <i>PROCESS FOR SYNTHESIS OF A PHARMACEUTICALLY ACTIVE COMPOUND.</i> |

29.04.2003

| | |
|------------|---|
| 247/KOL/03 | GENERAL ELECTRIC COMPANY. <i>WIND POWER PLANT, CONTROL ARRANGEMENT FOR A WIND POWER PLANT, AND METHOD FOR OPERATING A WIND POWER PLANT.</i> <i>(Convention no. 10219664.8 FILED ON 02.05.2002 IN GERMANY.)</i> |
|------------|---|

30.04.2003

| | |
|------------|---|
| 248/KOL/03 | THOMSON LICENSING S.A. <i>DIGITALLY DECODER HAVING A SO-CALLED "PLAYBACK" MODE OF OPERATION AND COMPRISING TWO BUFFER MEMORIES..</i> <i>(Convention no. 0206012 FILED ON 16.5.02 IN FRANCE.)</i> |
|------------|---|

01.05.2003

| | |
|------------|---|
| 249/KOL/03 | SATYABRATA TAPADAR. <i>THE CATALYST DIESEL & PETROL</i> |
|------------|---|

02.05.2003

| | |
|------------|--|
| 250/KOL/03 | DAINIPPON INK AND CHEMICALS, INC. <i>A PRINTING INK.</i> (Convention no. 8-209794 FILED ON 08.08.1996 IN JAPAN.) (DIVIDED OUT OF NO. 1445/CAL/97 ANTEDATED TO 05.08.1997.) |
| 251/KOL/03 | DEGUSSA AG. <i>PROCESS FOR THE ENZYMATIC PREPARATION OF ENANTIOMERICALLY ENRICHED β-AMINO ACIDS.</i> (Convention no. 102 20 739.9 FILED ON 08.05.2002 IN GERMANY.) |
| 252/KOL/03 | DEGUSSA AG. <i>PROCESS FOR THE ENZYMATIC PREPARATION OF ENANTIOMER-ENRICHED BETA-AMINO ACIDS.</i> (Convention no. 102 20 740.2 FILED ON 08.05.2002 IN GERMANY) |
| 253/KOL/03 | 1. SRIVASTAWA ANJANI KUMAR. 2. KUMARI ANITA. <i>A SELF IGNITING INCENSE STICK AND A INSENCT REPELLANT STICK AND A PROCESS OF MANUFACTURING THE SAME.</i> |

05.05.2003

| | |
|------------|--|
| 254/KOL/03 | INDIAN INSTITUTE OF TECHNOLOGY. <i>TRANSPARENT INORGANIC $ZrO(OH)_2 \cdot xH_2O$ POLYMER AND A PROCESS FOR PREPARATION OF THE SAME.</i> |
| 255/KOL/03 | STEEL AUTHORITY OF INDIA LIMITED. <i>A PROCESS OF JOINING HOLLOW SHAFT USING DISSIMILAR MATERIALS BY SMAW TECHNIQUE.</i> |
| 256/KOL/03 | INDIAN INSTITUTE OF TECHNOLOGY. KARANJA ESTERIFIED OIL AN ALTERNATE FUEL FOR COMPRESSION IGNITION ENGINES. |
| 257/KOL/03 | JFE HOLDINGS, INC. <i>CATALYST FOR DIMETHYL ETHER, METHOD OF PRODUCING CATALYST AND METHOD OF PRODUCING DIMETHYL ETHER.</i> (Convention nos. 8-126669, 8-117243, 8-124780, 8-125370, 8-339758 FILED ON 22.5.96, 13.5.96, 20.5.96, 21.5.96 and on 19.12.96 in JAPAN RESPECTIVELY.) (DIVIDED OUT OF NO. 717/CAL/97 ANTEDATED TO 25.04.1997.) |

06.05.2003

| | |
|------------|--|
| 258/KOL/03 | INDIAN INSTITUTE OF TECHNOLOGY. <i>A STABILIZED t-ZrO_2 AND A PROCESS FOR ITS MANUFACTURE.</i> |
|------------|--|

07.05.2003

| | |
|------------|---|
| 259/KOL/03 | KENDA RUBBER INDUSTRIAL CO. LTD. <i>INFLATABLE SUPPORT FRAME FOR TENTS.</i> |
|------------|---|

08.05.2003

| | |
|------------|--|
| 260/KOL/03 | THE TATA IRON AND STEEL COMPANY LIMITED. AN AUTOMATIC MOISTURE ANALYSER. |
|------------|--|

09.05.2003

| | |
|------------|--|
| 261/KOL/03 | DR. MRINAL KANTI MAJUMDAR. DR. SANAT KUMAR BASU. AND PRABIR KUMAR BASAK. <i>A PROCESS FOR SELECTIVE PREPARATION OF BETA-CYCLODEXTRIN USING A NOVEL BACILLUS STRAIN.</i> |
| 262/KOL/03 | DR. DEBATOOSH DATTA. <i>PROCESS FOR INDUCING ANGIOGENESIS IN CLINICAL CONDITIONS WITH ADVANCED INFARCT(S), ULCERATION AND/OR GERIATRIC CONDITIONS.</i> |
| 263/KOL/03 | TRUTZSCHLER GMBH & CO. KG. <i>SEPARATING DEVICE FOR A TEXTILE PROCESSING MACHINE.</i> <i>(Convention no. 10231829.8 FILED ON 15.7.02 IN GERMANY.)</i> |

13.05.2003

| | |
|------------|---|
| 264/KOL/03 | MCNEIL-PPC, INC. <i>ENROBED CORE.</i> <i>(Convention no. 10/146471 FILED ON 15.5.02 IN U.S.A.)</i> |
|------------|---|

14.5.2003

| | |
|------------|--|
| 265/KOL/03 | KONINKLIJKE PHILIPS ELECTRONICS N.V. <i>OPTICAL INFORMATION CARRIER HAVING FIRST CHANNEL SIGNAL REPRESENTING A MAIN INFORMATION SIGNAL, A SECOND CHANNEL SIGNAL REPRESENTING A CUE INFORMATION SIGNAL, AND A THIRD CHANNEL SIGNAL REPRESENTING A SUB INFORMATION SIGNAL.</i> <i>(DIVIDED OUT OF NO. 1617/CAL/96 ANTIDATED TO 11.09.1996.)</i> |
| 266/KOL/03 | KONINKLIJKE PHILIPS ELECTRONICS N.V. <i>METHOD OF PRODUCING AN OPTICAL RECORD CARRIER.</i> <i>(DIVIDED OUT OF NO. 1617/CAL/96 ANTIDATED TO 11.09.1996.)</i> |
| 267/KOL/03 | KONINKLIJKE PHILIPS ELECTRONICS N.V. <i>REPRODUCTION APPARATUS FOR REPRODUCING INFORMATION FROM OPTICAL INFORMATION CARRIER HAVING A FIRST CHANNEL SIGNAL REPRESENTING A MAIN INFORMATION SIGNAL, A SECOND CHANNEL SIGNAL REPRESENTING A CUE INFORMATION SIGNAL, AND A THIRD CHANNEL SIGNAL REPRESENTING A SUB INFORMATION SIGNAL.</i> <i>(DIVIDED OUT OF NO. 1617/CAL/96 ANTIDATED TO 11.09.1996.)</i> |

PATENT OFFICE CHENNAI BRANCH

National Phase Applications for Patent under PCT filed in the Month of September, 2002

| | | |
|-----------------------|--|--------------------|
| Nationalphase App.No | IN/PCT/2002/01376/CHE | Dated : 02.09.2002 |
| Corres.PCT App.No | PCT/US00/02625 | Dated : 02.02.2000 |
| Priority Document No. | Nil | Dated : Nil |
| Name of the Applicant | Trivium Technologies, Inc., Japan | |
| Title of Invention | Multiflecting light directing film | |
| | | |
| Nationalphase App.No | IN/PCT/2002/01377/CHE | Dated : 02.09.2002 |
| Corres.PCT App.No | PCT/US01/06674 | Dated : 01.03.2001 |
| Priority Document No. | No. 60/186, 882 | Dated : 03/03/2000 |
| Name of the Applicant | Akzo Nobel NV, Netherlands | |
| Title of Invention | Benzofuranone stabilization of phosphate esters | |
| | | |
| Nationalphase App.No | IN/PCT/2002/01378/CHE | Dated : 02.09.2002 |
| Corres.PCT App.No | PCT/US01/03572 | Dated : 02.02.2001 |
| Priority Document No. | No. 09/498, 830 | Dated : 04/02/2000 |
| Name of the Applicant | Pherin Pharmaceuticals Inc., U.S.A. | |
| Title of Invention | Method of increasing alertness by administration of a vomeropherin, and vomeropherin - emitting alarm devices. | |
| | | |
| Nationalphase App.No | IN/PCT/2002/01379/CHE | Dated : 02.09.2002 |
| Corres.PCT App.No | PCT/EP01/02362 | Dated : 02.03.2001 |
| Priority Document No. | No. 10010918.7 | Dated : 06/03/2000 |
| Name of the Applicant | Veitsch - GmbH & Co., Austria | |
| Title of Invention | Batch composition for producing a refractory ceramic shaped body, shaped body produced therefrom and the use thereof | |
| | | |
| Nationalphase App.No | IN/PCT/2002/01380/CHE | Dated : 02.09.2002 |
| Corres.PCT App.No | PCT/US01/07573 | Dated : 09.03.2001 |
| Priority Document No. | No. 09/522, 363 | Dated : 09/03/2000 |
| Name of the Applicant | Nokia Corporation, Finland | |
| Title of Invention | A technique for compressing a header field in a data packet | |
| | | |
| Nationalphase App.No | IN/PCT/2002/01381/CHE | Dated : 02.09.2002 |
| Corres.PCT App.No | PCT/US00/05462 | Dated : 03.03.2000 |
| Priority Document No. | nil | Dated : nil |
| Name of the Applicant | Qualcomm Incorporated, U.S.A. | |
| Title of Invention | A hybrid antenna system for a portable wireless communication device | |

| | | |
|------------------------------|---|--------------------|
| <i>Nationalphase App.No</i> | IN/PCT/2002/01382/CHE | Dated : 02.09.2002 |
| <i>Corres.PCT App.No</i> | PCT/US01/05925 | Dated : 26.02.2001 |
| <i>Priority Document No.</i> | No. 09/517, 276 | Dated : 02/03/2000 |
| <i>Name of the Applicant</i> | Check point software technologies ltd., Israel | |
| <i>Title of Invention</i> | System, device and method for rapid packet filtering and processing. | |
| <i>Nationalphase App.No</i> | IN/PCT/2002/01383/CHE | Dated : 03.09.2002 |
| <i>Corres.PCT App.No</i> | PCT/NO01/00082 | Dated : 02.03.2001 |
| <i>Priority Document No.</i> | No. 20001123 | Dated : 03/03/2000 |
| <i>Name of the Applicant</i> | Thia medica AS, Norway | |
| <i>Title of Invention</i> | Novel fatty acid analogous | |
| <i>Nationalphase App.No</i> | IN/PCT/2002/01384/CHE | Dated : 03.09.2002 |
| <i>Corres.PCT App.No</i> | PCT/EP01/02073 | Dated : 23.02.2001 |
| <i>Priority Document No.</i> | No. 100 10 758.3 | Dated : 04/03/2000 |
| <i>Name of the Applicant</i> | Henkel Kommanditgesellschaft auf aktien, Germany | |
| <i>Title of Invention</i> | Method for providing metal surfaces with protection against corrosion | |
| <i>Nationalphase App.No</i> | IN/PCT/2002/01385/CHE | Dated : 03.09.2002 |
| <i>Corres.PCT App.No</i> | PCT/US01/06985 | Dated : 02.03.2001 |
| <i>Priority Document No.</i> | No. 60/186, 505 | Dated : 02/03/2000 |
| <i>Name of the Applicant</i> | Shell internationale research maatschappij B.V., Netherlands | |
| <i>Title of Invention</i> | Wireless reservoir production control | |
| <i>Nationalphase App.No</i> | IN/PCT/2002/01386/CHE | Dated : 03.09.2002 |
| <i>Corres.PCT App.No</i> | PCT/US01/06800 | Dated : 02.03.2001 |
| <i>Priority Document No.</i> | No. 60/186, 504 | Dated : 02/03/2000 |
| <i>Name of the Applicant</i> | Shell internationale research maatschappij B.V., Netherlands | |
| <i>Title of Invention</i> | Tracer injection in a production well | |
| <i>Nationalphase App.No</i> | IN/PCT/2002/01387/CHE | Dated : 03.09.2002 |
| <i>Corres.PCT App.No</i> | PCT/US01/07004 | Dated : 02.03.2001 |
| <i>Priority Document No.</i> | No. 60/186, 379 | Dated : 02/03/2000 |
| <i>Name of the Applicant</i> | Shell internationale research maatschappij B.V., Netherlands | |
| <i>Title of Invention</i> | Oil well casing electrical power pick - off points | |
| <i>Nationalphase App.No</i> | IN/PCT/2002/01388/CHE | Dated : 03.09.2002 |
| <i>Corres.PCT App.No</i> | PCT/US01/06984 | Dated : 02.03.2001 |
| <i>Priority Document No.</i> | No. 60/186, 375 | Dated : 02/03/2000 |
| <i>Name of the Applicant</i> | Shell internationale research maatschappij B.V., Netherlands | |
| <i>Title of Invention</i> | Controllable production well packer | |

| | | |
|---------------------------|--|------------------------|
| Nationalphase App No | IN/PCT/2002/01389/CHE | Dated : 03.09.2002 |
| Corres.PCT App.No | PCT/US01/06803 | Dated : 02.03.2001 |
| Priority Document No. | No. 09/517, 766 | Dated : 04/03/2000 |
| Name of the Applicant | Qualcomm Incorporated, U.S.A. | |
| Title of Invention | Digital - to - analog interface circuit having adjustable time response | |
| Nationalphase App. No | IN/PCT/2002/01390/CHE | Dated : 03.09.2002 |
| Corres.PCT App.No | PCT/EP01/01346 | Dated : 08.02.2001 |
| Priority Document No. | Nos. 10005973.2, 10023893.9 | Dated : 09/02/2000 |
| Name of the Applicant | Basf Aktiengesellschaft, Germany | |
| Title of Invention | Novel elongase gene and method for producing multiple - unsaturated fatty acids | |
| Nationalphase App. No | IN/PCT/2002/01391/CHE | Dated : 03.09.2002 |
| Corres.PCT App.No | PCT/IN00/00009 | Dated : 04.02.2000 |
| Priority Document No. | nil | Dated : nil |
| Name of the Applicant | Nagarjuna holdings private limited & others, India | |
| Title of Invention | Novel synergistic solid/ semi - solid organic composition, a process of preparing such organic composition and a method of altering physical properties of liquid neutral organic compounds and their mixtures | |
| Nationalphase App. No | IN/PCT/2002/01392/CHE | Dated : 04.09.2002 |
| Corres.PCT App.No | PCT/US01/07003 | Dated : 02.03.2001 |
| Priority Document No. | 06/186,377 | Dated : 02.03.2000 |
| Name of the Applicant | SHELL INTERNATIONALE RESEARCH MAATSCHAPPIJ BV, The Netherlands | |
| Title of Invention | WIRELESS DOWNHOLE MEASUREMENT AND CONTROL FOR OPTIMIZING GAS LIFT WELL AND FIELD PERFORMANCE | |
| Nationalphase App. No | IN/PCT/2002/01393/CHE | Dated : 04.09.2002 |
| Corres.PCT App.No | PCT/US01/06949 | Dated : 02.03.2001 |
| Priority Document No. | 60/186,531 | Dated : 02.03.2000 |
| Name of the Applicant | SHELL INTERNATIONALE RESEARCH MAATSCHAPPIJ BV, The Netherlands | |
| Title of Invention | ELECTRO-HYDRAULICALLY PRESSURIZED DOWNHOLE VALVE ACTUATOR | |

| | | |
|-----------------------|---|--------------------|
| Nationalphase App.No | IN/PCT/2002/01394/CHE | Dated : 04.09.2002 |
| Corres PCT App.No | PCT/US01/06747 | Dated : 02.03.2001 |
| Priority Document No. | 60/186,378 | Dated : 02.03.2000 |
| Name of the Applicant | SHELL INTERNATIONALE RESEARCH MAATSCHAPPIJ BV, The Netherlands | |
| Title of Invention | WIRELESS POWER AND COMMUNICATIONS CROSS-BAR SWITCH | |
| Nationalphase App.No | IN/PCT/2002/01395/CHE | Dated : 04.09.2002 |
| Corres PCT App.No | PCT/US01/06951 | Dated : 02.03.2001 |
| Priority Document No. | 60/186,381 | Dated : 02.03.2000 |
| Name of the Applicant | SHELL INTERNATIONALE RESEARCH MAATSCHAPPIJ BV, The Netherlands | |
| Title of Invention | CONTROLLED DOWNHOLE CHEMICAL INJECTION | |
| Nationalphase App.No | IN/PCT/2002/01396/CHE | Dated : 04.09.2002 |
| Corres PCT App.No | PCT/JP01/00816 | Dated : 06.02.2001 |
| Priority Document No. | 2000-31270, 2000-277507 | Dated : 02.03.2000 |
| Name of the Applicant | HOKURIKU SEIYAKU CO LTD, JAPAN | |
| Title of Invention | IH-IMIDAZOPYRIDINE DERIVATIVES | |
| Nationalphase App.No | IN/PCT/2002/01397/CHE | Dated : 04.09.2002 |
| Corres PCT App.No | PCT/US01/04113 | Dated : 08.02.2001 |
| Priority Document No. | 09/502,910 | Dated : 11.02.2000 |
| Name of the Applicant | PUREPULSE TECHNOLOGIES INC, 4241. PONDEROSA AVENUE, SAN DIEGO, CA 92123, USA | |
| Title of Invention | PROTECTING MOLECULES IN BIOLOGICALLY DERIVED COMPOSITIONS WHILE TREATING WITH BROAD-SPECTRUM PULSED LIGHT | |
| Nationalphase App.No | IN/PCT/2002/01398/CHE | Dated : 04.09.2002 |
| Corres PCT App.No | PCT/EP01/01598 | Dated : 14.02.2001 |
| Priority Document No. | GE 2000A000034 | Dated : 08.03.2000 |
| Name of the Applicant | TECHINT COMPAGNIA TECNICA INTERNAZIONALE S.P.A., ITALY | |
| Title of Invention | DEVICE FOR SUPPLYING FUEL AND COMBURENT TO ONE OR MORE ARRAYS OF BURNERS | |

| | | |
|--------------------------|--|------------------------|
| Nationalphase App.No | IN/PCT/2002/01399/CHE | Dated : 04.09.2002 |
| Corres.PCT App.No | PCT/EP01/02463 | Dated : 05.03.2001 |
| Priority Document No. | 60/228,798 | Dated : 06.0.2000 |
| Name of the Applicant | SYNGENTA PARTICIPATIONS AG, SWITZERLAND | |
| Title of Invention | NOVEL MONOCOTYLENDONOUS PLANT GENES AND USES THEREOF | |
| Nationalphase App.No | IN/PCT/2002/01400/CHE | Dated : 04.09.2002 |
| Corres.PCT App.No | PCT/US01/07390 | Dated : 07.03.2001 |
| Priority Document No. | 09/521,359 | Dated : 08.03.2000 |
| Name of the Applicant | QUALCOMM INCORPORATED, USA | |
| Title of Invention | INTERSYSTEM BASE STATION HANDOVER | |
| Nationalphase App.No | IN/PCT/2002/01401/CHE | Dated : 05.09.2002 |
| Corres.PCT App.No | PCT/US01/06986 | Dated : 02.03.2001 |
| Priority Document No. | No. 60/186, 382 | Dated : 02/03/2000 |
| Name of the Applicant | Shell internationale research maatschappij B.V., Netherlands | |
| Title of Invention | Use of downhole high pressure gas in a gas - lift well | |
| Nationalphase App.No | IN/PCT/2002/01402/CHE | Dated : 05.09.2002 |
| Corres.PCT App.No | PCT/US01/06907 | Dated : 02.03.2001 |
| Priority Document No. | No. 60/186, 503 | Dated : 02/03/2000 |
| Name of the Applicant | Shell internationale research maatschappij B.V., Netherlands | |
| Title of Invention | Wireless communication using well casing | |
| Nationalphase App.No | IN/PCT/2002/01403/CHE | Dated : 05.09.2002 |
| Corres.PCT App.No | PCT/US01/06942 | Dated : 02.03.2001 |
| Priority Document No. | No. 60/186, 527 | Dated : 02/03/2000 |
| Name of the Applicant | Shell internationale research maatschappij B.V., Netherlands | |
| Title of Invention | Power generation using batteries with reconfigurable discharge | |
| Nationalphase App.No | IN/PCT/2002/01404/CHE | Dated : 05.09.2002 |
| Corres.PCT App.No | PCT/US01/06802 | Dated : 02.03.2001 |
| Priority Document No. | No. 60/186, 393 | Dated : 02/03/2000 |
| Name of the Applicant | Shell internationale research maatschappij B.V., Netherlands | |
| Title of Invention | Wireless downhole well interval inflow and injection control | |

| | | |
|------------------------------|--|---------------------------|
| Nationalphase App. No | IN/PCT/2002/01405/CHE | Dated : 05.09.2002 |
| Corres.PCT App. No | PCT/EP01/02451 | Dated : 02.03.2001 |
| Priority Document No. | No. 00200765.6 | Dated : 03/03/2000 |
| Name of the Applicant | Shell internationale research maatschappij B.V., Netherlands | |
| Title of Invention | Capacitance meter | |
| | | |
| Nationalphase App. No | IN/PCT/2002/01406/CHE | Dated : 05.09.2002 |
| Corres.PCT App. No | PCT/US01/07667 | Dated : 09.03.2001 |
| Priority Document No. | No. 60/188, 500; 09/802, 199 | Dated : 10/03/2000 |
| Name of the Applicant | Cognis corporation , U.S.A. | |
| Title of Invention | On - site agricultural product analysis system and method of analyzing | |
| | | |
| Nationalphase App. No | IN/PCT/2002/01407/CHE | Dated : 05.09.2002 |
| Corres.PCT App. No | PCT/EP01/11867 | Dated : 28.11.2000 |
| Priority Document No. | No. 200 04 822.8 | Dated : 17/03/2000 |
| Name of the Applicant | Aloys Wobben, Germany | |
| Title of Invention | Wind energy plant | |
| | | |
| Nationalphase App. No | IN/PCT/2002/01408/CHE | Dated : 05.09.2002 |
| Corres.PCT App. No | PCT/EP01/01547 | Dated : 09.02.2001 |
| Priority Document No. | Nos. 00201936.2; 60/209, 973 | Dated : 31/05/2000 |
| Name of the Applicant | Corus Aluminium Walzprodukte GmbH, Germany | |
| Title of Invention | Brazing sheet product and method of manufacturing an assembly using the brazing sheet product | |
| | | |
| Nationalphase App. No | IN/PCT/2002/01409/CHE | Dated : 05.09.2002 |
| Corres.PCT App. No | PCT/CA01/00350 | Dated : 16.03.2001 |
| Priority Document No. | No. 09/528, 120 | Dated : 17/03/2000 |
| Name of the Applicant | Kneteman, Norman M & others. Canada | |
| Title of Invention | Chimeric animal model susceptible to human hepatitis C virus infection | |
| | | |
| Nationalphase App. No | IN/PCT/2002/01410/CHE | Dated : 06.09.2002 |
| Corres.PCT App. No | PCT/DE01/00901 | Dated : 06.03.2001 |
| Priority Document No. | No. 10011948.4 | Dated : 11/03/2000 |
| Name of the Applicant | Thuringisches institut fur textil - und kunststoff - forschung E V Germany | |
| Title of Invention | Method and device for the production of cellulose fibers and cellulose filament yarns | |

| | | |
|------------------------------|--|--------------------|
| <i>Nationalphase App.No</i> | IN/PCT/2002/01411/CHE | Dated : 06.09.2002 |
| <i>Corres.PCT App.No</i> | PCT/EP01/02597 | Dated : 08.03.2001 |
| <i>Priority Document No.</i> | Nos. 60/190, 129;60/247, 129 | Dated : 16/03/2000 |
| <i>Name of the Applicant</i> | <i>F. Hoffmann - La Roche AG, Switzerland</i> | |
| <i>Title of Invention</i> | <i>Carboxylic acid derivatives as IP antagonists</i> | |
| | | |
| <i>Nationalphase App.No</i> | IN/PCT/2002/01412/CHE | Dated : 06.09.2002 |
| <i>Corres.PCT App.No</i> | PCT/US01/07589 | Dated : 09.03.2001 |
| <i>Priority Document No.</i> | No. 09/522, 557 | Dated : 10/03/2000 |
| <i>Name of the Applicant</i> | <i>Banerjee, Bhaskar, USA</i> | |
| <i>Title of Invention</i> | <i>Methods of detecting cancer using cellular autofluorescence</i> | |
| | | |
| <i>Nationalphase App.No</i> | IN/PCT/2002/01413/CHE | Dated : 06.09.2002 |
| <i>Corres.PCT App.No</i> | PCT/GB01/00515 | Dated : 08.02.2001 |
| <i>Priority Document No.</i> | No. 0002767.2 | Dated : 08/02/2000 |
| <i>Name of the Applicant</i> | <i>Lambeth properties limited, Bahamas</i> | |
| <i>Title of Invention</i> | <i>Improvements in and relating to training ammunition</i> | |
| | | |
| <i>Nationalphase App.No</i> | IN/PCT/2002/01414/CHE | Dated : 06.09.2002 |
| <i>Corres.PCT App.No</i> | PCT/US01/02307 | Dated : 24.01.2001 |
| <i>Priority Document No.</i> | Nos. 00103429.7; 60/183, 671 | Dated : 25/02/2000 |
| <i>Name of the Applicant</i> | <i>SIG Combiploc international AG, Switzerland</i> | |
| <i>Title of Invention</i> | <i>Pouring spout attachment with automatic opening feature</i> | |
| | | |
| <i>Nationalphase App.No</i> | IN/PCT/2002/01415/CHE | Dated : 06.09.2002 |
| <i>Corres.PCT App.No</i> | PCT/US01/01005 | Dated : 11.01.2001 |
| <i>Priority Document No.</i> | No. 09/505, 276 | Dated : 16/02/2000 |
| <i>Name of the Applicant</i> | <i>Micro Motion Inc., USA</i> | |
| <i>Title of Invention</i> | <i>Mass fraction metering device</i> | |
| | | |
| <i>Nationalphase App.No</i> | IN/PCT/2002/01416/CHE | Dated : 06.09.2002 |
| <i>Corres.PCT App.No</i> | PCT/EP01/02482 | Dated : 06.03.2001 |
| <i>Priority Document No.</i> | Nos. 0013589.7; 60/188, 323 | Dated : 02/06/2000 |
| <i>Name of the Applicant</i> | <i>Aventis pharma deutschland GmbH, Germany</i> | |
| <i>Title of Invention</i> | <i>Therapeutic uses of PP_{AR} mediators</i> | |

| | | |
|---|---|--|
| Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention | IN/PCT/2002/01417/CHE PCT/EP01/01898 No. 101 02 265.4; 199 10 968.3 Aventis pharma deutschland GmbH, Germany Substituted 3 - phenyl - 5 - alkoxi - 1,3,4 - oxadiazol - 2 - one and use thereof for inhibiting hormone - sensitive lipase | Dated : 06.09.2002 Dated : 20.02.2001 Dated : 18/01/2001 |
| Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention | IN/PCT/2002/01418/CHE PCT/EP01/02236 No. 100 11 081.9 Aventis pharma deutschland GmbH, Germany Anti - infective active substance combinations and the use thereof for the topical treatment of fungus diseases of toe and finger nails | Dated : 06.09.2002 Dated : 28.02.2001 Dated : 09/03/2000 |
| Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention | IN/PCT/2002/01419/CHE PCT/IL01/00220 No. 134946 Atmor industries (1973) LTD, Israel Electrical heating apparatus | Dated : 06.09.2002 Dated : 08.03.2001 Dated : 08/03/2000 |
| Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention | IN/PCT/2002/01420/CHE PCT/SE01/00507 No. 0000802 - 9 Dyno nobel sweden AB, Sweden Electronic detonator system | Dated : 06.09.2002 Dated : 09.03.2001 Dated : 10/03/2000 |
| Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention | IN/PCT/2002/01421/CHE PCT/JP01/11036 No. 2001 - 3632 Idemitsu petrochemical co., ltd., Japan Method of producing bisphenol A | Dated : 09.09.2002 Dated : 17.12.2001 Dated : 11/01/2001 |
| Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention | IN/PCT/2002/01422/CHE PCT/NL01/00147 No. 1014438 Akzo Nobel NV, Netherlands Electronic alarm timer for use with a medical regimen | Dated : 09.09.2002 Dated : 19.02.2001 Dated : 21/02/2000 |

| | | |
|------------------------------|---|--------------------|
| <i>Nationalphase App. No</i> | IN/PCT/2002/01423/CHE | Dated : 09.09.2002 |
| <i>Corres. PCT App. No</i> | PCT/EP00/12776 | Dated : 15.12.2000 |
| <i>Priority Document No.</i> | No. 10011929.8 | Dated : 11/03/2000 |
| <i>Name of the Applicant</i> | Aloys Wobben, Germany | |
| <i>Title of Invention</i> | Synchronous generator | |
| | | |
| <i>Nationalphase App. No</i> | IN/PCT/2002/01424/CHE | Dated : 09.09.2002 |
| <i>Corres. PCT App. No</i> | PCT/US01/07864 | Dated : 13.03.2001 |
| <i>Priority Document No.</i> | No. 09/524, 116 | Dated : 13/03/2000 |
| <i>Name of the Applicant</i> | Energy conversion devices, Inc., USA | |
| <i>Title of Invention</i> | Novel alkaline fuel cell | |
| | | |
| <i>Nationalphase App. No</i> | IN/PCT/2002/01425/CHE | Dated : 09.09.2002 |
| <i>Corres. PCT App. No</i> | PCT/EP01/01088 | Dated : 01.02.2001 |
| <i>Priority Document No.</i> | No. 0003201.1 | Dated : 11/02/2000 |
| <i>Name of the Applicant</i> | Pharmacia italia S.p.A., Italy | |
| <i>Title of Invention</i> | Method to potentiate the therapeutic efficacy of taxane and derivatives thereof | |
| | | |
| <i>Nationalphase App. No</i> | IN/PCT/2002/01426/CHE | Dated : 09.09.2002 |
| <i>Corres. PCT App. No</i> | PCT/IB01/02545 | Dated : 12.12.2001 |
| <i>Priority Document No.</i> | No. 01200052.7 | Dated : 10/01/2001 |
| <i>Name of the Applicant</i> | Koninklijke Philips Electronics N.V., Netherlands | |
| <i>Title of Invention</i> | Coding | |
| | | |
| <i>Nationalphase App. No</i> | IN/PCT/2002/01427/CHE | Dated : 11.09.2002 |
| <i>Corres. PCT App. No</i> | PCT/US01/31988 | Dated : 15.10.2001 |
| <i>Priority Document No.</i> | No. 09/687, 717 | Dated : 13/10/2000 |
| <i>Name of the Applicant</i> | Energy conversion devices, Inc., USA | |
| <i>Title of Invention</i> | Catalytic hydrogen storage composite material and fuel cell employing same | |
| | | |
| <i>Nationalphase App. No</i> | IN/PCT/2002/01428/CHE | Dated : 11.09.2002 |
| <i>Corres. PCT App. No</i> | PCT/DK01/00163 | Dated : 12.03.2001 |
| <i>Priority Document No.</i> | No. PA 2000 00405 | Dated : 14/03/2000 |
| <i>Name of the Applicant</i> | Novozymes A/S, Denmark | |
| <i>Title of Invention</i> | Novel subtilase enzymes having an improved wash performance on egg stains | |

| | | |
|------------------------------|---|--------------------|
| <i>Nationalphase App. No</i> | IN/PCT/2002/01429/CHE | Dated : 11.09.2002 |
| <i>Corres. PCT App. No</i> | PCT/EP01/02328 | Dated : 01.03.2001 |
| <i>Priority Document No.</i> | No. 00200883.7 | Dated : 13/03/2000 |
| <i>Name of the Applicant</i> | Akzo Nobel NV, Netherlands | |
| <i>Title of Invention</i> | Composition comprising an isocyanate - functional compound, and isocyanate - reactive compound, and a co - catalyst | |
| <i>Nationalphase App. No</i> | IN/PCT/2002/01430/CHE | Dated : 11.09.2002 |
| <i>Corres. PCT App. No</i> | PCT/DE01/00689 | Dated : 23.02.2001 |
| <i>Priority Document No.</i> | No. 100 12 956.0 | Dated : 16/03/2000 |
| <i>Name of the Applicant</i> | Robert Bosch GMBH, Germany | |
| <i>Title of Invention</i> | Device and method for regulating the energy supply for ignition in an internal combustion engine | |
| <i>Nationalphase App. No</i> | IN/PCT/2002/01431/CHE | Dated : 11.09.2002 |
| <i>Corres. PCT App. No</i> | PCT/EP01/02237 | Dated : 28.02.2001 |
| <i>Priority Document No.</i> | Nos. 00105514.4; 00125169.3 | Dated : 15/03/2000 |
| <i>Name of the Applicant</i> | Aventis pharma deutschland GmbH, Germany | |
| <i>Title of Invention</i> | Substituted beta A - carbolines with IKB - Kinase inhibiting acitivity | |
| <i>Nationalphase App. No</i> | IN/PCT/2002/01432/CHE | Dated : 11.09.2002 |
| <i>Corres. PCT App. No</i> | PCT/EP02/01545 | Dated : 14.02.2002 |
| <i>Priority Document No.</i> | No. 60/268, 825 | Dated : 14/02/2001 |
| <i>Name of the Applicant</i> | Matthias RATH, Netherlands | |
| <i>Title of Invention</i> | Composition of biochemical compounds involved in bioenergy metabolism of cells and method of use | |
| <i>Nationalphase App. No</i> | IN/PCT/2002/01433/CHE | Dated : 11.09.2002 |
| <i>Corres. PCT App. No</i> | PCT/DK01/00186 | Dated : 16.03.2001 |
| <i>Priority Document No.</i> | No. PA200000437 | Dated : 16/03/2000 |
| <i>Name of the Applicant</i> | H. Lundbeck /S, Denmark | |
| <i>Title of Invention</i> | Method for the preparation of citalopram | |
| <i>Nationalphase App. No</i> | IN/PCT/2002/01434/CHE | Dated : 11.09.2002 |
| <i>Corres. PCT App. No</i> | PCT/JP01/00967 | Dated : 13.02.2001 |
| <i>Priority Document No.</i> | No. 2000 - 34906 | Dated : 14/02/2000 |
| <i>Name of the Applicant</i> | Mitsubishi pharma corporation & others, Japan | |
| <i>Title of Invention</i> | Therapeutic agent for hepatitis C | |

| | | |
|--------------------------|---|--------------------|
| Nationalphase App.No | IN/PCT/2002/01435/CHE | Dated : 11.09.2002 |
| Corres.PCT App.No | PCT/EP01/02764 | Dated : 12.03.2001 |
| Priority Document No. | No. 10012161.6 | Dated : 13/03/2000 |
| Name of the Applicant | Basf Aktiengesellschaft, Germany | |
| Title of Invention | Agrotechnical formulation | |
| Nationalphase App.No | IN/PCT/2002/01436/CHE | Dated : 11.09.2002 |
| Corres.PCT App.No | PCT/EP01/02558 | Dated : 07.03.2001 |
| Priority Document No. | No. 100 13 000.3 | Dated : 16/03/2000 |
| Name of the Applicant | Basell Polyolefine GmbH, Germany | |
| Title of Invention | Blow - moulded plastic containers and mouldings having improved antistatic properties | |
| Nationalphase App.No | IN/PCT/2002/01437/CHE | Dated : 12.09.2002 |
| Corres.PCT App.No | PCT/JP00/08022 | Dated : 14.11.2000 |
| Priority Document No. | No. 2000 - 38406 | Dated : 16/02/2000 |
| Name of the Applicant | Yozan Inc., Japan | |
| Title of invention | Mobile communication terminal | |
| Nationalphase App.No | IN/PCT/2002/01438/CHE | Dated : 12.09.2002 |
| Corres.PCT App.No | PCT/IT01/00112 | Dated : 07.03.2001 |
| Priority Document No. | No. 00830187.1 | Dated : 13/03/2000 |
| Name of the Applicant | Sarong SPA, Italy | |
| Title of Invention | A process and a machine for forming containers | |
| Nationalphase App.No | IN/PCT/2002/01439/CHE | Dated : 12.09.2002 |
| Corres.PCT App.No | PCT/US01/05302 | Dated : 16.02.2001 |
| Priority Document No. | No. 60/182, 924 | Dated : 16/02/2000 |
| Name of the Applicant | Bentley pharmaceuticals, Inc., USA | |
| Title of Invention | Anti - fungal nail polish | |
| Nationalphase App.No | IN/PCT/2002/01440/CHE | Dated : 12.09.2002 |
| Corres.PCT App.No | PCT/FR01/00449 | Dated : 15.02.2001 |
| Priority Document No. | No. 00/03438 | Dated : 17/03/2000 |
| Name of the Applicant | Atofina, France | |
| Title of Invention | Method for directly obtaining hydrogen peroxide | |

| | | |
|---|---|--|
| Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention | IN/PCT/2002/01441/CHE PCT/US01/07811 No. 60/189, 153 Micro Motion Inc., U.S.A. Initialization algorithm for drive control in a coriolis flowmeter | Dated : 12.09.2002 Dated : 12.03.2001 Dated : 14/03/2000 |
| Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention | IN/PCT/2002/01442/CHE PCT/IB01/00188 No. 00200493.5 Schering aktiengesellschaft, Germany Male contraceptive formulation comprising northisterone | Dated : 12.09.2002 Dated : 15.02.2001 Dated : 15/02/2000 |
| Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention | IN/PCT/2002/01443/CHE PCT/EP01/02947 No. 100 12 804.1 Basf Aktiengesellschaft, Germany Method for producing 7 - (Pyrazole - 3 - yl) benzoxazoles | Dated : 12.09.2002 Dated : 15.03.2001 Dated : 16/03/2000 |
| Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention | IN/PCT/2002/01444/CHE PCT/IB01/02555 Nos. 0100991.9, 0103716.7 Koninklijke Philips Electronics N.V., Netherlands Radio communication system | Dated : 12.09.2002 Dated : 14.12.2001 Dated : 13/01/2001 |
| Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention | IN/PCT/2002/01445/CHE PCT/KR01/00244 No. 2000 - 7730 Toolgen, Inc., Korea Zinc finger domains and methods of identifying same | Dated : 13.09.2002 Dated : 17.02.2001 Dated : 18/02/2000 |
| Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention | IN/PCT/2002/01446/CHE PCT/JP00/00795 nil Taiyo ink manufacturing co., ltd., Japan Photocurable/thermosetting composition for forming matte film | Dated : 13.09.2002 Dated : 14.02.2000 Dated : nil |
| Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention | IN/PCT/2002/01447/CHE PCT/US00/25338 No. 60/189, 869 Pechiney plastic packaging, Inc., USA Molded closure with flex areas and method | Dated : 13.09.2002 Dated : 15.09.2000 Dated : 16/03/2000 |

| | | |
|------------------------------|--|---------------------------|
| Nationalphase App.No | IN/PCT/2002/01448/CHE | Dated : 13.09.2002 |
| Corres.PCT App.No | PCT/US00/25192 | Dated : 15.09.2000 |
| Priority Document No. | No. 60/189, 868 | Dated : 16/03/2000 |
| Name of the Applicant | Pechiney plastic packaging, Inc., USA | |
| Title of Invention | Improved container and method and apparatus for forming the container | |
| | | |
| Nationalphase App.No | IN/PCT/2002/01449/CHE | Dated : 13.09.2002 |
| Corres.PCT App.No | PCT/EP01/02952 | Dated : 15.03.2001 |
| Priority Document No. | No. 100 12 722.3 | Dated : 16/03/2000 |
| Name of the Applicant | Basf Aktiengesellschaft, Germany | |
| Title of Invention | Mixtures of semi - esters of polybasic organic acids and long - chain alkanols, the production and the use thereof | |
| | | |
| Nationalphase App.No | IN/PCT/2002/01450/CHE | Dated : 13.09.2002 |
| Corres.PCT App.No | PCT/JP01/10682 | Dated : 06.12.2001 |
| Priority Document No. | Nos. 401417/2000; 6910/2001 | Dated : 28/12/2000 |
| Name of the Applicant | Post Genome Institut Co Ltd., Japan | |
| Title of Invention | Process for producing peptides by using in vitro transcription/ translation system | |
| | | |
| Nationalphase App.No | IN/PCT/2002/01451/CHE | Dated : 13.09.2002 |
| Corres.PCT App.No | PCT/US01/40286 | Dated : 14.03.2001 |
| Priority Document No. | No. 09/526, 039 | Dated : 15/03/2000 |
| Name of the Applicant | Union Carbide Chemicals & Plastics Technology Corporation, USA | |
| Title of Invention | Separation of reaction products containing organophosphorous complexes | |
| | | |
| Nationalphase App.No | IN/PCT/2002/01452/CHE | Dated : 13.09.2002 |
| Corres.PCT App.No | PCT/GB01/00840 | Dated : 27.02.2001 |
| Priority Document No. | No. 0006114.3 | Dated : 15/03/2000 |
| Name of the Applicant | MicroGen energy limited, UK | |
| Title of Invention | A method and a connector arrangement for connecting and disconnecting a generator to a circuit with an existing alternating current | |
| | | |
| Nationalphase App.No | IN/PCT/2002/01453/CHE | Dated : 13.09.2002 |
| Corres.PCT App.No | PCT/US01/08565 | Dated : 12.03.2001 |
| Priority Document No. | No. 09/523, 820 | Dated : 13/03/2000 |
| Name of the Applicant | Ovonic battery company, inc., USA | |
| Title of Invention | Finely divided metal catalyst and method for making same | |

| | | |
|-----------------------|--|--------------------|
| Nationalphase App.No | IN/PCT/2002/01454/CHE | Dated : 13.09.2002 |
| Corres.PCT App.No | PCT/FR01/00627 | Dated : 02.03.2001 |
| Priority Document No. | No. 00/03161 | Dated : 13/03/2000 |
| Name of the Applicant | Districtclass medical SA, France | |
| Title of Invention | Intragastric device for treating morbid obesity | |
| Nationalphase App.No | IN/PCT/2002/01455/CHE | Dated : 13.09.2002 |
| Corres.PCT App.No | PCT/DE01/00198 | Dated : 18.01.2001 |
| Priority Document No. | No. 100 12 266.3 | Dated : 14/03/2000 |
| Name of the Applicant | Robert Bosch GMBH, Germany | |
| Title of Invention | Sheathed element glow plug for an internal combustion engine | |
| Nationalphase App.No | IN/PCT/2002/01456/CHE | Dated : 13.09.2002 |
| Corres.PCT App.No | PCT/IB01/02556 | Dated : 14.12.2001 |
| Priority Document No. | No. 01200152.5 | Dated : 16/01/2001 |
| Name of the Applicant | Koninklijke Philips electronics NV, Netherlands | |
| Title of Invention | BIT interleaved coded modulation (BCM) mapping | |
| Nationalphase App.No | IN/PCT/2002/01457/CHE | Dated : 13.09.2002 |
| Corres.PCT App.No | PCT/IB01/02696 | Dated : 20.12.2001 |
| Priority Document No. | Nos. 01200142.6, 01202612.6 | Dated : 16/01/2001 |
| Name of the Applicant | Koninklijke Philips electronics NV, Netherlands | |
| Title of Invention | Parametric coding of an audio or speech signal | |
| Nationalphase App.No | IN/PCT/2002/01458/CHE | Dated : 13.09.2002 |
| Corres.PCT App.No | PCT/IB01/02694 | Dated : 20.12.2001 |
| Priority Document No. | Nos. 01200144.2, 01202613.4 | Dated : 16/01/2001 |
| Name of the Applicant | Koninklijke Philips electronics NV, Netherlands | |
| Title of Invention | Linking of signal components in parametric encoding | |
| Nationalphase App.No | IN/PCT/2002/01459/CHE | Dated : 16.09.2002 |
| Corres.PCT App.No | PCT/EP01/01551 | Dated : 13.02.2001 |
| Priority Document No. | No. 0006555.7 | Dated : 17/03/2000 |
| Name of the Applicant | Societe des produits nestle SA, Switzerland | |
| Title of Invention | Digestable chewing gum | |

| | | |
|---------------------------|--|------------------------|
| Nationalphase App. No | IN/PCT/2002/01460/CHE | Dated : 16.09.2002 |
| Corres.PCT App.No | PCT/FI01/00272 | Dated : 19.03.2001 |
| Priority Document No. | No. 20000647 | Dated : 20/03/2000 |
| Name of the Applicant | ABB research ltd., Switzerland | |
| Title of Invention | Method of determining speed of rotation of squirrel - cage motor and a computer software product to carry out the method | |
| Nationalphase App. No | IN/PCT/2002/01461/CHE | Dated : 16.09.2002 |
| Corres.PCT App.No | PCT/EP01/02518 | Dated : 02.03.2001 |
| Priority Document No. | No. 00200987.6 | Dated : 17/03/2000 |
| Name of the Applicant | Flexsys B V , Netherlands | |
| Title of Invention | Rubber vulcanizates having improved ageing properties | |
| Nationalphase App. No | IN/PCT/2002/01462/CHE | Dated : 16.09.2002 |
| Corres.PCT App.No | PCT/EP01/02829 | Dated : 13.03.2001 |
| Priority Document No. | No. MI2000A000547 | Dated : 17/03/2000 |
| Name of the Applicant | Enichem S P A & others, Italy | |
| Title of Invention | Continuous process for the synthesis of aromatic urethanes | |
| Nationalphase App. No | IN/PCT/2002/01463/CHE | Dated : 16.09.2002 |
| Corres.PCT App.No | PCT/NZ01/00045 | Dated : 23.03.2001 |
| Priority Document No. | No. 338015 | Dated : 23/03/2000 |
| Name of the Applicant | Pivotal engineering limited, New Zealand | |
| Title of Invention | Piston for an internal combustion engine | |
| Nationalphase App. No | IN/PCT/2002/01464/CHE | Dated : 16.09.2002 |
| Corres.PCT App.No | PCT/JP01/02035 | Dated : 15.03.2001 |
| Priority Document No. | Nos. 09/527, 573; 09/730, 830 | Dated : 16/03/2000 |
| Name of the Applicant | Sucampo AG, Switzerland | |
| Title of Invention | Treatment of ocular hypertension and glaucoma | |
| Nationalphase App. No | IN/PCT/2002/01465/CHE | Dated : 16.09.2002 |
| Corres.PCT App.No | PCT/JP01/01815 | Dated : 08.03.2001 |
| Priority Document No. | Nos. 2000 - 121747; 2000 - 183708 | Dated : 21/03/2000 |
| Name of the Applicant | Furukawa, Ken - ichi, Japan | |
| Title of Invention | Unidirectionally penetrable ornamental film | |
| Nationalphase App. No | IN/PCT/2002/01466/CHE | Dated : 16.09.2002 |
| Corres.PCT App.No | PCT/FI01/00271 | Dated : 19.03.2001 |
| Priority Document No. | No. 20000646 | Dated : 20/03/2000 |
| Name of the Applicant | ABB research ltd., Switzerland | |
| Title of Invention | Method of determining speed of rotation of a motor and a computer software product to carry out the method | |

| | | |
|-----------------------|--|--------------------|
| Nationalphase App. No | IN/PCT/2002/01467/CHE | Dated : 16.09.2002 |
| Corres.PCT App.No | PCT/DE01/00362 | Dated : 31.01.2001 |
| Priority Document No. | No. 100 07 308.5 | Dated : 17/02/2000 |
| Name of the Applicant | Robert Bosch GMBH, Germany | |
| Title of Invention | Method and device for determining the remaining serviceable life of a product | |
| Nationalphase App. No | IN/PCT/2002/01468/CHE | Dated : 16.09.2002 |
| Corres.PCT App.No | PCT/IB01/02644 | Dated : 18.12.2001 |
| Priority Document No. | Nos. 01200165.7; 01202959.1 | Dated : 17/01/2001 |
| Name of the Applicant | Koninklijke Philips electronics NV, Netherlands | |
| Title of Invention | Robust checksums | |
| Nationalphase App. No | IN/PCT/2002/01469/CHE | Dated : 17.09.2002 |
| Corres.PCT App.No | PCT/US01/09179 | Dated : 20.03.2001 |
| Priority Document No. | No. 09/532, 492 | Dated : 22/03/2000 |
| Name of the Applicant | Qualcomm incorporated, USA | |
| Title of Invention | High efficiency, high performance communications system employing multi - carrier modulation | |
| Nationalphase App. No | IN/PCT/2002/01470/CHE | Dated : 17.09.2002 |
| Corres.PCT App.No | PCT/JP01/10126 | Dated : 20.11.2001 |
| Priority Document No. | No. 2001 - 12476 | Dated : 19/01/2001 |
| Name of the Applicant | Honda giken kogyo kabushiki kaisha, Japan | |
| Title of Invention | Side stand device for motorcycles | |
| Nationalphase App. No | IN/PCT/2002/01471/CHE | Dated : 17.09.2002 |
| Corres.PCT App.No | PCT/DE01/02598 | Dated : 11.07.2001 |
| Priority Document No. | No. 100 65 014.7 | Dated : 23/12/2000 |
| Name of the Applicant | Robert Bosch GMBH, Germany | |
| Title of Invention | Wiper device, especially for windshields of automobiles | |
| Nationalphase App. No | IN/PCT/2002/01472/CHE | Dated : 17.09.2002 |
| Corres.PCT App.No | PCT/JP01/02418 | Dated : 26.03.2001 |
| Priority Document No. | No. 2000 - 144439 | Dated : 17/05/2000 |
| Name of the Applicant | Ajinomoto co, Inc., Japan | |
| Title of Invention | Process for producing cysteinylglycine - enriched food material and process for producing flavor - enhancing agent | |

| | | |
|------------------------------|---|--------------------|
| Nationalphase App.No | IN/PCT/2002/01473/CHE | Dated : 17.09.2002 |
| Corres.PCT App.No | PCT/EP01/01719 | Dated : 16.02.2001 |
| Priority Document No. | No. 60/184, 277 | Dated : 23/02/2000 |
| Name of the Applicant | Basf Aktiengesellschaft, Germany | |
| Title of Invention | Fungicidal mixtures | |
| | | |
| Nationalphase App.No | IN/PCT/2002/01474/CHE | Dated : 17.09.2002 |
| Corres.PCT App.No | PCT/JP01/07275 | Dated : 24.08.2001 |
| Priority Document No. | Nos. 2000 - 258524; 2000 - 265483 | Dated : 29/08/2000 |
| Name of the Applicant | JSR Corporation, Japan | |
| Title of Invention | Radiation sensitive refractive index changing composition and refractive index changing method | |
| | | |
| Nationalphase App.No | IN/PCT/2002/01475/CHE | Dated : 17.09.2002 |
| Corres.PCT App.No | PCT/JP01/11037 | Dated : 17.12.2001 |
| Priority Document No. | No. 2001 - 11971 | Dated : 19/01/2001 |
| Name of the Applicant | Idemitsu petrochemical co., ltd., Japan | |
| Title of Invention | Method of producing bisphenol A | |
| | | |
| Nationalphase App.No | IN/PCT/2002/01476/CHE | Dated : 17.09.2002 |
| Corres.PCT App.No | PCT/US01/01493 | Dated : 17.01.2001 |
| Priority Document No. | Nos. 09/506, 967; 60/120, 673 | Dated : 18/02/2000 |
| Name of the Applicant | Asco controls, L.P., USA | |
| Title of Invention | Extended range proportional valve | |
| | | |
| Nationalphase App.No | IN/PCT/2002/01477/CHE | Dated : 17.09.2002 |
| Corres.PCT App.No | PCT/JP01/00401 | Dated : 22.01.2001 |
| Priority Document No. | No. 2000 - 040768 | Dated : 18/02/2000 |
| Name of the Applicant | Sumitomo chemical company, limited, Japan | |
| Title of Invention | Method for producing 2 - hydroxy - 4 - methylthiobutanoic acid | |
| | | |
| Nationalphase App.No | IN/PCT/2002/01478/CHE | Dated : 18.09.2002 |
| Corres.PCT App.No | PCT/DE00/03413 | Dated : 29.09.2000 |
| Priority Document No. | No. 10013777.6 | Dated : 20/03/2000 |
| Name of the Applicant | Alceru Schwarza GmbH, Germany | |
| Title of Invention | Method and device for continually producing a suspension of cellulose in an aqueous amine oxide | |

| | | |
|---|--|--|
| Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention | IN/PCT/2002/01479/CHE PCT/EP01/02991 No. 00201063.5 Akzo Nobel NV, Netherlands Use of MIA in immunotherapy | Dated : 18.09.2002 Dated : 15.03.2001 Dated : 23/03/2000 |
| Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention | IN/PCT/2002/01480/CHE PCT/CH01/00205 No. 00106767.7 Inventio AG, Switzerland Targeted call control for lifts | Dated : 18.09.2002 Dated : 29.03.2001 Dated : 29/03/2000 |
| Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention | IN/PCT/2002/01481/CHE PCT/GB01/01247 No. 0006851.0 Inmarsat Ltd., United Kingdom Communication apparatus and method | Dated : 18.09.2002 Dated : 21.03.2001 Dated : 21/03/2000 |
| Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention | IN/PCT/2002/01482/CHE PCT/JP01/01318 Nos. 2000 - 105566; 2000 - 136391 Yoshinobu ITO, Japan Power - cord connection set | Dated : 18.09.2002 Dated : 22.02.2001 Dated : 22/02/2000 |
| Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention | IN/PCT/2002/01483/CHE PCT/DK01/00123 Nos. PA 200000296; PA 200000401 H. Lundbeck A/S, Denmark Method for the preparation of citalopram | Dated : 18.09.2002 Dated : 22.02.2001 Dated : 24/02/2000 |
| Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention | IN/PCT/2002/01484/CHE PCT/JP01/01206 Nos. PQ 5751; PQ 8603 Fujisawa Pharmaceutical Co., Ltd., Japan Thiazepinyl hydroxamic acid derivatives as matrix metalloproteinase inhibitors | Dated : 18.09.2002 Dated : 20.02.2001 Dated : 21/02/2000 |
| Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention | IN/PCT/2002/01485/CHE PCT/IB01/00441 No. 100 14 189.7 Alstom (Switzerland) Ltd., Switzerland Fastening of the blading of a turbomachine | Dated : 19.09.2002 Dated : 22.03.2001 Dated : 23/03/2000 |

| | | |
|--------------------------|--|------------------------|
| Nationalphase App.No | IN/PCT/2002/01486/CHE | Dated : 19.09.2002 |
| Corres.PCT App.No | PCT/JP01/01076 | Dated : 15.02.2001 |
| Priority Document No. | Nos. 2000 - 47228; 2001 - 30819 | Dated : 24/02/2000 |
| Name of the Applicant | Phild Co., Ltd., Japan | |
| Title of Invention | Squalane containing ultratine particles of carbon combustion residue and method for producing the same | |
| Nationalphase App.No | IN/PCT/2002/01487/CHE | Dated : 19.09.2002 |
| Corres.PCT App.No | PCT/US00/23080 | Dated : 23.08.2000 |
| Priority Document No. | Nos. 09/510 241; 09/640,725 | Dated : 22/02/2000 |
| Name of the Applicant | Sepracor Inc., US | |
| Title of Invention | Bupropion metabolites and methods of their synthesis and use | |
| Nationalphase App.No | IN/PCT/2002/01488/CHE | Dated : 19.09.2002 |
| Corres.PCT App.No | PCT/EP01/02778 | Dated : 13.03.2001 |
| Priority Document No. | No. 100 13 948.5 | Dated : 21/03/2000 |
| Name of the Applicant | Basell polyolefine GmbH, Germany | |
| Title of Invention | Method for granulating thermoplastic polymers | |
| Nationalphase App.No | IN/PCT/2002/01489/CHE | Dated : 19.09.2002 |
| Corres.PCT App.No | PCT/EP01/01685 | Dated : 15.02.2001 |
| Priority Document No. | No. 00810149.5 | Dated : 22/02/2000 |
| Name of the Applicant | Ciba specialty chemicals holding inc., Switzerland | |
| Title of Invention | Stabilizer mixtures for polyolefins | |
| Nationalphase App.No | IN/PCT/2002/01490/CHE | Dated : 19.09.2002 |
| Corres.PCT App.No | PCT/US01/08890 | Dated : 20.03.2001 |
| Priority Document No. | Nos. 60/190, 600; 60/228, 258 | Dated : 20/03/2000 |
| Name of the Applicant | Qualcomm incorporated, USA | |
| Title of Invention | Methods and apparatuses for using assistance data relating to satellite position systems | |
| Nationalphase App.No | IN/PCT/2002/01491/CHE | Dated : 19.09.2002 |
| Corres.PCT App.No | PCT/JP01/01818 | Dated : 08.03.2001 |
| Priority Document No. | No. 2000 - 66307 | Dated : 10/03/2000 |
| Name of the Applicant | SDS Biotech K.K., Japan | |
| Title of Invention | Method for exterminating termites | |

| | | |
|-----------------------|---|--------------------|
| Nationalphase App. No | IN/PCT/2002/01492/CHE | Dated : 19.09.2002 |
| Corres. PCT App. No | PCT/EP01/03083 | Dated : 17.03.2001 |
| Priority Document No. | Nos. 100 14 006.8; 100 57 911.6 | Dated : 22/03/2000 |
| Name of the Applicant | Bayer Cropscience GmbH, Germany | |
| Title of Invention | Heterocyclic acylsulfimides, a method for their production, agents containing the same and their use as pesticides | |
| Nationalphase App. No | IN/PCT/2002/01493/CHE | Dated : 19.09.2002 |
| Corres. PCT App. No | PCT/JP01/02094 | Dated : 15.03.2001 |
| Priority Document No. | No. 2000 - 76542 | Dated : 17/03/2000 |
| Name of the Applicant | Ajinomoto co., Inc., Japan | |
| Title of Invention | Medicaments for diabetic complication and neuropathy, and uses thereof | |
| Nationalphase App. No | IN/PCT/2002/01494/CHE | Dated : 19.09.2002 |
| Corres. PCT App. No | PCT/US01/48055 | Dated : 01.11.2001 |
| Priority Document No. | No. 09/705, 506 | Dated : 03/11/2000 |
| Name of the Applicant | Albany international corp., USA | |
| Title of Invention | Grooved long nap shoe belt | |
| Nationalphase App. No | IN/PCT/2002/01495/CHE | Dated : 19.09.2002 |
| Corres. PCT App. No | PCT/NL00/00184 | Dated : 20.03.2000 |
| Priority Document No. | nil | Dated : nil |
| Name of the Applicant | Bernard, Netherlands | |
| Title of Invention | Apparatus for deploying a load to an underwater target position with enhanced accuracy and a method to control such apparatus | |
| Nationalphase App. No | IN/PCT/2002/01496/CHE | Dated : 19.09.2002 |
| Corres. PCT App. No | PCT/NL00/00183 | Dated : 20.03.2000 |
| Priority Document No. | nil | Dated : nil |
| Name of the Applicant | Bernard, Netherlands | |
| Title of Invention | Apparatus and method for deploying an object under water | |
| Nationalphase App. No | IN/PCT/2002/01497/CHE | Dated : 19.09.2002 |
| Corres. PCT App. No | PCT/EP01/03104 | Dated : 19.03.2001 |
| Priority Document No. | No. 0000900 - 1 | Dated : 20/03/2000 |
| Name of the Applicant | Jan otto solem, Switzerland | |
| Title of Invention | Method and system for bypassing an artery block | |

| | | |
|------------------------------|---|---------------------------|
| Nationalphase App.No | IN/PCT/2002/01498/CHE | Dated : 20.09.2002 |
| Corres.PCT App.No | PCT/US01/09136 | Dated : 21.03.2001 |
| Priority Document No. | No. 09/532, 507 | Dated : 22/03/2000 |
| Name of the Applicant | Qualcomm incorporated, USA | |
| Title of Invention | A method and system for wireless electronic commerce using a portable, wireless communication device having unique identifying information | |
| | | |
| Nationalphase App.No | IN/PCT/2002/01499/CHE | Dated : 20.09.2002 |
| Corres.PCT App.No | PCT/US01/09314 | Dated : 22.03.2001 |
| Priority Document No. | Nos. 09/533, 430; 60/229, 668 | Dated : 23/03/2000 |
| Name of the Applicant | Cabot Corporation, USA | |
| Title of Invention | Oxygen reduced niobium oxides | |
| | | |
| Nationalphase App.No | IN/PCT/2002/01500/CHE | Dated : 20.09.2002 |
| Corres.PCT App.No | PCT/US01/09156 | Dated : 21.03.2001 |
| Priority Document No. | No. 60/191, 054 | Dated : 21/03/2000 |
| Name of the Applicant | Flexsys América L P, USA | |
| Title of Invention | Pyrimidine derivatives as hardness stabilizers | |
| | | |
| Nationalphase App.No | IN/PCT/2002/01501/CHE | Dated : 20.09.2002 |
| Corres.PCT App.No | PCT/US01/09567 | Dated : 22.03.2001 |
| Priority Document No. | Nos. 60/191, 608; 60/218, 220 | Dated : 23/03/2000 |
| Name of the Applicant | Teikoku pharma USA, USA | |
| Title of Invention | Methods of producing a terminally sterilized topical patch preparation | |
| | | |
| Nationalphase App.No | IN/PCT/2002/01502/CHE | Dated : 20.09.2002 |
| Corres.PCT App.No | PCT/US01/05690 | Dated : 22.02.2001 |
| Priority Document No. | No. 60/184, 758 | Dated : 23/02/2000 |
| Name of the Applicant | Peacock, Kimberly, R, USA | |
| Title of Invention | Methods and apparatus for controlling internet protocol traffic in a wan or lan | |
| | | |
| Nationalphase App.No | IN/PCT/2002/01503/CHE | Dated : 20.09.2002 |
| Corres.PCT App.No | PCT/IB01/00370 | Dated : 09.03.2001 |
| Priority Document No. | No. 0007034.2 | Dated : 23/03/2000 |
| Name of the Applicant | Westerneco AS, Norway | |
| Title of Invention | Seismic source arrays | |

| | | |
|-----------------------|---|--------------------|
| Nationalphase App. No | IN/PCT/2002/01504/CHE | Dated : 20.09.2002 |
| Corres. PCT App. No | PCT/JP01/02188 | Dated : 19.03.2001 |
| Priority Document No. | No. 2000 - 83964 | Dated : 24/03/2000 |
| Name of the Applicant | Sumitomo chemical company, limited, Japan | |
| Title of Invention | Process for producing oxirane compound | |
| Nationalphase App. No | IN/PCT/2002/01505/CHE | Dated : 20.09.2002 |
| Corres. PCT App. No | PCT/JP01/02189 | Dated : 19.03.2001 |
| Priority Document No. | No. 2000 - 083954 | Dated : 24/03/2000 |
| Name of the Applicant | Sumitomo chemical company, limited, Japan | |
| Title of Invention | Process for producing oxirane compound | |
| Nationalphase App. No | IN/PCT/2002/01506/CHE | Dated : 20.09.2002 |
| Corres. PCT App. No | PCT/JP01/02190 | Dated : 19.03.2001 |
| Priority Document No. | No. 2000 - 083957 | Dated : 24/03/2000 |
| Name of the Applicant | Sumitomo chemical company, limited, Japan | |
| Title of Invention | Process for producing propylene oxide | |
| Nationalphase App. No | IN/PCT/2002/01507/CHE | Dated : 20.09.2002 |
| Corres. PCT App. No | PCT/JP01/02191 | Dated : 19.03.2001 |
| Priority Document No. | No. 2000 - 083959 | Dated : 24/03/2000 |
| Name of the Applicant | Sumitomo chemical company, limited, Japan | |
| Title of Invention | Process for producing propylene oxide | |
| Nationalphase App. No | IN/PCT/2002/01508/CHE | Dated : 20.09.2002 |
| Corres. PCT App. No | PCT/JP01/02186 | Dated : 19.03.2001 |
| Priority Document No. | No. 2000 - 083961 | Dated : 24/03/2000 |
| Name of the Applicant | Sumitomo chemical company, limited, Japan | |
| Title of Invention | Process for producing propylene oxide | |
| Nationalphase App. No | IN/PCT/2002/01509/CHE | Dated : 20.09.2002 |
| Corres. PCT App. No | PCT/JP01/02187 | Dated : 19.03.2001 |
| Priority Document No. | No. 2000 - 083962 | Dated : 24/03/2000 |
| Name of the Applicant | Sumitomo chemical company, limited, Japan | |
| Title of Invention | Process for producing propylene oxide | |

| | | |
|-----------------------|--|--------------------|
| Nationalphase App. No | IN/PCT/2002/01510/CHE | Dated : 20.09.2002 |
| Corres. PCT App. No | PCT/SE01/00381 | Dated : 21.02.2001 |
| Priority Document No. | No. 0000574 - 4 | Dated : 23/02/2000 |
| Name of the Applicant | Obducat aktiebolag, Sweden | |
| Title of Invention | Device for homogeneous heating of an object | |
| | | |
| Nationalphase App. No | IN/PCT/2002/01511/CHE | Dated : 23.09.2002 |
| Corres. PCT App. No | PCT/US02/01529 | Dated : 16.01.2002 |
| Priority Document No. | No. 09/768, 865 | Dated : 23/01/2001 |
| Name of the Applicant | Trifluous semiconductor, Inc., USA | |
| Title of Invention | Integrated broadside coupled transmission line element | |
| | | |
| Nationalphase App. No | IN/PCT/2002/01512/CHE | Dated : 23.09.2002 |
| Corres. PCT App. No | PCT/DK01/00122 | Dated : 22.02.2001 |
| Priority Document No. | No. PA 2000 00296 | Dated : 24/02/2000 |
| Name of the Applicant | H. Lundbeck A/S, Denmark | |
| Title of Invention | Method for the preparation of citalopram | |
| | | |
| Nationalphase App. No | IN/PCT/2002/01513/CHE | Dated : 23.09.2002 |
| Corres. PCT App. No | PCT/US01/50800 | Dated : 31.12.2001 |
| Priority Document No. | No. 09/7669, 569 | Dated : 24/01/2001 |
| Name of the Applicant | Gilson, Inc., USA | |
| Title of Invention | Probe alignment for precision liquid handler | |
| | | |
| Nationalphase App. No | IN/PCT/2002/01514/CHE | Dated : 23.09.2002 |
| Corres. PCT App. No | PCT/US01/09429 | Dated : 23.03.2001 |
| Priority Document No. | No. 60/192, 147 | Dated : 24/03/2000 |
| Name of the Applicant | Siemens energy & automation inc., USA | |
| Title of Invention | Industrial automation system graphical programming language storage and transmission | |
| | | |
| Nationalphase App. No | IN/PCT/2002/01515/CHE | Dated : 23.09.2002 |
| Corres. PCT App. No | PCT/DK01/00179 | Dated : 16.03.2001 |
| Priority Document No. | No. PA 200000496 | Dated : 24/03/2000 |
| Name of the Applicant | Novo nordisk A/S, Denmark | |
| Title of Invention | A flexible piston rod | |
| | | |
| Nationalphase App. No | IN/PCT/2002/01516/CHE | Dated : 23.09.2002 |
| Corres. PCT App. No | PCT/US01/08924 | Dated : 20.03.2001 |
| Priority Document No. | Nos. 60/191, 803; 09/799, 785 | Dated : 24/03/2002 |
| Name of the Applicant | Photogen, Inc., USA | |
| Title of Invention | Intracorporeal medicaments for photodynamic treatment of disease | |

| | | |
|---|--|--|
| Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention | IN/PCT/2002/01517/CHE PCT/NL01/00240 No. 1014751 Van De Wiel & others, The Netherlands Cosmetic use of HOP and ornithine | Dated : 23.09.2002 Dated : 22.03.2001 Dated : 24/03/2000 |
| Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention | IN/PCT/2002/01518/CHE PCT/FR01/00806 No. 00/03813 Aluminium Pechiney, France Implantation of installations of an electrolysis plant for producing aluminium | Dated : 23.09.2002 Dated : 19.03.2001 Dated : 24/03/2000 |
| Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention | IN/PCT/2002/01519/CHE PCT/EP01/03271 No. 00106441.9 Societe des produits nestle S A, Switzerland Use of lactic acid bacterium for the treatment of peritonitis | Dated : 23.09.2002 Dated : 22.03.2001 Dated : 24/03/2000 |
| Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention | IN/PCT/2002/01520/CHE PCT/US01/09433 No. 60/191, 923 Pharmacia corporation, USA Amidng compound and salts thereof useful as nitric oxide synthase inhibitors | Dated : 23.09.2002 Dated : 23.03.2001 Dated : 24/03/2000 |
| Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention | IN/PCT/2002/01521/CHE PCT/EP01/03247 Nos. 00201032.0; 1014728 Solvay pharmaceuticals B.V., Netherlands 4, 5 - Dihydro - 1H - pyrazole derivatives having CB1 - Antagonistic activity | Dated : 23.09.2002 Dated : 22.03.2001 Dated : 23/03/2000 |
| Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention | IN/PCT/2002/01522/CHE PCT/EP01/14668 No. 00204740.5 Basell poliolefine italia S.p.A., Italy Bioriented polypropylene films | Dated : 23.09.2002 Dated : 13.12.2001 Dated : 22/12/2000 |
| Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention | IN/PCT/2002/01523/CHE PCT/EP01/14667 No. 00204737.1 Basell poliolefine italia S.p.A., Italy Polyolefin sheets for thermoforming | Dated : 23.09.2002 Dated : 13.12.2001 Dated : 22/12/2000 |

| | | |
|-----------------------|---|--------------------|
| Nationalphase App.No | IN/PCT/2002/01524/CHE | Dated : 24.09.2002 |
| Corres.PCT App.No | PCT/US01/09838 | Dated : 28.03.2001 |
| Priority Document No. | No. 09/537, 850 | Dated : 29/03/2000 |
| Name of the Applicant | Union carbide chemicals & plastics technology corporation, USA | |
| Title of Invention | Process for producing high melt flow polymers. | |
| | | |
| Nationalphase App.No | IN/PCT/2002/01525/CHE | Dated : 24.09.2002 |
| Corres.PCT App.No | PCT/IB01/00257 | Dated : 26.02.2001 |
| Priority Document No. | No. 60/185, 059 | Dated : 25/02/2000 |
| Name of the Applicant | Personal chemistry uppsala AB, Sweden | |
| Title of Invention | Microwave heating apparatus | |
| | | |
| Nationalphase App.No | IN/PCT/2002/01526/CHE | Dated : 24.09.2002 |
| Corres.PCT App.No | PCT/FI02/00058 | Dated : 24.01.2002 |
| Priority Document No. | No. 20010163 | Dated : 26/01/2001 |
| Name of the Applicant | Nokia Corporation, Finland | |
| Title of Invention | Method and system where one thread can handle several different services concurrently | |
| | | |
| Nationalphase App.No | IN/PCT/2002/01527/CHE | Dated : 24.09.2002 |
| Corres.PCT App.No | PCT/IT01/00090 | Dated : 26.02.2001 |
| Priority Document No. | No. FI2000A000074 | Dated : 24/03/2000 |
| Name of the Applicant | Cianchini, Ardenzo, Italy | |
| Title of Invention | Process, machine and hot - melt material for bonding textiles | |
| | | |
| Nationalphase App.No | IN/PCT/2002/01528/CHE | Dated : 24.09.2002 |
| Corres.PCT App.No | PCT/EP01/03408 | Dated : 26.03.2001 |
| Priority Document No. | Nos. 0007427.8; 0010486.9 | Dated : 27/03/2000 |
| Name of the Applicant | Syngenta participations AG, Switzerland | |
| Title of Invention | promoters | |
| | | |
| Nationalphase App.No | IN/PCT/2002/01529/CHE | Dated : 24.09.2002 |
| Corres.PCT App.No | PCT/US01/09686 | Dated : 26.03.2001 |
| Priority Document No. | No. 09/537, 275 | Dated : 29/03/2000 |
| Name of the Applicant | Kimberly Clark Worldwide Inc., USA | |
| Title of Invention | Dispenser apparatus and method | |

| | | |
|---|--|--|
| Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention | IN/PCT/2002/01530/CHE PCT/IB01/00054 No. PA200000531 F L Smidh & Co A/S, Denmark Method and apparatus for manufacturing of cement clinker from particulate cement raw material | Dated : 24.09.2002 Dated : 19.01.2001 Dated : 30/03/2000 |
| Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention | IN/PCT/2002/01531/CHE PCT/US01/09004 No. 09/538, 574 Valence Technology (Nevada) Inc., USA Flat, bonded - electrode rechargeable | Dated : 24.09.2002 Dated : 21.03.2001 Dated : 29/03/2000 |
| Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention | IN/PCT/2002/01532/CHE PCT/US01/09491 No. 09/538, 575 Valence Technology (Nevada) Inc., USA rechargeable electrochemical cells | Dated : 24.09.2002 Dated : 23.03.2001 Dated : 29/03/2000 |
| Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention | IN/PCT/2002/01533/CHE PCT/DE01/04927 No. 101 03 045.2 Robert Bosch GMBH, Germany Method for producing a spark plug | Dated : 24.09.2002 Dated : 22.12.2001 Dated : 24/01/2001 |
| Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention | IN/PCT/2002/01534/CHE PCT/NL01/00158 No. 00200663.3 Nederlandse Organisatie Voor Toegepast - natuurwetenschappelijk Onderzoek TNO, Netherlands Removal of sulfur compounds from waste water | Dated : 24.09.2002 Dated : 26.02.2001 Dated : 25/02/2000 |
| Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention | IN/PCT/2002/01535/CHE PCT/IB01/02687 No. 01200274.7 Koninklijke Philips electronics NV, Netherlands Optical information medium and a method of manufacturing the medium | Dated : 24.09.2002 Dated : 20.12.2001 Dated : 25/01/2001 |
| Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention | IN/PCT/2002/01536/CHE PCT/JP01/02431 No. 2000 - 86838 Sanyo electric co., ltd., Japan Data distribution terminal, menu server, and distribution reservation system using them | Dated : 25.09.2002 Dated : 26.03.2001 Dated : 27/03/2000 |

| | | |
|------------------------------|---|--------------------|
| <i>Nationalphase App. No</i> | IN/PCT/2002/01530/CHE | Dated : 24.09.2002 |
| <i>Corres.PCT App. No</i> | PCT/IB01/00054 | Dated : 19.01.2001 |
| <i>Priority Document No.</i> | No. PA200000531 | Dated : 30/03/2000 |
| <i>Name of the Applicant</i> | F L Smidh & Co A/S, Denmark | |
| <i>Title of Invention</i> | <i>Method and apparatus for manufacturing of cement clinker from particulate cement raw material.</i> | |
| | | |
| <i>Nationalphase App. No</i> | IN/PCT/2002/01531/CHE | Dated : 24.09.2002 |
| <i>Corres.PCT App. No</i> | PCT/US01/09004 | Dated : 21.03.2001 |
| <i>Priority Document No.</i> | No. 09/538, 574 | Dated : 29/03/2000 |
| <i>Name of the Applicant</i> | Valence Technology (Nevada) Inc., USA | |
| <i>Title of Invention</i> | <i>Flat, bonded - electrode rechargeable</i> | |
| | | |
| <i>Nationalphase App. No</i> | IN/PCT/2002/01532/CHE | Dated : 24.09.2002 |
| <i>Corres.PCT App. No</i> | PCT/US01/09491 | Dated : 23.03.2001 |
| <i>Priority Document No.</i> | No. 09/538, 575 | Dated : 29/03/2000 |
| <i>Name of the Applicant</i> | Valence Technology (Nevada) Inc., USA | |
| <i>Title of Invention</i> | <i>rechargeable electrochemical cells</i> | |
| | | |
| <i>Nationalphase App. No</i> | IN/PCT/2002/01533/CHE | Dated : 24.09.2002 |
| <i>Corres.PCT App. No</i> | PCT/DE01/04927 | Dated : 22.12.2001 |
| <i>Priority Document No.</i> | No. 101 03 045.2 | Dated : 24/01/2001 |
| <i>Name of the Applicant</i> | Robert Bosch GMBH, Germany | |
| <i>Title of Invention</i> | <i>Method for producing a spark plug</i> | |
| | | |
| <i>Nationalphase App. No</i> | IN/PCT/2002/01534/CHE | Dated : 24.09.2002 |
| <i>Corres.PCT App. No</i> | PCT/NL01/00158 | Dated : 26.02.2001 |
| <i>Priority Document No.</i> | No. 00200663.3 | Dated : 25/02/2000 |
| <i>Name of the Applicant</i> | Nederlandse Organisatie Voor Toegepast - natuurwetenschappelijk Onderzoek TNO, Netherlands | |
| <i>Title of Invention</i> | <i>Removal of sulfur compounds from waste water</i> | |
| | | |
| <i>Nationalphase App. No</i> | IN/PCT/2002/01535/CHE | Dated : 24.09.2002 |
| <i>Corres.PCT App. No</i> | PCT/IB01/02687 | Dated : 20.12.2001 |
| <i>Priority Document No.</i> | No. 01200274.7 | Dated : 25/01/2001 |
| <i>Name of the Applicant</i> | Koninklijke Philips electronics NV, Netherlands | |
| <i>Title of Invention</i> | <i>Optical information medium and a method</i> | |

| | | |
|---|---|--|
| Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention | IN/PCT/2002/01537/CHE PCT/EP01/03143 No. 100 15 246.5 Basf Aktiengesellschaft, Germany Reaction of an organic compound with a hydroperoxide | Dated : 25.09.2002 Dated : 19.03.2001 Dated : 28/03/2000 |
| Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention | IN/PCT/2002/01538/CHE PCT/JP01/01412 No. 2000 - 54675 Mitsubishi pharma corporation, Japan Phosphonate nucleotide compound | Dated : 25.09.2002 Dated : 26.02.2001 Dated : 29/02/2000 |
| Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention | IN/PCT/2002/01539/CHE PCT/US01/09884 No. 60/193, 037 University of virginia patent foundation, USA Method, system and computer program | Dated : 25.09.2002 Dated : 29.03.2001 Dated : 29/03/2000 |
| Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention | IN/PCT/2002/01540/CHE PCT/GB01/00742 Nos. 0007443.5; 0103584.9 Emtelle uk limited, Great Britain Cable for installation in duct | Dated : 25.09.2002 Dated : 22.02.2001 Dated : 29/03/2000 |
| Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention | IN/PCT/2002/01541/CHE PCT/US01/06749 No. 60/186, 695 Process management enterprises ltd., USA Ammonia synthesis process and | Dated : 25.09.2002 Dated : 02.03.2001 Dated : 03/03/2000 |
| Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention | IN/PCT/2002/01542/CHE PCT/US01/06079 No. 09/513, 831 Kargo, Inc., USA Graphical layout and keypad response to visually depict and implement device functionality for interactivity with a numbered keypad | Dated : 25.09.2002 Dated : 23.02.2001 Dated : 25/02/2000 |
| Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention | IN/PCT/2002/01543/CHE PCT/EP01/01993 No. 100 09 988.2 Barmag AG, Germany Method and device for stuffers crimping | Dated : 25.09.2002 Dated : 22.02.2001 Dated : 01/03/2000 |

| | | |
|------------------------------|---|---------------------------|
| Nationalphase App. No | IN/PCT/2002/01544/CHE | Dated : 25.09.2002 |
| Corres. PCT App. No | PCT/DK01/00140 | Dated : 01.03.2001 |
| Priority Document No. | No. PA 2000 00353 | Dated : 03/03/2000 |
| Name of the Applicant | H. Lundbeck A/S, Denmark | |
| Title of Invention | Method for the preparation of citalopram | |
| | | |
| Nationalphase App. No | IN/PCT/2002/01545/CHE | Dated : 26.09.2002 |
| Corres. PCT App. No | PCT/JP01/11512 | Dated : 27.12.2001 |
| Priority Document No. | Nos. 2000 - 397706; 2001 - 56499 | Dated : 27/12/2000 |
| Name of the Applicant | Matsushita electric industrial co., ltd., Japan | |
| Title of Invention | Matrix type display device and method for driving the same | |
| | | |
| Nationalphase App. No | IN/PCT/2002/01546/CHE | Dated : 26.09.2002 |
| Corres. PCT App. No | PCT/CH01/00142 | Dated : 07.03.2001 |
| Priority Document No. | No. 584/00 | Dated : 27/03/2000 |
| Name of the Applicant | Textilma AG, Switzerland | |
| Title of Invention | Jacquard machine | |
| | | |
| Nationalphase App. No | IN/PCT/2002/01547/CHE | Dated : 26.09.2002 |
| Corres. PCT App. No | PCT/DE01/01177 | Dated : 28.03.2001 |
| Priority Document No. | No. 100 16 307.6 | Dated : 31/03/2000 |
| Name of the Applicant | Thueringisches institut fur textil - und kunststoff - forschung E.V., Germany | |
| Title of Invention | Method for producing and processing a cellulose solution | |
| | | |
| Nationalphase App. No | IN/PCT/2002/01548/CHE | Dated : 26.09.2002 |
| Corres. PCT App. No | PCT/NL01/00062 | Dated : 29.01.2001 |
| Priority Document No. | No. 1014756 | Dated : 27/03/2000 |
| Name of the Applicant | DSM N.V., Netherlands | |
| Title of Invention | Installation and process for the preparation of urea | |
| | | |
| Nationalphase App. No | IN/PCT/2002/01549/CHE | Dated : 26.09.2002 |
| Corres. PCT App. No | PCT/US01/40178 | Dated : 01.01.1900 |
| Priority Document No. | No. 09/516328 | Dated : 01/03/2000 |
| Name of the Applicant | Lambda research, Inc., USA | |
| Title of Invention | Method and apparatus for providing a residual stress distribution in the surface of a part | |

| | | |
|-----------------------|--|--------------------|
| Nationalphase App. No | IN/PCT/2002/01550/CHE | Dated : 27.09.2002 |
| Corres. PCT App. No | PCT/AU01/00344 | Dated : 28.03.2002 |
| Priority Document No. | No. PQ 6517 | Dated : 28/03/2000 |
| Name of the Applicant | Paul Roberts, New Zealand | |
| Title of Invention | Composite structural element | |
| | | |
| Nationalphase App. No | IN/PCT/2002/01551/CHE | Dated : 27.09.2002 |
| Corres. PCT App. No | PCT/US01/10134 | Dated : 28.03.2001 |
| Priority Document No. | No. 60/193, 020 | Dated : 29/03/2000 |
| Name of the Applicant | Dow Global Technologies, Inc., USA | |
| Title of Invention | Integral skin foams employing pentafluorobutane blowing agents | |
| | | |
| Nationalphase App. No | IN/PCT/2002/01552/CHE | Dated : 27.09.2002 |
| Corres. PCT App. No | PCT/GB01/00820 | Dated : 27.02.2001 |
| Priority Document No. | No. 0007728.9 | Dated : 31/03/2000 |
| Name of the Applicant | PPG Industries Ohio, Inc., USA | |
| Title of Invention | Coating composition | |
| | | |
| Nationalphase App. No | IN/PCT/2002/01553/CHE | Dated : 27.09.2002 |
| Corres. PCT App. No | PCT/SE01/00699 | Dated : 30.03.2001 |
| Priority Document No. | No. 0001185 - 8 | Dated : 31/03/2000 |
| Name of the Applicant | Megamec.com beneficial trust, USA | |
| Title of Invention | System to pay and for information | |
| | | |
| Nationalphase App. No | IN/PCT/2002/01554/CHE | Dated : 27.09.2002 |
| Corres. PCT App. No | PCT/EP01/03742 | Dated : 27.03.2001 |
| Priority Document No. | No. 00201102.1; 00201968.5 | Dated : 28/03/2000 |
| Name of the Applicant | Akzo Nobel NV, Netherlands | |
| Title of Invention | Photoactivable coating composition and its use for the preparation of coatings with a rapidly processable surface at ambient temperature | |
| | | |
| Nationalphase App. No | IN/PCT/2002/01555/CHE | Dated : 27.09.2002 |
| Corres. PCT App. No | PCT/JP00/02620 | Dated : 29.03.2001 |
| Priority Document No. | No. 2000 - 92565 | Dated : 30/03/2000 |
| Name of the Applicant | Shionogi & Co., Ltd., Japan | |
| Title of Invention | Novel synthetic process and novel crystal form of condensed imidazopyridine derivatives | |

| | | |
|------------------------------|--|--------------------|
| Nationalphase App. No | IN/PCT/2002/01556/CHE | Dated : 27.09.2002 |
| Corres.PCT App.No | PCT/EP01/03070 | Dated : 17.03.2001 |
| Priority Document No. | No. 10016116.2 | Dated : 31/03/2000 |
| Name of the Applicant | Bayer Cropscience GmbH, Germany | |
| Title of Invention | Benzoylpyrazoles and their use as herbicides | |
| | | |
| Nationalphase App.No | IN/PCT/2002/01557/CHE | Dated : 27.09.2002 |
| Corres.PCT App.No | PCT/US01/10059 | Dated : 29.03.2001 |
| Priority Document No. | No. 09/537, 841 | Dated : 29/03/2000 |
| Name of the Applicant | Westerngeco seismic holdings ltd., USA | |
| Title of Invention | seismic system | |
| | | |
| Nationalphase App.No | IN/PCT/2002/01558/CHE | Dated : 27.09.2002 |
| Corres.PCT App.No | PCT/EP01/03021 | Dated : 19.03.2001 |
| Priority Document No. | No. MI2000A000681 | Dated : 31/03/2000 |
| Name of the Applicant | Enitecnologie S.P.A. & others, Italy | |
| Title of Invention | Process for the preparation of mixtures of methylenedianiline and its higher homologous products | |
| | | |
| Nationalphase App.No | IN/PCT/2002/01559/CHE | Dated : 27.09.2002 |
| Corres.PCT App.No | PCT/US01/09114 | Dated : 20.03.2001 |
| Priority Document No. | No. 09/539, 224 | Dated : 30/03/2000 |
| Name of the Applicant | Qualcomm incorporated, USA | |
| Title of Invention | Method and apparatus for measuring channel state information | |
| | | |
| Nationalphase App.No | IN/PCT/2002/01560/CHE | Dated : 27.09.2002 |
| Corres.PCT App.No | PCT/US01/09325 | Dated : 20.03.2001 |
| Priority Document No. | No. 09/539, 157 | Dated : 30/03/2000 |
| Name of the Applicant | Qualcomm incorporated, USA | |
| Title of Invention | Method and apparatus for controlling transmissions of a communications system | |
| | | |
| Nationalphase App.No | IN/PCT/2002/01561/CHE | Dated : 27.09.2002 |
| Corres.PCT App.No | PCT/US01/0470 | Dated : 30.03.2001 |
| Priority Document No. | No. 09/540, 797 | Dated : 31/03/2000 |
| Name of the Applicant | Qualcomm incorporated, USA | |
| Title of Invention | Dyamic recognition of an empty general paging message | |

| | | |
|------------------------------|---|--------------------|
| Nationalphase App.No | IN/PCT/2002/01562/CHE | Dated : 27.09.2002 |
| Corres.PCT App.No | PCT/US01/10464 | Dated : 30.03.2001 |
| Priority Document No. | No. 09/540, 922 | Dated : 31/03/2000 |
| Name of the Applicant | Qualcomm incorporated, USA | |
| Title of Invention | Dynamic adjustment of search window in response to signal strength | |
| Nationalphase App.No | IN/PCT/2002/01563/CHE | Dated : 27.09.2002 |
| Corres.PCT App.No | PCT/US01/10471 | Dated : 30.03.2001 |
| Priority Document No. | No. 09/540, 798 | Dated : 31/03/2000 |
| Name of the Applicant | Qualcomm incorporated, USA | |
| Title of Invention | Dynamically adjusting integration interval based on a signal strength | |
| Nationalphase App.No | IN/PCT/2002/01564/CHE | Dated : 27.09.2002 |
| Corres.PCT App.No | PCT/US01/10463 | Dated : 30.03.2001 |
| Priority Document No. | No. 09/539, 852 | Dated : 31/03/2000 |
| Name of the Applicant | Qualcomm incorporated, USA | |
| Title of Invention | Slotted mode decoder state metric initialization | |
| Nationalphase App.No | IN/PCT/2002/01565/CHE | Dated : 27.09.2002 |
| Corres.PCT App.No | PCT/US01/10469 | Dated : 30.03.2001 |
| Priority Document No. | No. 09/540, 799 | Dated : 31/03/2000 |
| Name of the Applicant | Qualcomm incorporated, USA | |
| Title of Invention | Efficient detection of general paging messages in poor signal to noise environments | |
| Nationalphase App.No | IN/PCT/2002/01566/CHE | Dated : 27.09.2002 |
| Corres.PCT App.No | PCT/US01/10468 | Dated : 30.03.2001 |
| Priority Document No. | No. 09/540, 802 | Dated : 31/03/2000 |
| Name of the Applicant | Qualcomm incorporated, USA | |
| Title of Invention | Prioritization of searching by a remote unit in a wireless communication system | |
| Nationalphase App.No | IN/PCT/2002/01567/CHE | Dated : 27.09.2002 |
| Corres.PCT App.No | PCT/US01/10659 | Dated : 02.04.2001 |
| Priority Document No. | No. 09/540, 801 | Dated : 31/03/2000 |
| Name of the Applicant | Qualcomm incorporated, USA | |
| Title of Invention | Reacquisition and handoff in a slotted mode communication system | |

| | | |
|------------------------------|--|---------------------------|
| Nationalphase App. No | IN/PCT/2002/01568/CHE | Dated : 27.09.2002 |
| Corres.PCT App.No | PCT/US01/10160 | Dated : 29.03.2001 |
| Priority Document No. | No. 09/540, 128 | Dated : 31/03/2000 |
| Name of the Applicant | Qualcomm incorporated, USA | |
| Title of Invention | Fast acquisition of a pilot signal in a wireless communication device. | |
| Nationalphase App. No | IN/PCT/2002/01569/CHE | Dated : 27.09.2002 |
| Corres.PCT App.No | PCT/US01/10139 | Dated : 29.03.2001 |
| Priority Document No. | No. 09/539, 498 | Dated : 30/03/2000 |
| Name of the Applicant | Qualcomm incorporated, USA | |
| Title of Invention | Method and apparatus for detecting specified events in a mobile station | |
| Nationalphase App. No | IN/PCT/2002/01570/CHE | Dated : 27.09.2002 |
| Corres.PCT App.No | PCT/IB02/00105 | Dated : 15.01.2002 |
| Priority Document No. | No. 01200332.3 | Dated : 30/01/2001 |
| Name of the Applicant | Koninklijke Philips electronics NV, Netherlands | |
| Title of Invention | Storing data items on a data carrier | |
| Nationalphase App. No | IN/PCT/2002/01571/CHE | Dated : 30.09.2002 |
| Corres.PCT App.No | PCT/GB01/01453 | Dated : 30.03.2001 |
| Priority Document No. | No. 0007833.7 | Dated : 31/03/2000 |
| Name of the Applicant | Orange personal communications services limited, United Kingdom | |
| Title of Invention | Support for a mobile terminal | |
| Nationalphase App. No | IN/PCT/2002/01572/CHE | Dated : 30.09.2002 |
| Corres.PCT App.No | PCT/JP01/02339 | Dated : 23.03.2001 |
| Priority Document No. | No. 2000 - 96684 | Dated : 31/03/2000 |
| Name of the Applicant | Digital arts inc., Japan | |
| Title of Invention | A method of and apparatus for controlling access to the internet in a computer system and computer readable medium storing a computer program | |
| Nationalphase App. No | IN/PCT/2002/01573/CHE | Dated : 30.09.2002 |
| Corres.PCT App.No | PCT/CH01/00174 | Dated : 21.03.2001 |
| Priority Document No. | 810271.1 | Dated : 31/03/2000 |
| Name of the Applicant | Inventio AG, Switzerland | |
| Title of Invention | Device and method to reduce the power supply connection rating of elevator installations | |

| | | |
|---|---|--|
| Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention | IN/PCT/2002/01574/CHE PCT/EP01/02265 No. 0007837.8 Societe des produits nestle S A, Switzerland Flavour encapsulation | Dated : 30.09.2002 Dated : 28.02.2001 Dated : 31/03/2000 |
| Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention | IN/PCT/2002/01575/CHE PCT/EP01/02303 No. 100 16 489.7 Maschinenfabrik reinhausen GmbH, Germany Method for the control of a motor drive for a stepping switch and a stepping switch suitable for such a process | Dated : 30.09.2002 Dated : 01.03.2001 Dated : 01/04/2000 |
| Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention | IN/PCT/2002/01576/CHE PCT/IB01/00532 No. 10016037.9 Interlock AG, Switzerland Method for producing a tag or a chip card, device for implementing said method and tag or chip card produced according to said method | Dated : 30.09.2002 Dated : 31.03.2001 Dated : 31/03/2000 |
| Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention | IN/PCT/2002/01577/CHE PCT/CH01/00175 No. 00810272.5 Inventio AG, Switzerland Emergency current supply equipment for lift installations | Dated : 30.09.2002 Dated : 21.03.2001 Dated : 31/03/2000 |
| Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention | IN/PCT/2002/01578/CHE PCT/EP01/02679 Nos. 101 04 504.2; 101 04 880.7 Rohm GmbH & Co. KG, Germany Multiparticulate drug form comprising at least two differently coated pellet forms | Dated : 30.09.2002 Dated : 09.03.2001 Dated : 31/01/2001 |
| Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention | IN/PCT/2002/01579/CHE PCT/US01/08232 No. 09/539, 399 Optobionics corporation, USA Multi - phasic microphotodetector retinal implant with variable voltage and current capability | Dated : 30.09.2002 Dated : 15.03.2001 Dated : 31/03/2000 |

| | | |
|---------------------------|---|------------------------|
| Nationalphase App. No | IN/PCT/2002/01580/CHE | Dated : 30.09.2002 |
| Corres. PCT App.No | PCT/US01/09832 | Dated : 27.03.2001 |
| Priority Document No. | No. 60/193, 889 | Dated : 31/03/2000 |
| Name of the Applicant | Societe de conseils de recherches et D' Applications Scientifiques | |
| Title of Invention | S.A.S. & others, USA Method of profiling a plant extract | |
| Nationalphase App. No | IN/PCT/2002/01581/CHE | Dated : 30.09.2002 |
| Corres. PCT App.No | PCT/EP01/02287 | Dated : 01.03.2001 |
| Priority Document No. | No. 10009818.5 | Dated : 01/03/2000 |
| Name of the Applicant | Clyde bergemann GmbH, Germany | |
| Title of Invention | Compact water lance blower | |
| Nationalphase App. No | IN/PCT/2002/01582/CHE | Dated : 30.09.2002 |
| Corres. PCT App.No | PCT/GB01/00857 | Dated : 28.02.2001 |
| Priority Document No. | Nos. 0005018.7; 0014320.6 | Dated : 01/03/2000 |
| Name of the Applicant | Hookham - miller, peter, ernest, Great britain | |
| Title of Invention | Presenting programs | |
| Nationalphase App. No | IN/PCT/2002/01583/CHE | Dated : 30.09.2002 |
| Corres. PCT App.No | PCT/US01/10171 | Dated : 30.03.2001 |
| Priority Document No. | No. 09/540, 568 | Dated : 31/03/2000 |
| Name of the Applicant | Occidental chemical corporation & others, USA | |
| Title of Invention | Precipitated silicas, silica gels with and free deposited carbon from caustic biomass-ash solutions and processes | |

Nationalphase App. No IN/PCT/2002/01584/CHE
 Corres. PCT App. No PCT/IB01/00526 Dated : 30.09.2002
 Priority Document No. No. 0007890.7 Dated : 02.04.2001
 Name of the Applicant De Beers Industrial Diamond (Proprietary) Limited, South Africa
 Title of Invention High temperature / high pressure colour Dated : 31/03/2000

Nationalphase App. No IN/PCT/2002/01585/CHE
 Corres. PCT App. No PCT/IB01/00525 Dated : 30.09.2002
 Priority Document No. No. 0007887.3 Dated : 02.04.2001
 Name of the Applicant De Beers Industrial Diamond (Proprietary) Limited, South Africa
 Title of Invention High temperature / high pressure colour Dated : 31/03/2000

Nationalphase App. No IN/PCT/2002/01586/CHE
 Corres. PCT App. No PCT/IB01/00540 Dated : 30.09.2002
 Priority Document No. Nos. 0007889.9, 0009488.8 Dated : 02.04.2001
 Name of the Applicant De Beers Industrial Diamond (Proprietary) Limited, South Africa
 Title of Invention High temperature / high pressure colour change of diamond Dated : 31/03/2000

COMPLETE SPECIFICATION ACCEPTED

Notice is hereby given that any person interested in opposing the grant of a patent on any of the applications concerned, may, at any time within four months from the date of this issue or within such further period not exceeding one month if applied for on Form 4 prescribed under the Patent (Amendment) Rules, 1999 before the expiry of the said period of four months, give notice to the Controller of Patents at the appropriate office on the prescribed Form 7 of such opposition. The written statement of opposition should be filed in duplicate alongwith evidence, if any, with said notice or within sixty days of its date as prescribed in Rule 36 as amended by the Patents (Amendment) Rules, 1999.

The Classification given below in respect of each specification are according to Indian Classification and International Classification Systems.

Printed copies of the specification and drawings, if any, can be supplied by the Patent Office or its branch offices on payment of prescribed charges of Rs. 30/- each.

In the event of non-availability of printed specification, photocopies of the specification and drawings, if any, can be supplied by the Patent Office and its branch offices on payment of prescribed photocopy charges of Rs. 10/- per page of such document plus Rs. 30/-.

स्वीकृत संपूर्ण विनिर्देश

एतद्वारा यह सूचना दी जाती है कि संबद्ध आवेदनों में से किसी पर पेटेंट अनुदान के विरोध करने के इच्छुक व्यक्ति, इसके नियम की तिथि से चार (4) महीने या अग्रिम ऐसी अवधि जो उक्त चार (4) महीने की अवधि की समाप्ति के पूर्व, पेटेंट (संशोधन) नियम, 1999 के तहत, विहित प्रूप 4 पर अगर आवेदित हो, एक महीने की अवधि से अधिक न हो, के भीतर कभी भी नियंत्रक एकस्व को उपयुक्त कार्यालय में ऐसे विरोध की सूचना विहित प्रूप 7 पर दे सकते हैं। विरोध संबंधी लिखित वक्तव्य दो प्रतियों में साक्ष्य के साथ, यदि कोई हो, उक्त सूचना के साथ या पेटेंट (संशोधन) नियम, 1999 द्वारा संशोधित नियम 36 के तहत, यथाविहित उक्त सूचना की तिथि से 60 दिन के भीतर फाईल कर दिये जाने चाहिए।

प्रत्येक विनिर्देश के संदर्भ में नीचे दिये वर्गीकरण, भारतीय वर्गीकरण तथा अन्तर्राष्ट्रीय वर्गीकरण के अनुरूप है।

विनिर्देश तथा चित्र आरेख, यदि कोई हो, की अंकित प्रतियों की आपूर्ति पेटेंट कार्यालय या उसके शाखा कार्यालयों से यथाविहित 30/- रुपये प्रति की अदायगी पर की जा सकती है।

ऐसी परिस्थिति में जब विनिर्देश की अंकित प्रति उपलब्ध नहीं हो, विनिर्देश तथा चित्र आरेख, यदि कोई हो, की फोटो प्रतियों की आपूर्ति पेटेंट कार्यालय या उसके शाखा कार्यालयों से यथाविहित फोटोप्रति शुल्क उक्त दस्तावेज के 10 रुपये प्रति पृष्ठ धन 30/- रुपये की अदायगी पर की जा सकती है।

Ind.Cl : 116 C/116 G. 190211
 Int.Cl⁴ : B 66 B 11/08.
 Title : A TRACTION SHEAVE ELEVATOR.
 Applicant : KONE OY. OF MUNKKINIEMEN PUISTOTIE 25, 00330
 HELSINKI, FINLAND.
 Inventor : 1. ESKO AULANKO.
 2. HARRI HAKALA.
 3. JORMA MUSTALAHTI.
 Application no. : 1085/CAL/96 FILED ON 11.6.1996.
 (Convention no 953154 FILED ON 22.6.95 IN FINLAND).

Appropriate office for opposition proceeding (Rule 4, Patent Rules 1972)

Patent Office Kolkata.

8 CLAIMS.


A traction sheave elevator in an elevator shaft, the elevator shaft having guide rails (10,11), said traction sheave elevator comprising :

Drive machinery (6) with a traction sheave (7), the drive machinery and the traction sheave being in the elevator shaft;

An elevator car (1) and a counterweight (2) mounted on the guide rails;

Hoisting ropes (3) extending from the traction sheave;

At least two diverting pulleys (4,5) mounted on one of the guide rails, a first one of the diverting pulleys carrying a hoisting rope portion going from the traction sheave to the elevator car and a second one of the diverting pulleys carrying a hoisting rope portion going from the traction sheave to the counterweight.



Complete Specification : 14 pages. Drawing : 4 sheets.

Ind.Cl : 146 D. 190212
Int.Cl⁴ : G 02 B 6/27
Title : INTEGRATED OPTIC POLARIZATION DEVICE.
Applicant : SAMSUNG ELECTRONICS CO. LTD. OF 416, MAETAN-DONG,
PALDAL-GU, SUWON-CITY, KYUNGKI-DO, REPUBLIC OF KOREA.
Inventor : HYUNG-JAE LEE.
Application no. : 1145/CAL/97 FILED ON 17.6.1997.
(Convention no. 96-29558 FILED ON 23.7.1996 IN REPUBLIC OF KOREA.)

Appropriate office for opposition proceeding (Rule 4, Patent Rules 1972)

Patent Office Kolkata.

8 CLAIMS.

An integrated optic polarization device comprising :

A substrate having, at a predetermined wavelength, a first extraordinary refractive index and a first ordinary refractive index different from said extraordinary refractive index;

A first waveguide formed in said substrate by titanium indiffusion, said first waveguide having a second extraordinary refractive index and a second ordinary refractive index, said second extraordinary and ordinary refractive indices being greater than said first extraordinary and ordinary refractive indices of said substrate to transmitting both a transverse electric mode component and a transverse magnetic mode component of an input signal, said first waveguide having an input for receiving said input signal and an output for outputting only one of said transverse electric mode and transverse magnetic mode components;

A second waveguide formed, using proton exchange, in said substrate, said second waveguide being physically separate from said first waveguide, said second waveguide having said second extraordinary refractive index and a third ordinary refractive index less than said first ordinary refractive index of said substrate, said second waveguide having an initial portion of predetermined length parallel to a first portion, having said predetermined length, of said first waveguide, said initial portion completely passing the other one of the said transverse electric mode and transverse magnetic mode components from said first waveguide to an output of said second waveguide.

Complete Specification : 12 pages. Drawing : 2 sheets.

| | | | |
|---------------------|-------------------------------|---|--------|
| Ind.Cl | : | 136 (F) | 190213 |
| Int.Cl ⁴ | : | B 28 B 007/00, B 29 C 033/40 | |
| Title | : | A MOLD MATERIAL CONSTITUTING A MOLD HALF FOR USE IN THE PRODUCTION OF CONTACT LENSES. | |
| Applicant | : | JOHNSON & JOHNSON VISION PRODUCTS, INC. OF 4500 SALISBURY ROAD, SUITE 300, JACKSONVILLE, FLORIDA 32216, UNITED STATES OF AMERICA. | |
| Inventor | : | <ol style="list-style-type: none"> 1. TURE KINT-LARSEN. 2. JEFFREY LONGO. 3. KEITH O' BRIEN. 4. JAMES JEN. 5. MICHAEL WIDMAN. 6. MEHMET BURDUROGLU. 7. ROBERT LABELLE. | |
| Application no. | 1537/CAL/96 FILED ON 28.8.96. | | |

Appropriate office for opposition proceeding (Rule 4, Patent Rules 1972)

Patent Office Kolkata.

14 CLAIMS.

A mold material constituting a mold half for use in the production of contact lenses, said mold material comprising a thermoplastic polymer and a compound selected from an internal additive and a wetting agent, said internal additive being impregnated into said thermoplastic material and which is present in amounts ranging from 0.05% to 5% by weight, said thermoplastic material being polystyrene or polypropylene and said additive being a polyethylene or polypropylene wax having a molecular weight ranging from 50000 to 200,000, an amide wax of the formula $R_1 CONH_2$, wherein R_1 is a hydrocarbyl group, and the amide wax has a molecular weight of 200-2000, silicone having a molecular weight ranging from 2000 to 100,000 Montan wax, oxidized wax, fatty acid having a molecular weight of 200 to 2000, a complex ester or a combination thereof.

Complete Specification : 64 pages. Drawing : 6 sheets.

Ind.Cl : 104 J. **190214**
Int.Cl⁴ : B 29 C 67/24
Title : INTEGRAL, BOARD-LIKE COMPONENT AND PROCESS FOR ITS PRODUCTION.
Applicant : SCHOCK & CO. GMBH, OF GMUNDER STRASSE 65, D-73614 SCHORNDORF, FEDERAL REPUBLIC OF GERMANY.
Inventor : 1. FRIEDRICH SCHOCK SEN.
2. DR. KLAUS HOCK.
3. JOSEF GEIER.
4. RUDOLF PATEROSTER.
5. WALTER BIRNBECK.

Application no. 1482/CAL/96 FILED ON 20.08.1996.

(Convention no. 1953518.4 FILED ON 22.9.1995 IN GERMANY.)

Appropriate office for opposition proceeding (Rule 4, Patent Rules 1972)

Patent Office Kolkata.

37 CLAIMS.

Integral, board-like component, in particular for use as a kitchen worktop, comprising a visible side and a rear side, wherein the visible side comprises a layer consisting of a polymer matrix filled with a first, inorganic filler such as herein described, its specific density being greater than the specific density of the polymer matrix, characterised in that the content of the first filler in the visible side layer is 50 to 90% by volume, that the rear side comprises a layer formed from a polymer matrix filled with a second, inorganic filler such as herein described, wherein the proportion of the polymer matrix in this layer in % by volume differs quantitatively at the most by 20% from the volume content of the polymer matrix in the visible side layer and wherein the specific density of the second filler is $\leq 0.6 \text{ g/cm}^3$.

Complete Specification : 31 pages. Drawing : NIL sheets.

Ind.Cl : 64 B **190215**
 Int.Cl⁴ : H 01 R – 11/01 , 13/707
 Title : CONTACT ASSEMBLY FOR A DISTRIBUTOR IN A
 TELECOMMUNICATIONS SYSTEM.
 Applicant : SIMENS AKTIENGESELLSCHAFT
 OF WITTELSBACHERPLATZ 2, 80333 MUNCHEN GERMANY
 Inventor : DIETER KUNZE.
 Application no. : 1675/CAL/96 FILED ON 23.9.1996.
 (Convention nos. 19535774.4 & 19535773.6 FILED ON 26.9.95 IN GERMANY.)


Appropriate office for opposition proceeding (Rule 4, Patent Rules 1972)

Patent Office Kolkata.

15 CLAIMS.

1/3

Contact assembly for the distributor of a telecommunications system which is constructed in a plate-like and stackable fashion, and is composed of two separate half plates, of which one has contact components (9) for incoming lines (11) and the other has contact components (13) for outgoing lines (24), the contact components (9) for the incoming lines (11) and the contact components (13) for the outgoing lines (15,24) being capable of being placed in contact with one another when the half plates (2,3) are assembled, the contact components (9) for the incoming lines (11) being connected in pairs, in a disconnectable way, at a contact point (22) to the contact components for the outgoing lines (24) by means of contact springs (14) which are constructed at the contact components (13) of the at least one of the two half plates (3), and the contact components



(9) for the incoming lines (11) and the contact components (13) for the outgoing lines (24) each being arranged in a row and having connection elements (10) for the incoming and outgoing lines (11 & 24) at least one of their ends, the half plates (2,3) being constructed as half plates which are

provided with flat outer sides, are joined in a sandwich-like fashion and have a plane of separation which extends parallel to the flat outer sides, the contact components (9,13) being of essentially flat construction and extending parallel to the plane of separation such that the contact zones (22) are arranged in the region of a housing face which lies in the plane of separation between the half plates (2,3) while the contact components (9,13) are in contact in the direction perpendicular to the plane of separation, characterized in that the contact components (9) of the one half plates (2) are partially let into the latter and are partially exposed, so as to form the contact zone (22) with the other half plate (3), by means of a bend (21) by means of which contact zone (22) of the associated contact component (9) is bent out towards the plane of separation, that housing face of the one half plate which faces the other half plate and the contact zone (22) forming a smooth slider track so that the half plates (2,3) can be pushed together in a sliding fashion along the slider track in order to make contact on the contact zone (22) with the contact spring (14) along the slider track.

Complete Specification : 18 pages.

Drawing : 3 sheets.

Ind.Cl : 187 H. 190216
 Int.Cl⁴ : H 04 M 1/57
 Title : A CALLER ID SYSTEM.
 Applicant : THOMSON CONSUMER ELECTRONICS, INC. OF
 10330 NORTH MERIDIAN STREET, INDIANAPOLIS, INDIANA
 46290-1024, UNITED STATES OF AMERICA.
 Inventor : CHARLES RUDD CLARENCE.
 Application no. : 1782/CAL/96 FILED ON 9.10.1996.
 (Convention no. 544085 FILED ON 17.10.95 IN UNITED STATES OF AMERICA.

Appropriate office for opposition proceeding (Rule 4, Patent Rules 1972)


Patent Office Kolkata.

10 CLAIMS.

A caller ID system, comprising :

A caller ID receiver (30) coupled to an input for receiving an input signal including a caller ID signal;

A processor (40) coupled to the caller ID receiver for detecting an error in said caller ID signal; and



A prescaler (20) coupled between said input and the caller ID receiver, for scaling said input signal in response to said processor detecting said error in said caller ID signal.

Complete Specification : 13 pages. Drawing : 2 sheets.

Indic : 32 E. 190217

Int.Cl⁴ : C 08 F 2/00

Title : A PROCESSFOR PRODUCING PROPYLENE POLYMER OR
COPOLYMER PARTICLES BY (CO)POLYMERIZING PROPYLENE

Applicant : BOREALIS A/S, OF 96 LYNGBY HOVEDGADE, DK-2800
LYNGBY, DENMARK.

Inventor : 1. HENRIK ANDRSJO.
2 ISMO PENTTI.
3 ALI HARLIN.

Application no. 1785/CAL/96 FILED ON 10.10.1996.

(Convention nos. 954814 and 08/650,104 FILED ON 10.10.95 and 17.05.1996 in FINLAND
AND UNITED STATES OF AMERICA. RESPECTIVELY.)

Appropriate office for opposition proceeding (Rule 4, Patent Rules 1972)

Patent Office Kolkata.

23 CLAIMS.

A process for homo- or copolymerizing propylene to form propylene polymer or copolymer particles comprising :

Polymerizing propylene and optionally comonomers in the presence of a catalyst and optionally hydrogen in at least one continuous stirred type reactor or loop reactor at a temperature and pressure above the corresponding critical temperature and pressure of the reaction medium for at least 15 minutes to form the propylene polymer or copolymer particles.

Complete Specification : 25 pages. Drawing :nil sheets.


Ind.Cl : 31 d. 190218
Int.Cl⁴ : H 01 L - 23/12, 23/50
Title : CHIP MODULE.
Applicant : SIMENS AKTIENGESELLSCHAFT
OF WITTELSBACHERPLATZ 2, 80333 MUNCHEN GERMANY
Inventor : 1. MICHAEL HUBER.
2. PETER STAMPKE.
Application no. 1901/CAL/96 FILED ON 31.10.1996.

(Convention no. 19541072.6 FILED ON 3.11.1995 in GERMANY.)

Appropriate office for opposition proceeding (Rule 4, Patent Rules 1972)

Patent Office Kolkata.

11 CLAIMS.



Complete Specification : 12 pages.

Drawing : 2 sheets.

Ind. Cl. : 14 C 190219
 Int. Cl. : H 01 M 6/30.

A PROCESS FOR PREPARING A PHOTOVOLTAIC DEVICE.

Applicant : THE TRUSTEE OF PRINCETON UNIVERSITY, OF PO BOX 36, PRINCETON, NEW JERSEY 08544, UNITED STATES OF AMERICA.

Inventors : (1). MARK E. THOMPSON, (2). JONATHAN LEE SNOVER, (3). VIJAY JOSHI, (4). LORI ANN VERMEULEN, (5). XIAOZHANG TANG, (6). ELENA SUPONEVA, & (7). HOUSTON BYRD.

Application No. 7/CAL/97 FILED ON 2.1.97.


(Convention No. 08/582,021 FILED ON 2.1.96 UNITED STATES OF AMERICA.

Appropriate Office for Opposition Proceedings (Rule 4, Patent Rules 1972) Patent Office Kolkata.


5 CLAIMS

A process for preparing a photovoltaic device consisting of a film on a substrate, which comprises the following steps in combination :—

- viii) derivatizing the surface of the substrate in a manner such as herein described to introduce a linking means 'L' onto the substrate, said linking means having a terminating unit Y^1O_3 ;
- ix) treating the substrate with a reagent providing Me^3 ions;
- x) washing the substrate with water;
- xi) treating the substrate with a solution of bisphosphonic acid or bisarsonic acid of the formula—



- xii) washing the substrate with water;
- xiii) treating the substrate with a reagent providing Me^1 ions;
- xiv) sequentially repeating aforementioned steps (iii) to (vi) to obtain the desired number of layers ("K") and arriving at a substrate with a film illustrated by the formula



Wherein—

L is a linking means such as herein described;

each of Y^1 and Y^2 , independently of the other, is phosphorous or arsenic;

Z is $(R^1)_n-Z'(R^2)_m$; in which Z' is a divalent aromatic group containing at least two conjugated tetravalent nitrogen atoms; each of n and m , independently of the other, has a value of 0 or 1, and each of R^1 and R^2 , independently of the other, is a divalent aliphatic or aromatic hydrocarbon group;

X is an anion;

Me^Y is Me^1 when Me^1 is a divalent, trivalent, or tetravalent metal of group III, IV A or IV B having an atomic number of at least 21 or a Lanthanide; W is an anion; n is 1, 2 or 3; m is 0, 1, 2, 3, or 4;

K has a value of from 1 to about 250 and the asterisk (*) designates multiplication;

p has a value of 0, 1, 2 or 3;

q is the charge on X

each of Y^1 , Y^2 , Z and Me^1 may be different for each successive K, Layer, and wherein each of the said compound film is bound to said substrate through the said linking means, L

(Complete Specification : 6 pages.

Drawing : 11 sheets.)

Ind.Cl : 187 B, H. 190220

Int.Cl⁴ : H 04 R 3/00

Title : AN S/N (SIGNAL TO NOISE) ENHANCER.

Applicant : MURATA MANUFACTURING CO. LTD. OF 26-10, TENJIN
2-CHOME, NAGAOKAYO-SHI, KYOTO-FU, JAPAN
AND
NIPPON HOSO KYOKAI OF 2-1, JINNAN 2-CHOME, SHIBUYA-KU, TOKYO 150-01, JAPAN.

Inventor : 1. TAKEKAZU OKADA.
2. SATORU SHINMURA.
3. FUMIO KANAYA.
4. AKIRA TOBA.
5. TOSHIHIRO NOMOTO.

Application no. 409/CAL/97 FILED ON 7.3.97.
(Convention no. 8-80909 FILED ON 8.3.96 IN JAPAN.)


Appropriate office for opposition proceeding (Rule 4, Patent Rules 1972)

Patent Office Kolkata.

7 CLAIMS.

An S/N (signal to noise) enhancer, comprising:

- A. A first ferromagnetic substrate adapted to have a DC magnetic field applied thereto; a first input-side transducer having two ends and being disposed on said first ferromagnetic substrate; a first output-side transducer having two ends and being disposed in parallel to said first input-side transducer on said first ferromagnetic substrate;
- B. a second ferromagnetic substrate adapted to have a DC magnetic field applied thereto;
- A second input-side transducer having two ends and being disposed on said second ferromagnetic substrate;
- A second output-side transducer having two ends and being disposed in parallel to said second input-side transducer on said second ferromagnetic substrate;
- C. an input terminal connected to one end of said first input-side transducer;



A first attenuator, connected between the other end of said first input-side transducer and one end of said second input side transducer, for attenuating a signal which passes through said first input-side transducer;

A second attenuator, connected between one end of said first output-side transducer and one end of said second output side transducer, for attenuating a signal which passes through said first output-side transducer ; and

An output terminal connected to the other end of said second output-side transducer, wherein the other end of said output-side transducer is grounded , and other end of said second input-side transducer is grounded,

Where by noise noise which passes through said first attenuator and noise which passes through said second attenuator have respective phases so as to cancel each other anterior to said to said output terminal.

Complete Specification : 28 pages. Drawing : 6 sheets.

Ind.Cl : 28 (C) **190221**
 Int.Cl⁴ : H 05 B 6/50
 Title : MICROWAVE HEATING APPARATUS.
 Applicant : MATSUSHTA ELECTTRIC INDUSTRIAL CO. LTD. OF
 1006, OAZA KADOMA, KADOMA-SHI, OSAKA 571, JAPAN.
 Inventor :
 1. SHIGEKI UEDA.
 2. KAZUMI HIRAI.
 3. FUMIKO MORI.
 4. IKUHIRO INADA.
 5. SATOMI UCHIYAMA.

Application no. 1149/CAL96 FILED ON 20.6.1996.


(Convention nos. 7-155886, 7-155887, 7-155890, 7-155888, 7-155889 FILED ON 22.6.95 in
 JAPAN.)

Appropriate office for opposition proceeding (Rule 4, Patent Rules 1972)

Patent Office Kolkata.

18 CLAIMS.

A microwave heating apparatus which comprises:
 A heating cavity (13) for housing an object of heating (19);
 a microwave generating means (14) for irradiating microwave to said object of heating ;
 a steam generating means (15) for supplying steam to said heating cavity;
 a heating instructions input means (11) for inputting heating instructions corresponding to designated heating conditions,
 a memory means (22) for storing pre-programmed designated heating conditions as control data, and
 a control means (21) for controlling the irradiation output of said microwave generating means (14) and the stem output of said steam generating means (15) in accordance with said control data to control the environment of said heating cavity (13) so that the inner temperature and the surface temperature of said object of heating (19) are made approximately equal.



Complete Specification : 34 pages.

Drawing : 24 sheets.

Ind.Cl : 69 B 190222

Int.Cl⁴ : H 01 H – 83/14

Title : A CIRCUIT CAPABLE OF SUPPRESION OF ARCING ACROSS ELECTRICAL SWITCHING CONTACTS.

Applicant : SCHWEITZER ENGINEERING LABORATORIES, INC. OF 2350 N.E HOPKINS COURT, PULLMAN, WA 99163-5603, U.S.A.

Inventor : TONY J. LEE.

Application no. 1562/CAL/96 FILED ON 02.09.1996.

(Convention no. 08/527,185 FILED ON 12.9.1995 in U.S.A.)

Appropriate office for opposition proceeding (Rule 4, Patent Rules 1972)

Patent Office Kolkata.

4 CLAIMS.

A circuit capable of suppression of arcing across electrical switching contacts, which comprise first and second switch contacts (18,20) and a movable arm (16) which moves between the first and second switch contacts, the circuit comprising:

an insulated gate bipolar transistor (IGBT) (36) comprising a Darlington combination of a field effect transistor and a bipolar junction transistor, connected across said switching contacts;


a capacitor (30) connected at one end to a collector portion of the IGBT and said first switch contact (18) and connected at the other end to a gate portion of the IGBT and said second switch contact (20), wherein the capacitor adds to the stray capacitance of the IGBT so that the combined capacitance is such that in response to a current therethrough, the resulting voltage across the combined capacitance produces a large enough charge at the gate portion of the IGBT to turn the IGBT on, which action in turn limits the voltage across the capacitance to such a value which is just sufficient to maintain the IGBT in conduction, wherein the voltage across the IGBT is sufficiently limited that arcing across the contacts is prevented;

means (14) connecting said first switch contact and said movable arm (16) to a voltage source and a load in such a way that current flows through the switching contacts when said movable arm is in a closed position against said first switch contact;

means connecting said movable arm to an emitter portion of the IGBT such that when said movable arm is in an open position against said

second switch contact, any charge which is present on the gate-to-emitter junction of the IGBT (36) is discharged through said second switch contact and the movable arm; and

means (22) connected between said first switch contact and said movable arm for preventing current therethrough until a specified voltage is reached thereacross, which occurs when said movable arm contacts said second switch contact and for dissipating current in the circuit after the IGBT has turned off, thereby preventing damage to the IGBT.



Complete Specification : 15 pages.

Drawing : 1 sheet.


Ind.Cl : 128 A 190223
 Int.Cl⁴ : A 61 F 13/20
 Title : AN ABSORBENT FEMININE HYGIENE PRODUCT AND A METHOD
 OF PRODUCING IT.
 Applicant : MCNEIL-PPC, INC. OF GRANDVIEW ROAD, SKILLMAN, NJ 08558
 UNITED STATES OF AMERICA.
 Inventor : TRACEY A. CLARK.
 Application no. 1856/CAL/96 FILED ON 24.10.1996.
 (Convention no. 08/550485 FILED ON 30.10.95 IN U.S.A.)

Appropriate office for opposition proceeding (Rule 4, Patent Rules 1972)

Patent Office Kolkata.

13 CLAIMS.

An absorbent feminine hygiene product which is configured for releasable attachment to a user's garment, the product comprising a plurality of stacked individual absorbent pads, each pad having a periphery longitudinal ends and lateral edges and comprising an absorbent structure having a first, liquid permeable surface and a barrier layer disposed on a second surface, opposite the first, of the absorbent structure, and means for releasably attaching the individual pads together along at least a portion of the lateral edges thereof whereby the flow of significant amounts of liquid from an exposed absorbent pad to another releasably attached pad during use is substantially prevented.



Complete Specification : 16 pages.

Drawing : 2 sheets.

Ind.Cl : 187 H **190224**
 Int.Cl⁴ : H 04 Q – 7/38
 Title : A SYSTEM FOR MATCHING ADAPTIVE RADIO SUBSCRIBER STATIONS TO TRANSMISSION NETWORKS.
 Applicant : SIMENS AKTIENGESELLSCHAFT OF WITTELSBACHERPLATZ 2, 80333 MUNCHEN GERMANY
 Inventor : 1. DR. GUENTER KLAS.
 2. RALF HAERBECK.
 3. DR. DETLEF ERNST.
 Application no. 2038/CAL/96 FILED ON 26.11.1996.

(Convention no.19545508.8 FILED ON 05.12.1995 IN GERMANY.)

Appropriate office for opposition proceeding (Rule 4, Patent Rules 1972)


Patent Office Kolkata.

1 CLAIM.

A system for matching adaptive radio subscriber stations transmission networks having different radio transmission interfaces, said system comprising :

- an adaptive radio subscriber station (MS);
- a control device (SCP) in the transmission network for receiving and evaluating a request for logging on by said radio subscriber station (MS); and
- a data device (SDP) for receiving the request passed on to it by said control device (SCP) and for providing the interface information (SWIN);

a data link being set up for transmission of the interface information (SWIN) between said data device (SDP) and said radio subscriber station (MS); said radio subscriber station (MS) receiving the interface information (SWIN) in the downlink transmission direction via a data channel (UDTC) of a data service.



Complete Specification : 12 pages.

Drawing : 1 sheet.

Ind.Cl : 98 E. **190225**

Int.Cl⁴ : F 28 D 7/16.

Title : HEAT EXCHANGER ADAPTED FOR THE PRODUCTION OF CARBON BLACK.

Applicant :- EDMESTON AB. OF 412 50 GOTEBORG SWEDEN.

Inventor : 1. BERGLUND GORAN.
2. ERIKSSON ULF.

Application no. 2080/CAL/96 FILED ON 02.12.1996.
(Convention no. 9504344-4 FILED ON 04.12.1995 IN SWEDEN.)

Appropriate office for opposition proceeding (Rule 4, Patent Rules 1972)

Patent Office Kolkata.

6 CLAIMS.

A combination of a heat exchanger and a carbon black-producing combustion reactor, the heat exchanger comprising :

A cylindrical wall structure defining a centre axis extending in a longitudinal direction and having first and second end portions connected respectively to first and second end walls spaced apart in the longitudinal direction for forming a chamber, the cylindrical wall structure being hollow and forming an air passage extending longitudinally outside of the chamber for conducting an air flow; and

A plurality of tubes connected to the combustion reactor for conducting carbon black there from and extending in the longitudinal direction within the chamber for conducting carbon black from the first end wall to second end wall with the first portion of the cylindrical wall structure being hotter than the second end portion thereof;

the cylindrical wall structure having an air inlet connected to the air passage adjacent to the first end wall for receiving the air flow, the air flow being cooler than the first end portion of the cylindrical wall structure for cooling the first end portion of the cylindrical wall structure upon entering the air inlet;

the air passage connecting with the chamber adjacent to the seconde end wall such that the air flow is conducted through the air passage toward the chamber in heat exchange relationship with the cylindrical wall structure to be heated thereby;

the cylindrical wall structure including air outlet connected to the chamber adjacent to the first end wall for discharging the air flow from the chamber whereby the air flow travels through the chamber outside of the tubes in counter flow relationship to carbon black flowing through the tubes to be heated thereby.

Complete Specification : 9 pages. Drawing : 4 sheets.

Ind.Cl : 55 E 1, 55 E 2. 190226

Int.Cl⁴ : C 12 P 21/02, C 12 N 15/72

Title : PROCESS FOR PREPARING RECOMBINANT PROTEINS IN E.COLI BY MEANS OF HIGH CELL DENSITY FERMENTATION.

Applicant : MERCK PATENT GESELLSCHAFT MIT BESCHRANKTER HAFTUNG, OF FRANKFURTER STRASSE 250, 64293 DARMSTADT (POSTFACH 6427 1 DARMSTADT) GERMANY.

Inventor : 1. DR. STRITTMATTER, WOLFGANG.
 2. DR. MATZKU SIEFRIED.
 3. PROF. DR. RIESENBERG, DIETER.
 4. HORN UWE.
 5. KNUPFER, UWE
 6. KUJAU, MARIAN.
 7. WENDEROTH, ROLF.
 8. PROF. DR. PLUCKTHUN, ANDREAS.
 9. KREBBER, CLAUS

Application no. 2117/CAL/96 FILED ON 9.12.96

Appropriate office for opposition proceeding (Rule 4, Patent Rules 1972)

Patent Office-Kolkata.

11 CLAIMS.

Process for preparing foreign protein in E.coli cells which have been transformed with a plasmid carrying the foreign gene and an inducible promoter, by means of high cell density fermentation by way of batch and fed-batch stages, without any restriction of growth by substrates or metabolic by-products, and isolation and purification of the expressed protein from the culture medium, with the concentration of substrates in the fed-batch phase being controlled using a continuous, automated or semi-automated analysis and addition system, characterized in that, in the fed-batch phase, (i) the concentration of the carbon source in the medium is kept constant in a range between 0.1 g/l and 25 g/l while maintaining unlimited growth of the cells ($\mu = \mu_{\max}$), (ii) the production of the foreign protein is started in the said fed-batch phase by inducing the promoter at a cell density of between 10 and 80 g/l, and (ii) utilizable nitrogen and phosphate, and also salts of trace elements are fed in continuously after induction of product synthesis has taken place, with (iv) the pO_2 being adjusted to between 5 and 25% during the whole of the fed-batch phase by passing oxygen into the fermentation broth in an appropriate number

Complete Specification : 24 pages.

Drawing : 4 sheets.

Ind.Cl : 177D , 47 E. **190227**
 Int.Cl⁴ : H 05 B – 6/64
 Title : MICROWAVE HEATING APPARATUS.
 Applicant : MATSUSHITA ELECTRIC INDUSTRIAL CO. LTD. OF 1006, OAZA
 KADOMA, KADOMA-SHI, OSAKA 571, JAPAN.
 Inventor : 1. SHIGEKI UEDA.
 2. IKUHIRO INADA.
 3. SATOMI UCHIYAMA.
 Application no. 2227/CAL/96 FILED ON 23.12.96.


Appropriate office for opposition proceeding (Rule 4, Patent Rules 1972)

Patent Office Kolkata.

20 CLAIMS.

A microwave heating apparatus comprising:

- A heating chamber (13) for accommodating an object (25) to be heated;
- Vapour producing means (15) for supplying superheated steam having temperature of more than 100°C to said heating chamber;
- Superheated steam maintaining means (22) for preventing the temperature of the superheated steam from decreasing in said heating chamber, said maintaining means capable of absorbing moisture;
- Microwave generating means (14) for irradiating said object with microwave ; and
- A controller (21) for controlling the temperature of said heating chamber.



Complete Specification : 26 pages.

Drawing : 5 sheets.

| | | | |
|---------------------|--------------------------------|--|--------|
| Ind.Cl | : | 206 (E) | 190228 |
| Int.Cl ⁴ | : | B 42 D 015/00 | |
| Title | : | A METHOD OF PRODUCING A MEMBER CAPABLE OF BEING OPTICALLY MONITORED, AN APPARATUS FOR PRODUCING SUCH A MEMBER AND A MEMBER SO PRODUCED. | |
| Applicant | : | INNOVATION 2 MARKET LIMITED, OF THE UNIVERSITY OF WALES, SWANSEA, INNOVATION CENTRE, SINGLETON PARK, SWANSEAL, SA 2 8PP, UNITED KINGDOM. | |
| Inventor | : | <ol style="list-style-type: none"> 1. RICHARD MARK FARRAR. 2. BARRY ALN HOOD. | |
| Application no. | 240/CAL/97 FILED ON 11.2.1997. | | |

Appropriate office for opposition proceeding (Rule 4, Patent Rules 1972)

Patent Office Kolkata.


15 CLAIMS.

A method of producing a member capable of being optically monitored, characterized by the steps of:

Coating a layer (2,10) of material transparent to visible light on a reflective surface (1,9) of said member;

Producing said transparent layer (2,10) with a covert optical discontinuity (6,10) in an imagewise distribution;

Wherein said member can be optically monitored by illuminating said optical discontinuity (6,10) with polarised light and viewing said imagewise distribution through a polarised filter (8,14).



Complete Specification : 10 pages.

Drawing : 1 sheet.

Ind.Cl : 32 E. 190229
 Int.Cl⁴ : C 08 F 2/16
 Title : PROCESS FOR PRODUCING WATER SOLUBLE ANIONIC
 DISPERSION POLYMERS.
 Applicant : NALCO CHEMICAL COMPANY, OF ONE NALCO CENTER,
 NAPERVILLE, ILLINOIS 60563-1198, U.S.A.
 Inventor : 1. RAJ SELVARAJAN.
 2. JOHN R. HURLOCK.
 Application no. 502/CAL/97 FILED ON 20.3.1997.
 (Convention nos. 08/620,051 AND 08/781,646 FILED ON 20.3.97 AND ON 10.1.1997
 IN U.S.A RESPECTIVELY.)

Appropriate office for opposition proceeding (Rule 4, Patent Rules 1972)

Patent Office Kolkata.

7 CLAIMS.

A method for preparing an aqueous dispersion of a water soluble anionic polymer which comprises polymerizing under free radical forming conditions at pH value of from about 2 to about 5:

- a) 5-50 weight percent of a mixture containing
 - (i) 0-100 mole percent of at least one water soluble anionically charged vinyl monomer; and
 - (ii) 100-0 mole percent of at least one water soluble non-ionic vinyl monomer;
- b) from about 0.1 to about 5 weight percent based on the total weight of the dispersion of a stabilizer selected from the group consisting of anionically charged water soluble polymers having an intrinsic viscosity in 1M NaNO₃ of from about 0.1-10 dl/g;
- c) from about 5 to about weight percent based on the total weight of the dispersion of a water soluble salt selected from the group consisting of ammonium, alkali metal and alkaline earth metal halides, sulfates, and phosphates; and
- d) balance water;

and then recovering a dispersion of said water soluble polymer, said dispersion being characterized as having a viscosity of less than about 25,000 cps.

Complete Specification : 35 pages.

Drawing : NIL sheets.

Ind.Cl : 147 E. **190230**

Int.Cl⁴ : G 11 B 33/00

Title : DEVICE FOR LOCKING FRONT DOOR OF TAPE RECORDER AND TAPE RECORDER INCORPORATING SAID DEVICE.

Applicant : SAMSUNG ELECTRONICS CO., LTD. OF 416, MAETAN-DONG, PALDAL-GU, SUWON-CITY, KYUNGKI-DO, REPUBLIC OF KOREA.

Inventor : 1. YOUNG-YUN SEOL.
2. TAE-MYUN KIM.
3. HYUN-TAE LEE.

Application no. 1221/CAL/97 FILED ON 26.6.97.

(Convention nos. 96-26262, 96-80107, 97-24100 FILED ON 29.6.96, 31.12.96 AND ON 11.6.97 IN REPUBLIC OF KOREA. RESPECTIVELY.)

Appropriate office for opposition proceeding (Rule 4, Patent Rules 1972)

Patent Office Kolkata.


9 CLAIMS.

A device for locking a front door of a tape recorder having a front door (130) pivotally installed at the front surface of said tape recorder and a locking unit for locking said front door (130), characterized in that said locking unit comprises ;

A pushing member (150) installed in said front door (130) so as to protrude to the front of said front door (230) and be pushed in contact with a tape cassette (100) being inserted;

A first locking unit (170) installed inside a housing (110) of said tape recorder for locking said front door (130), releasing the locking of said front door (130) by interlocking with said pushing member (150), in the event of said tape cassette (100) being inserted, and releasing the locking of said front door (130) by interlocking with said tape cassette (100) in the event of said tape cassette (100) being ejected; and

A second locking unit (190) installed inside said housing for locking said front door (130) by interlocking with said tape cassette (100) only when said tape cassette (100) is loaded in said housing (110).



| | | | |
|---|---|--|--------|
| Indian Classification | : | 24A, B,D,4 | 190231 |
| International Classification ⁴ | : | F16D, 49/00, 49/04,49/06,51/00,51/46,53/00 | |
| Title | : | “A MECHANICALLY ACTUATED DRUM BRAKE FURA VEHICLE.” | |
| Applicant | : | ALLEDSIGNAL EUROPE SERVICES TECHNIQUES, a French company, of 126, rue de Stalingrad, 93700 Drancy, France. | |
| Inventors | : | JEAN CLAUDE MERY- FRANCE PIERRE PRESSACO – FRANCE | |


Application for Patent Number 1135/Del/93 filed on 11th Oct. 1993.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972)
Patent Office Branch, New Delhi – 110 008.

(6 Claims)

A mechanically actuated drum brake for a vehicle comprising a support plate [10] on which there are slideably mounted two shoes [12,14] each comprising a web [12a,14a] and a rim [12b,14b] whose face opposite the drum [20] receives a friction lining [16,18] capable of being brought into frictional engagement against the drum [20] by a hydraulic actuation device [22], acting on a first end of the webs [12a,14a] of the shoes [12,14], a spacer [40] having automatic adjustment means for varying length of said spacer [40] and determining spacing of the shoes [12,14] located in the vicinity of the hydraulic actuation device [22], a second end of the webs of the shoes bearing on a bearing component [28] securely fastened to the support plate [10] and a mechanical actuation device [50,90,80] acting between one [12] of said shoes and a first end [66a] of a force transmission device [66] mounted on the other shoe [14], a second end [66b] of variable length CHARACTERIZED IN THAT the force transmission device [66] is slideably mounted on the other shoe [14] and in that the mechanical actuation device [50,90, 80] is located near the bearing component [28] between the second ends of the webs [12a, 14a] of the shoes 12,14].

(Complete Specification 12 Pages Drawings 2 Sheets)



| | | | |
|---|---|---|--------|
| Indian Classification | : | 189 | 190232 |
| International Classification ⁴ | : | A61F 13/16 | |
| Title | : | "A SANITARY NAPKIN." | |
| Applicant | : | THE PROCTER & GAMBLE COMPANY, a corporation organized and existing under the laws of the State of Ohio, United States of America, of one Procter & Gamble Plaza, Cincinnati, Ohio 45202, U.S.A. | |
| Inventors | : | THOMAS WARD OSBORNE - U.S. DEBORAH CATHERINE SCHMITZ - U.S. | |

Application for Patent Number 0061/Del/94 filed on 20th Jan. 1994.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972)
Patent Office Branch, New Delhi – 110 008.

(29 Claims)

A sanitary napkin (20) having a principal longitudinal centerline (L1), a principal transverse centerline (T1), a body surface, a garment surface, a longitudinal central (23) region disposed along the length of at least a portion of said principal longitudinal centerline surrounding absorbent regions (27) located outboard of said longitudinal central (23) region, said surrounding regions being disposed laterally outboard of said longitudinal central (23) region and having a caliper of less than or equal to 5 millimeters, said sanitary napkin comprising:


a liquid pervious topsheet (28),

a liquid impervious backsheet (30) joined to said topsheet;

an absorbent core (36) positioned between said topsheet (28) and said backsheet (30); characterized in that

a longitudinal medial hump (44) is provided on said body surface in said longitudinal central (23) region of said sanitary napkin, a point of maximum amplitude, and a caliper measured at its point of maximum amplitude that is greater than 3 millimeters and at least 2.0 times the caliper of said portions of said surrounding regions (27) that are disposed laterally outboard of said longitudinal central (23) region, said hump being capable of independent movement with respect to said backsheet during normal use.

(Complete Specification 64 Pages Drawings 9 Sheets)




| | | | |
|---|----|--|--------|
| Indian Classification | :- | 34 A | 190233 |
| International Classification ⁴ | :- | D01F 002/02 | |
| Title | :- | Method for the Production of Lyocell Filaments from a solution of cellulose in an Organic solvent." | |
| Applicant | :- | TENCEL LIMITED, formerly known as Courtaulds Fibres (Holdings) Ltd., a British company, of 1 Holme Lane, Spondon, Derby, Derbyshire DE21 7BP, United Kingdom, formerly of 50 George Street, London W1A 2BB, England. | |
| Inventors | :- | PATRICK ARTHUR WHITE -ENGLAND MALCOLM JOHN HAYHURST - ENGLAND ALAN - OWENS -ENGLAND IAN DAVID ROUGHSEdge -ENGLAND RICHARD JAMES DAVIES -ENGLAND ALAN - SELLARS -ENGLAND JACQUELINE FAYE MACDONALD - ENGLAND MICHAEL COLIN QUIGLEY - ENGLAND RALPH - DRAPER -ENGLAND RONALD DEREK PAYNE -ENGLAND | |

Application for Patent Number 533/Del/1994 filed on 2/5/1994

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office , New Delhi Branch - 110 008

(Claims 12)

A method for the production of lyocell filaments from a solution of cellulose in an organic solvent, characterised in that it comprises the steps of: extruding the solution through a die having a plurality of holes to form a plurality of strands; passing the strands across a gaseous gap into a water-containing spin bath to form the filaments; providing a forced flow of gas through said gap parallel to the upper surface of the liquid in the spin bath; maintaining a supply of water to said spin bath; removing liquid from the spin bath; and withdrawing the lyocell filaments so produced from the spin bath simultaneously with or subsequent to the addition of said water and/or the removal of said liquid from said bath.



| | | | |
|------------------------------|---|---|--------|
| Indian Classification | : | 167 D | 190234 |
| 4 | | | |
| International Classification | : | B 03B 11/00 | |
| Title | : | "AN APPARATUS FOR SEPARATING SOLIDS SUSPENDED IN AN INCOMING PRESSURIZED LIQUID SLURRY" | |
| Applicant | : | ALCAN INTERNATIONAL LIMITED, of 1188 Sherbrooke Street West, Montreal, Quebec H3A 3G2, Canada. | |
| Inventors | : | FUSANOSUKE IIDA – a Japanese citizen. FITZGERALD STEWART – a Jamaican citizen. DONALD PUXLEY – a Canadian citizen, & GEORGE DENNISON FULFORD – Canadian a citizen. | |

Application for Patent Number 604/DEL/94 filed on 17.5.94.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office Branch, New Delhi – 110 008.

(8 Claims)

An apparatus for separating solids suspended in an incoming pressurized liquid slurry comprising:

- an elongated, upright vessel (12) of substantially circular cross-section having a closed top (16) end and a bottom sump (20) for accumulating solids; an elongated cylindrical feedwell (18) mounted axially in an upper region of said vessel (12) with an annular space (19) between the feedwell (18) and vessel wall, said feedwell (18) having an open bottom (46);
- a feedstock inlet pipe (43) connected to a mid-region of said cylindrical feedwell (18); said inlet pipe having at least one flocculant injector (48, 50)
- an opening (26) in an upper region of said cylindrical feedwell (18) permitting flow of liquid from the annular space (19) into the feedwell (18);
- an outlet pipe (39) in fluid communication with the vessel (12) at a vertical location between the feedstock inlet pipe (43) and the feedwell upper region opening (26) for discharging clarified liquid under pressure from the vessel (12);
- an outlet (38) in said sump (20) for discharging separated solids under pressure;
- sensors in vessel (12) for detecting the level of a thickened slurry bed (S) in the vessel; and
- a raking/dewatering device (21) extending into said bottom sump (20).

(Complete Specification Pages – 17 Drawing sheets – 2)




FIG. 2

Indian Classification :- 50 E. 190235

International Classification⁴ :- F 25 D 17/06

Title :- "A REFRIGERATOR"

Applicant :- Samsung Electronics Co. Ltd, of 416, Maetan-Dong, Paldal-Gu, Suwon-City, Kyungki-Do, Korea, Ltd.

Inventors :- SEAK, HAENG, PARK, - KOREA
YOUNG MYOUNG, KIM; - KOREA

Application for Patent Number 850/del/1995 filed on 10/5/1995


Convention Appl.No. 94-12297/KR/01/06/1994, 94-12298/KR/01/06/1994, 94-
12299/KR/01/06/1994, 94-12300/KR/01/06/1994, 94-12301/KR/01/06/1994, 94-
12302/KR/01/06/1994, 94-12401/KR/02/06/1994, 94-12403/KR/02/06/1994, 94-
12404/KR/02/06/1994, 94-12405/KR/02/06/1994, 94-12406/KR/02/06/1994, 94-
17511/KR/20/07/1994, 94-17516/KR/20/07/1994, 94-17517/KR/20/07/1994, 94-
33558/KR/10/12/1994.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972)
Patent Office, New Delhi Branch - 110 008.

(Claims 11)

A refrigerator comprising : - a body forming a refrigerating compartment; (3) - an air distribution apparatus disposed on one wall of said refrigerating compartment (3) and an air guiding means disposed in said air distribution apparatus (17) in a vertical manner for dividing the volume of the cool air introduced from the upper portion of said air distribution apparatus; - an air distribution means (126) disposed at front of said air guiding means for horizontally discharging the divided air through a plurality of openings (16A, 16B, 16C) formed at the front area of said air; - said air distributing means (126) comprises a plurality of plate patterned (24, 25, 34) wing members extended vertically and rotating along its own longitudinal shaft.

FIG. 6




| | | | |
|---|--------------|---|---------------|
| Indian Classification | - | 53 C | 190236 |
| International Classification ⁴ | - | B 60 K 1/00, B 62 M 23/02. | |
| Title | - | "AN ELECTRIC AUXILIARY DRIVE FOR PEDAL-DRIVEN ROAD VEHICLES" | |
| Applicant | - | Propel Partnership 1987 of 18 Hamaapilim Street, Jerusalem 92545, Israel. | |
| Inventors | - | EDUARD MASTOV - ISRAEL YEHEZKEL MAUTNER - ISRAEL | |
| Application for Patent Number | 879/del/1995 | filed on | 15/05/1995 |

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office, New Delhi Branch - 110 008.

(Claims 08)

An electric auxiliary drive for a pedal-driven road vehicle, comprising: - an electric motor; - a rechargeable multicell battery to power said motor; - switch means to control said motor, said motor functions as a mover in a first mode and as a generator in the second mode of operation; - transmission means for the moving of said vehicle by said motor when operating in said first mode and to enable said user to impart a rotary movement to said motor in said second mode of operation; and - an overrunning clutch interposed between said transmission means and the axle of said pedals.

Fig.1.



Complete Specification

No of Pages

15

Drawings Sheets

05

| | | |
|---|---|---|
| Indian Classification | : | 9E. 190237 |
| International Classification ⁴ | : | B22F 1/00 ; C22C 38/00 & 19/00. |
| Title | : | "A process for making high strength iron-cobalt-vanadium alloy article". |
| Applicant | : | CRS Holdings, Inc. a corporation of Delaware having its principal office at 209F Baynard Building, 3411 Silverside Road, Wilmington, Delaware 19810, USA. |
| Inventors | : | MILLARD S. MASTELLER. DOUGLAS W. DIETRICH-both US. |

Application for Patent Number 939/DEL/95 filed on 24.05.95
Convention date: -08/440532 ; 12.05.95 ; USA.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972)
Patent Office, Delhi Branch, New Delhi - 110 008.
(06 Claims)

A process for making a high strength iron-cobalt-vanadium alloy article comprising the steps of

- melting a high strength iron-cobalt-vanadium alloy consisting essentially of, in weight percent the following elements in the following proportions mentioned thereagainst:

| | |
|----|------------|
| C | 0.003-0.02 |
| Mn | 0.10 max |
| Si | 0.10 max |
| P | 0.01 max |
| S | 0.003 max |
| Cr | 0.1 max |
| Ni | 0.2 max |
| Mo | 0.1 max |
| Co | 48-50 |
| V | 1.8 - 2.2 |
| Nb | 0.15- 0.5 |
| N | 0.004 max |
| O | 0.006 max. |

and the balance essentially iron,

- forming a magnetic article as herein described from said alloy and annealing said magnetic article at a temperature of not more than 740°C (1364°F) for not more than 4 hours to obtain high strength iron-cobalt-vanadium alloy article..

(Complete Specification Pages 21 Drawing 04 Sheet)

| | | | |
|---|---|---|--------|
| Indian Classification | : | 32C. | 190238 |
| International Classification ⁴ | : | C07C 121/00 | |
| Title | : | "AN IMPROVED PROCESS FOR THE PREPARATION OF CYANOPYRIDINES". | |
| Applicant | : | COUNCIL OF SCIENTIFIC AND INDUSTRIAL RESEARCH, Rafi Marg, New Delhi-100 001, India, an Indian registered body incorporated under the Registration of Societies Act (Act XXI of 1860). | |
| Inventors | : | SHIVANANDA JANARDAN KULKARNI. REVUR RAMACHANDRA RAO. MACHIRAJU SUBRAHMANYAM. SURESH FARSHINAVIS. PANJA KANTA RAO. ALLA VENKAT RAMA RAO-all Indian. | |

Application for Patent Number 957/105L/95 filed on 25.05.95

Complete left after Provisional specification filed on 23.08.96

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office, Delhi Branch, New Delhi-110 008.

(02 Claims)

An improved process for the preparation of cyanopyridines which comprises passing a feed consisting of respective picolines and ammonia ranges from 1:1 to 1:20 water and air/oxygen in a feed ratio of 30 to 100 cc per minute over a vanadium-alumino-phosphate (VAPP) catalyst prepared by the process such as herein described at a temperature in the range of 300-450°C and weight hourly space velocity of liquid feed products in the range of 0.25 to 1.0 per hour and recovering the cyanopyridines formed by known methods.

Specification 95 Pages Drawing NIL Sheets

Claims 09 Pages Drawing NIL Sheets

| | | | |
|---|---|--|--------|
| Indian Classification | : | 40B. | 190239 |
| International Classification ⁴ | : | B01J 23/00. | |
| Title | : | “A PROCESS FOR THE PREPARATION OF CRYSTALLINE, VANADIUM SILICO-ALUMINOPHOSPHATE CATALYSTS USEFUL FOR ACID CATALYSED REACTIONS”. | |
| Applicant | : | COUNCIL OF SCIENTIFIC AND INDUSTRIAL RESEARCH, Rafi Marg, New Delhi-100 001, India, an Indian registered body incorporated under the Registration of Societies Act (Act XXI of 1860). | |
| Inventors | : | SHIVANAND JANARDAN KULKARNI. SURESH FARINA VIS. REVUR RAMACHANDRA RAO. GUDUR LAXMA REDDY. PANJA KANTA RAO. ALLA VENKAT RAMA RAO-all Indian. | |

Application for Patent Number 963/DEL/95 filed on 25.05.95
Complete left after Provisional specification filed on 23.08.96.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972)
Patent Office, Delhi Branch, New Delhi – 110 008.

(03 Claims)

A process for the preparation of crystalline vanadium-silico-alumino-phosphate catalyst useful for acid catalysed reactions which comprises mixing under constant stirring aqueous solutions of aluminium sulphate, tetralkyl ammonium bromide optionally with sodium chloride with aqueous solution of phosphoric acid and vanadium pentoxide to obtain a mixture, adding sodium silicate to the above said mixture to obtain a slurry, maintaining the pH in the range of 5 to 12, heating the said slurry at a temperature in the range of 150-220°C for a period in the range of 24 to 80 hours, under autogenous pressure and under constant stirring, filtering the reaction mixture by known methods to obtain solid residue washing and drying the above said residue calcining the resultant residue at a temperature in the range of 500 to 550°C for a period of 5 to 15 hours to obtain vanadium-silico alumino -phosphate catalyst.

(Provisional specification 04 Pages Drawing NIL Sheet)
(Complete Specification 10 Pages Drawing NIL Sheet)

| | | | |
|---|---|--|--------|
| Indian Classification | : | 32F ₃ (b). | 190240 |
| International Classification ⁴ | : | C07C 51/00 ; C07C 53/00. | |
| Title | : | "A PROCESS FOR PRODUCING HIGH PURITY ACETIC ACID". | |
| Applicant | : | DAICEL CHEMICAL INDUSTRIES, LTD., of 1, Teppo-chom, Sakai-shi, Osaka, Japan. | |
| Inventors | : | HIROYUKI MIURA. MASAHIKO SHIMIZU. TAKASHI SATO. YOSHIAKI MORIMOTO. MASAHIRO KAGOTANI-all Japanese. | |

Application for Patent Number 1032/DEL/95 filed on 06.06.95

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office Delhi Branch, New Delhi – 110 008.

(05 Claims)

A process for producing high purity acetic acid, comprising the steps of continuously reacting methanol with carbon monoxide in the presence of a rhodium catalyst, an iodide salt, and methyl iodide to obtain the high purity acetic acid, wherein the reaction is carried out while maintaining the reaction condition in a manner such as herein described the acetaldehyde concentration in the reaction liquid of 400 ppm or lower, comprising the steps of separating the reaction liquid into a volatile phase containing acetic acid, methyl acetate and methyl iodide and a low volatile phase containing the rhodium catalyst, distilling the volatile phase to obtain a product mixture containing acetic acid and the overhead mixture containing methyl acetate and methyl iodide, and recirculating said overhead into the reactor, wherein the overhead or a condensate of said overhead is contacted with water to separate it into an organic phase containing methyl acetate and methyl iodide and an aqueous phase containing the carbonyl impurities containing acetaldehyde, and recirculating said organic phase into the reactor.


| | | |
|------------------------------|--|--------|
| Indian Classification | 95 D | 190241 |
| International Classification | F 16L 55/07 | |
| Title | "A DEVICE FOR USE TO STOP THE UNWANTED READING BY THE WATER METER" | |
| Applicant | BAKHTAWAR LAL SOOD, of 1- TA-37 Jawahar Nagar, Jaipur, Rajasthan. | |
| Inventors | BAKHTAWAR LAL SOOD – Indian. | |

Application for Patent Number 876/DEL/94 filed on 12.7.94.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office Branch, New Delhi – 110 008.

(5 Claims)

A device for use to stop the unwanted reading by the water meter due to air flow comprising an air release valve 1 disposed in the body 2 of the device and being extended in to an extension 3 having holes for discharge of air being provided in the middle of said body 2, a door 4 being disposed by means of a pin towards the outlet end of said body for closing the outlet end when there is no water flow in said body 2 of the device, a cap 7 being provided for closing the top end of said extension 3 provided in said body 2 of the device.



(Complete Specification Pages – 6 Drawing sheet – 1)

| | | | |
|---|---|--|---------------------|
| Indian Classification | - | 158 D | 190242 |
| International Classification ⁴ | - | B01G 009/00 | |
| Title | - | "An improved Slackless Type Drawbar assembly." | |
| Applicant | - | Westinghouse Air Brake Company, a corporation organised under the laws of the State of Delaware, United States of America, of Air Brake Avenue, Wilmerding, Pennsylvania 15148, United States of America. | |
| Inventors | - | WAJID - KANJO -U.S.A. MICHAEL G. HAWRYSZKOW -U.S.A. DAVID WAYNE DAUGHERTY -U.S.A. | |
| Application for Patent Number | | 1079/Del/1994 | filed on 26/08/1994 |

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office , New Delhi Branch - 110 008.

(Claims 35)

An improved slackless type drawbar assembly for connecting adjacently disposed ends of a pair of railway cars together in a semi-permanent manner, said slackless drawbar assembly provided with a drawbar having a first male connection member engageable with an end of a first railway car and a second male connection member engageable with an end of an adjacently disposed end of a second railway car, said slackless drawbar assembly characterized by:

- (a) a first female connection member, having a first configuration, engageable in one end of a center sill portion, which is secured to a bottom portion of a car body member, of a first railway car;
- (b) a first cavity formed in said first female connection member, said first cavity being delimited by a back wall portion, having a second configuration, and a first pair of side wall portions, having a third configuration;
- (c) a first opening, having a fourth configuration, extending through a first one of said first pair of said wall portions;
- (d) an axially opposed second opening, having a fifth configuration, extending through a second one of said first pair of side wall portions;

- (e) a first male connection member, having a sixth configuration, at least a portion of a first end of said first male connection member being movably disposed within said first cavity formed in said first female connection member;
- (f) a first aperture formed through a portion of said first male connection member adjacent said first end thereof;
- (g) a first spherical shaped member, at least a portion of said first spherical shaped member being disposed within said first aperture formed through said first end of said first male connection member;
- (h) a first pair of horizontally disposed shaft members extending outwardly for a distance from axially opposed outer surfaces of said first spherical shaped member, at least a portion of a first one of said first pair of shaft members being disposed within said first opening extending through said first one of said first pair of side wall portions and at least a portion of a second one of said first pair of shaft members being disposed within said second opening extending through said second one of said first pair of side wall portions, each respective one of said first pair of shaft members has an axially opposed and flat surface portion formed thereon;
- (i) a first race assembly having at least a portion thereof disposed within said first aperture and secured to said first end of said first male connection member, an inner surface of said first race assembly being disposed around said portion of said first spherical shaped member disposed within said first aperture formed in said first male connection member;
- (j) a second female connection member, having a seventh configuration, engageable in one end of a center sill portion, which is secured to a bottom portion of a car body member, of a second railway car
- (k) a second cavity formed in said second female connection member, said second cavity being delimited by a back wall portion, having an eighth configuration, and a second pair of side wall portions, having a ninth configuration;
- (l) a third opening, having a tenth configuration, extending through a first one of said second pair of side wall portions of said second cavity;
- (m) an axially opposed fourth opening, having an eleventh configuration, extending through a second one of said second pair of side wall portions of said second cavity;
- (n) second male connection member having a twelfth configuration, at least a portion of a first end of said second male connection member being movably disposed within said second cavity formed in said second female connection member;
- (o) a second aperture formed through a portion of said second male connection member adjacent said first end thereof;
- (p) a second spherical shaped member, at least a portion of said second spherical shaped member being disposed within said second aperture formed through said first end of said second male connection member;

(q) a second pair of horizontally disposed shaft members extending outwardly for a distance from axially opposed outer surfaces of said second spherical shaped member, at least a portion of a first one of said second pair of shaft members being disposed within said third opening extending through said first one of said second pair of side wall portions and at least a portion of a second one of said second pair of shaft members being disposed within said fourth opening extending through said second one of said second pair of side wall portions, each respective one of said second pair of shaft members has an axially opposed and flat surface portion formed thereon;

(r) a second race assembly having at least a portion thereof disposed within said second aperture and secured to said first end of said second male connection member, an inner surface of said second race assembly being disposed around said portion of said second spherical shaped member disposed within said second aperture formed in said second male connection member;

(s) engagement means for engaging a second end of said first male connection member and a second end of said second male connection member for securing said second end of said first male connection member to said second end of said second male connection member;

(t) a first pair of wedge means, a first one of said first pair of wedge means being engaged with a first one of said axially opposed and flat surface portions formed on said first pair of shaft members and a second one of said first pair of wedge means being engaged with a second one of said axially opposed and flat surface portions formed on said first pair of shaft members; and

(u) a second pair of wedge means, a first one of said second pair of wedge means being engaged with a first one of said axially opposed and flat surface portions formed on said second pair of shaft members and a second one of said second pair of wedge means being engaged with a second one of said axially opposed and flat surface portions formed on said second pair of shaft members.




FIG. 1

Complete Specification No of 47 Drawings Sheets 02
Pages

Indian Classification :- 158 D 190243

International Classification⁴ :- B01G 009/00

Title :- "A female connection member for use in an improved slackless type drawbar assembly."

Applicant :- Westinghouse Air Brake Company, of Air Brake Avenue, Wilmerding, Pennsylvania 15148, United States of America.

Inventors :- WAJIH - KANJO -U.S.A.
MICHAEL G. HAWRYSZKOW -U.S.A.
DAVID W. DAUGHERTY -U.S.A.

Kind of Application :- COMPLETE

Application for Patent Number 1080/Del/1994 filed on 26/08/1994

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office, New Delhi Branch - 110 008.

(Claims 11)

A female connection member for use in an improved slackless type drawbar assembly which connects adjacently disposed ends of a pair of railway cars together in a semi-permanent manner, said adjacently disposed railway cars having a center sill portion which is secured to a bottom portion of a car body member of a railway freight car, said female connection member characterized by: (a) a female connection member, having a first configuration, engageable in one end of said center sill portion of said railway freight car; (b) a cavity provided in said female connection member, said cavity being bounded by a back wall portion of said female connection member and a pair of side wall portions of said female connection member, said back wall portion having a second configuration and said pair of side wall portions having a third configuration; (c) a first opening, having a fourth configuration, extending through a first one of said pair of side wall portions for receiving therein a first shaft member disposed on a spherical shaped member carried by a male connection member; and (d) an axially opposed second opening, having a fifth configuration, extending through a second one of said pair of side wall portions for receiving therein a second axially opposed shaft member disposed on such spherical shaped member carried by such male connection member.




FIG. 1

Complete Specification

No of Pages

22

Drawings Sheets

02


| | | | |
|---|---------------|---|------------|
| Indian Classification | - | 179 G | 190244 |
| International Classification ⁴ | - | B 65D 47/04 | |
| Title | - | 'AN IMPROVED POUCH WITH INBUILT GUIDED OUTLET PATH' | |
| Applicant | - | Flex Industries Limited, 110, First Floor, Bhanot Corner, Pomposh Enclave, Greater Kailash, Part -1, New Delhi - 110048, India. | |
| Inventors | - | HARISH CHATURVEDI - INDIAN | |
| Application for Patent Number | 1325/del/1994 | filed on | 21/10/1994 |

Complete left after Provisional Specification filed on 17/11/1995

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office
New Delhi Branch - 110 008.

(Claims 2)

An improved pouch with inbuilt guided outlet path comprising a basic pouch of desired material which is sealed from three sides characterised therein an inbuilt straight, curved or irregular shaped guided outlet path is formed by partially sealing a corner of the fourth side of the pouch leaving the remaining portion open for filling the contents.



Provisional Specification

No of Pages 3

Drawings Sheets

Complete specification

No of Pages 4

Drawing sheet 1

Indian Classification :- 70 A 190245

International Classification :- C25B 9/00, C25B 15/02, C25B 15/08

Title :- "An Electrolytic Cell for Generating a mixed oxidant gas."

Applicant :- Pyeline Treatment Systems LLC., a Delaware corporation, having a place of business at 17151 Gillette Avenue, Irvine, California 92614, United States of America.


Inventors :- JEFFREY DAVID ALLEN -U.S.A.

Application for Patent Number 1353/Del/1994 filed on 26/10/1994

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office , New Delhi Branch - 110 008.

(Claims 13)

An electrolytic cell (10) for generating a mixed oxidant gas for treating bodies of water, comprising: an anode chamber (34) defined by an anode plate (12) at one end, a permeable membrane (20) at an opposite end, and a first sealing gasket (14) interposed therebetween; a cathode chamber (36) adjacent the anode chamber and defined by a cathode plate (30) at one end, the permeable membrane (26) at an opposite end, and a second sealing gasket (28) interposed therebetween, the first and second gaskets (14, 28) being separated by the permeable membrane; an anolyte reservoir (50) external from the anode chamber (34) for accommodating a volume of anolyte (38) therein, wherein the anolyte reservoir (50) is hydraulically connected to the anode chamber (34) to circulate anolyte thereto and to receive mixed oxidant gas (39) therefrom; a catholyte reservoir (76) external from the cathode chamber (36) for accommodating a volume of catholyte (40) therein, the catholyte reservoir (76) is hydraulically connected to the cathode chamber (36) to circulate catholyte (40) thereto and to receive gas therefrom; means for maintaining the anolyte (38) contained within the anolyte reservoir (50) at a predetermined specific gravity; and means for maintaining the catholyte (40) contained within the catholyte reservoir (76) at a predetermined specific gravity.



| | | | |
|---|---------------|---|------------|
| Indian Classification | - | 206 E | 190246 |
| International Classification ⁴ | - | G 06F 9/00, 9/06 | |
| Title | - | "A COMPUTING APPARATUS" | |
| Applicant | - | Ericsson GE Mobile Communications Inc., of 1 Triangle Drive, PO Box 13969, Research Triangle Park, North Carolina 27709, U.S.A. | |
| Inventors | - | PAUL DENT -SWEDEN ALF JORGEN PETER LARSSON -SWEDEN | |
| Application for Patent Number | 1399/del/1994 | filed on | 01/11/1994 |

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office, New Delhi Branch - 110 008.

(Claims 8).

A computing apparatus comprises a control processor (5), at least one coprocessor (19), a program memory and a data memory (8), said control processor accessing said program memory during an instruction fetch cycle and said data memory during an instruction execution cycle and means for controlling access to said data memory, wherein said means comprises: - control processor interface means for coupling to said control processor; - at least one coprocessor interface means for coupling to said coprocessor; - detecting means coupled to said control processor interface means, - scheduling means coupled to said coprocessor interface means, - a switch, having a switch control input means, a first interface means for coupling to memory address, memory data and memory control signals associated with said control processor, a second interface means connected with said co-processor for coupling the memory address, memory data and memory control signals, and a data memory interface means for coupling to said data memory, wherein said switch alternatively couples said first interface means and said second interface means to said data memory interface means; and - arbitration means coupled to said detection means, said scheduling means and said switch for generating a switch control signal in response to said first and second access control signals.




FIG. 1

Indian Classification :- 2 A1 190247

International Classification⁴ :- G 01R 13/00

Title :- "A COMPUTING DEVICE FOR PRESENTING DYNAMIC DATA ON A DISPLAY"

Applicant :- International Business machines corporation, of Armonk, New York 10504, U.S.A.

Inventors :- SHIH-GONG LI - US
DAVID YU CHANG - US

Application for Patent Number 1532/del/1994 filed on 28/11/1994

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office, New Delhi Branch - 110 008.

(Claims 3)

A computing device for presenting dynamic data on a display, comprising: -at least one central processing unit, -at least one system bus, -at least one communication unit connected to the system bus, and -at least one memory unit connected to the system bus, characterized in that the memory unit including -means for displaying the dynamic data as a plurality of groups, each group assigned to a page in a notebook, -means for detecting a change in the state of the dynamic data, -means for regrouping the dynamic data in response to the change in the dynamic data so that at least a first element of the dynamic data is assigned to a different page than before regrouping, -means for displaying the notebook with the regrouped dynamic data, and -optionally means for creating a child window and displaying said child window and notebook concurrently.





FIG. 1

| | | | |
|---|--|-----------|--------|
| Indian Classification | - | 50 D | 190248 |
| International Classification ⁴ | - | E04H 5/12 | |
| Title | "A Cooling Tower Apparatus." | | |
| Applicant | Tower Tech Inc., a corporation organised under the laws of the State of Oklahoma, United States of America, of Post Office Box 1838 Chickasha, Oklahoma 73023, United States of America. | | |
| Inventors | HAROLD DEAN CURTIS -U.S.A. RANDAL KEVIN OBERLAG -U.S.A. | | |
| Application for Patent Number | 1583/Del/1994 filed on 06/12/1994 | | |

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office, New Delhi Branch - 110 008.

(Claims 13)

A cooling tower apparatus comprising at least one cooling tower having an enclosure defined by a pair of upstanding longitudinal side walls and a pair of upstanding transverse end walls, said side and end walls being formed of concrete; a body of fill material such as herein described disposed in said enclosure; a liquid distribution means of the kind such as hereindescribed, disposed in said enclosure positioned above said fill material for distributing liquid on top of said fill material, so that said liquid gravitates downward through said fill material; a drainage collection means of the kind such as hereindescribed, located below said fill material for collecting said liquid gravitating through said fill material; at least one trough referred to as receiving means of the kind such as hereindescribed parallel to said side walls spanning the distance between said end walls, wherein said at least one trough receives liquid from said drainage collection means; and a fan located below said drainage collection means for blowing air upward through said fill material.



Indian Classification :- 107 F 190249

International Classification⁴ :- F02B, 29/00

Title :- "Combustion Controller for an Internal Combustion spark Ignition type Two-Cycle Engine."

Applicant :- Honda Giken Kogyo Kabushiki Kaisha, a corporation of Japan, of 1-1, Minamiaoyama 2-chome, Minato-ku, Tokyo, Japan.

Inventors :- TAKAHARU - KUROSAKI - JAPAN
YUJI - TSUSHIMA - JAPAN
KENICHI - NODA - JAPAN
YOICHI - ISHIBASHI - JAPAN
RYUTARO - YAMAZAKI - JAPAN

Application for Patent Number 1586/Del/1994 filed on 07/12/1994

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office, New Delhi Branch - 110 008.

(Claims 04)

A combustion controller for an internal combustion spark ignition type two-cycle engine, said engine (1) having an exhaust passage opening ratio adjusting means (23) for adjusting an exhaust passage opening ratio (θ_{co}), wherein said exhaust passage opening ratio adjusting means (23) is driven to adjust the exhaust passage opening ratio at a value corresponding to an engine speed and a throttle valve (12) opening ratio (θ_{tho}) at least in a low load operational area, whereby fresh mixture in said combustion engine (1) is self-fired with a firing timing desirable for operation of the engine, said combustion controller comprising:

ignition timing adjusting means (40,22) as herein described for adjusting an ignition timing;

abnormal combustion detecting means (38,39) as herein described for detecting abnormal combustion in said combustion chamber; (21) and

control means (23, 28, 29, 30, 37) as herein described for controlling the exhaust passage (20) opening ratio and the ignition timing at respective values suitable for eliminating the abnormal combustion on the basis of the detection signal from said abnormal combustion detecting means.




FIG. 1

| | | | |
|---|---|--|--------|
| Indian Classification | : | 20I (C) | 190250 |
| International Classification ⁴ | : | C02F 1/28 | |
| Title | : | "A COMPOSITION USEFUL FOR MAKING A WATER FILTER CANDLE." | |
| Applicant | : | COUNCIL OF SCIENTIFIC AND INDUSTRIAL RESEARCH, Rafi Marg, New Delhi – 110 001, INDIA, an Indian body incorporated under the Registration of Societies Act (XXI of 1860) and JADAVPUR UNIVERSITY CALCUTTA 700032. | |
| Inventors | : | DIPANKAR CHAKRABORTI - INDIAN DIPANKAR DAS - INDIAN AMIT CHATTERJEE - INDIAN GAUTAM SAMANTA - INDIAN | |

Application for Patent Number 1621/Del/94 filed on 14th Dec. 1994.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972)
Patent Office Branch, New Delhi – 110 008.

(2 Claims)

A composition useful for making a water filter candle, which comprises washed fly ash having particle size 0.14-0.18 mm. In the range of 32 to 38 wt%, quartz having particle size in the range of 0.04-0.08 mm in the range of 30 to 35% wt%, china clay having particle size in the range 0.4 –0.08 mm in the range of 4 to 8 wt%, soda silicate having particle size 0.04-0.08 mm in the range of 0.04 to 1 wt%.

(Complete Specification 6 Pages Drawings Nil Sheets)

Indian Classification

:- 15D

190251

International Classification⁴

:- F16C 33/72

Title :- "A Seal for covering and sealing a shaft passing surface of a bearing boss portion with a seal cap."

Applicant :- Honda Giken Kogyo Kabushiki Kaisha, a corporation of Japan, of 1-1, Minamiaoyama 2-chome, Minato-ku, Tokyo, Japan.

Inventors :- SHINJI - ITO - JAPAN


Application for Patent Number 1633/Del/1994 filed on 16/12/1994

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office, New Delhi Branch - 110 008.

(Claims 02)

A seal for covering and sealing a shaft passing surface of a bearing boss portion (202) with a seal cap, said seal cap (23) having an annular flange portion (24) therearound, said annular flange portion fitted in an annular groove (21) co-axial with an axis of said shaft passing surface, a seal member interposed between said annular groove and said flange portion, characterised by said seal member (22) fixed in the annular groove (21) has at least first and second lips (32, 33) provided thereon; said first lip (32) is elastically abutted by a main body portion of said seal cap (23) in a thrust direction of said shaft; and said second lip (33) is elastically abutted by the flange portion (24) of said seal cap (23) in the radial direction.

FIG. 1



Complete Specification

No of Pages

13

Drawings Sheets

06


| | | | |
|---|---|---|--------|
| Indian Classification | : | 32F ₂ a. | 190252 |
| International Classification ⁴ | : | C 07D – 201/00, 207/00. | |
| Title | : | "A PROCESS FOR THE PREPARATION OF LACTAM." | |
| Applicant | : | RHONE-POULENC CHIMIE, a French body corporate of 25 quai Paul Doumer, 92408 Courbevoie Cedex, France. | |
| Inventors | : | DAVID BARRATT-UK LAURENT GILBERT France. | |

Application for Patent Number I655/DEL/94 filed on 21.12.94.


Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972)
Patent Office, Delhi Branch, New Delhi – 110 008.

(17 Claims)

A process for the preparation of lactam by the vapour-phase reaction of aliphatic aminonitrile of formula (I):



in which R denotes an alkylene radical containing from 3 to 12 carbon atoms as herein described with water, in the presence of a solid catalyst of the kind such as herein described, which is a metal phosphate of formula (II) as hereunder:



in which:

- M denotes a divalent, trivalent, tetravalent or pentavalent element chosen from groups 2a, 3b, 4b, 5b, 6b, 7b, 8, 2b, 3a, 4a and 5a of the Periodic Classification of the elements or a mixture thereof, or M = O,

- Imp denotes a basic impregnating compound consisting of an alkali metal or alkaline-earth metal or mixture thereof, used in combination with a counterion to ensure electrical neutrality;

- n denotes 1, 2 or 3,

- q denotes 0, 1 or 2, and


- p denotes a number of 0 to 1/3 and corresponds to the molar ratio of the impregnating compound Imp and the impregnated compound $\text{MH}_n(\text{PO}_4)_p$ to prepare the lactam.

| | | |
|---|--|---------------------|
| Indian Classification | 93 G | 190253 |
| International Classification ⁴ | B26D 3/08 | |
| Title | "A device for use in a carton filling and sealing machine for fixing the spout in a carton." | |
| Applicant | Rollatainers Limited, an Indian company of 13/6, Mathura Road, Faridabad -121 003, Haryana, India. | |
| Inventors | KANIMBELLE PRAHALLADA RAJ - INDIA | |
| Application for Patent Number | 1670/Del/1994 | filed on 22/12/1994 |

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office , New Delhi Branch - 110 008.

(Claims 06)

A device for use in a carton filling and sealing machine for fixing the spout in a carton comprising: (i) a feed means 6 for feeding of discharge spouts to a locating station; (ii) an anvil having at least a first and second mandrel 5a & 5b for successively receiving a discharge spout from said feed means 6 and locating the same within the hole 2b of said carton provided at said locating station and (iii) sealing means provided at said station for sealing said spout to the inner liner of said carton and (iv) drive means for providing a rotatable and axial movement to said anvil.



| | | | |
|------------------------------|--|------------|--------|
| Indian Classification | : | 85 C | 190254 |
| 4 | | | |
| International Classification | : | F 27B 9/14 | |
| Title | "DEVICE FOR THE DISTRIBUTION OF BULK MATERIALS" | | |
| Applicant | PAUL WURTH S.A, a company organized under the laws of Grand Duchy of Luxembourg, of 32 rue d'Alsace, L-1122 Luxembourg, Grand Duchy of Luxembourg. | | |
| Inventors | PIERRE MAILLIET, EMILE LONARDI AND GILBERT BERNARD - ALL LUXEMBOURG. | | |

Application for Patent Number 17/DEL/95 filed on 09.1.95.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office Branch, New Delhi – 110 008.

(12 Claims)

Device for the distribution bulk materials comprising

a chute (10) for the delivery of materials in bulk,

a first rotor (18) with a substantially vertical rotation axis (12), the chute (10) being suspended from the said first rotor (18) so as to be driven in rotation by this rotor and so as to be able to pivot about a substantially horizontal pivoting axis (33),

a second rotor (40) with a rotation axis substantially coaxial with the said first rotor (18), characterised in that

a pivoting ring (38) connected to the chute (10) at two points (34,34) diametrically opposite each other with respect to the pivoting axis (33) of the chute (10) so that it can itself pivot about an axis (36) perpendicular to the horizontal pivoting axis (33) of the chute, and

a guide means (52) which is supported by the second rotor (40) and which is in contact with the pivoting ring (38) at least at three points so as to define for the said pivoting ring, in a coordinates system attached to the second rotor (40), an inclined plane of rotation which makes an angle α with a horizontal reference plane.




Fig. 1

(Complete Specification Pages – 18 Drawing sheets – 2)

| | | |
|---|--|--------|
| Indian Classification | : 32C, 62C ₂ | 190255 |
| International Classification ⁴ | : D06P 1/16. | |
| Title | "A DISPERSION COMPOSITION AND A PROCESS FOR MANUFACTURING THE SAME". | |
| Applicant | ZENECA LIMITED, a British company, of 15 Stanhope Gate, London W1Y 6LN, England. | |
| Inventors | NIGEL HALL-UK | |


Application for Patent Number 88/DEL/95 filed on 23.01.95

Convention date: -9402607.7; 10.02.94; UK.


Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972)
 Patent Office, Delhi Branch, New Delhi - 110 008.
 (05 Claims)

1. A dispersion composition comprising:

a dye compound dispersed in an aqueous medium and present in an amount of from 1 to 30% by weight of dye compound and aqueous medium, a dispersing agent of the kind as herein described present in an amount of 10 to 200% by weight of the dye compound and optionally additionally comprising ingredients selected from conventional components such as wetting agents and defoamers of the kind as herein described, which dye compound is free from water solubilizing groups and is of Formula (1) or (2) respectively:



Formula 1



Formula 2

| | | |
|-------------------------------|---|-------------------|
| Indian Classification | 128 F | 190256 |
| International Classification | A 61M 3/00 | |
| Title | "A SYRINGE FOR INTRAVENOUS INJECTION" | |
| Applicant | Long-Hsiung Chen, of 7F, No. 17, alley 6, Lane 141, Fu-Shing N. Road, Taipei, Taiwan. | |
| Inventors | LONG- HSIUNG CHEN -TAWAN | |
| Application for Patent Number | 146/del/1995 | filed on 1/2/1995 |

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office, New Delhi
Branch - 100008.

(Claims 3)

A syringe for intravenous injection comprising: a syringe means (1) including a syringe cylinder (11) having a hollow bore portion (10) for filling liquid medicine therein, a sleeve portion (12) eccentrically formed on a front portion of said syringe means having a central opening (121) formed through the sleeve portion (12) and a plurality of longitudinal rail extensions (17) longitudinally formed inside the syringe cylinder (11), a syringe axis (100) longitudinally defined in a central portion of said syringe means; a needle means (2) including: a needle portion (21), a shank portion (22) connected with the needle portion (21) and engageably held in the sleeve portion (12), a bifurcated (25) slot longitudinally formed in a rear portion of the shank portion (22) and recessed forwardly from a rear needle end (230) portion, at least a biasing socket (27, 27a) generally conical shaped formed in a rear portion of the shank portion (22) and communicating with a guiding port (231) recessed forwardly from the rear needle end portion (230), and a needle axis (200) longitudinally defined in a central portion of the needle device, with the shank portion (22) conical shaped including: a conical bottom (271), a conical apex (272) tapered forwardly from the conical bottom (271), and a longitudinal conical (270) axis aligned with the conical apex (272) to be perpendicular to the conical bottom (271) and to be outwardly inclinedly deviated from the needle axis (200) of the needle device to define an acute angle between the needle (200) axis and the longitudinal conical axis (270) of the biasing socket (27, 27a); and a plunger means including: a plunger (31) slidably engageable with a plurality of longitudinal rail extensions (17) formed in said syringe cylinder (11) of the syringe means, a coupling member (30) retained in a coupling-member recess (34) in the plunger having the arrowhead portion (301, 301a) formed on a front end of the coupling member (30) operatively insertable in said biasing socket (27, 27a) formed in the needle device, a holding socket (32) concentrically disposed around the arrowhead portion (301, 301a) for operatively coupling a rear needle end portion (230) when bifurcated by the diverging (122) port formed in a rear portion of a sleeve portion (12) of the syringe means, a plunger (35) rod having a plunger handle (37) protruding rearwardly from the plunger (31) for pushing operation of the plunger (31) with the plunger formed with an annular recess (311) in the plunger to be engaged with a plunger (31), and a plunger axis (300) longitudinally defined in a central portion of the syringe means parallel to a needle axis of the needle device, and aligned with the syringe axis (100) of the syringe means; and said coupling member (30) including: the arrowhead portion being conical shaped and having an arrowhead axis of said arrowhead (301, 301a) portion aligned with the needle axis and parallel to the plunger axis and parallel to the syringe axis ready for a normal medical injection with said arrowhead portion engageable with said biasing (27, 27a) socket in said needle device for oblique biasing the needle device when coupled to the plunger means and retracted in the syringe cylinder after finishing an injection, a neck portion (302) connected with the arrowhead portion (304), a base portion having an annular embedding of the base portion in the coupling-member recess in the plunger, and a secant block portion (303) circumferentially formed on a periphery of the base portion (303) for well sealable engagement with a secant recess of the coupling-member (34) recess and secured to a plunger rod of the plunger means.



Indian Classification

85 E

190257

International Classification⁴

C 10 B 1/00, F 27 B 1/00

Title

"AN IMPROVED DOOR OF A COKE OVEN".

Applicant

STEEL AUTHORITY OF INDIA LTD., Research & Development Centre for Iron & Steel at Ispat Bhawan, Lodhi Road, New Delhi - 110 003.

Inventors

SYAM SUNDAR BANDHOPADHYAY - INDIA
LAKHSMANAN - PARTHASARATHY - INDIA
RAM PRASAD SHARMA - INDIA
MOLOY - SENGUPTA - INDIA

Application for Patent Number

172/del/1995 filed on 07/02/1995

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office, New Delhi Branch - 110 008.

(Claims 03)

An improved door of a coke oven comprising a metallic door body (7), a brick plug (1A), a metallic brick plug holder (2A) and at least two knife edges (6A), one outer and the other inner, lying side by side, on the said door body for reducing leakage of products of carbonisation in the oven through the contact area between the metallic knife edges and the door frame, the said components (7, 1A-2A, 6A) being arranged to operate in an inter-dependent manner, characterised in that the brick plug holder is made in a single piece having an elongated shield (10) attached to the middle part thereof and extended in a perpendicular direction to inner surface of the door body (7) lying inside the oven for operating in an inter-dependent manner therewith to provide an enlarged space acting as central as well as cross ventilation duct for allowing easy escape of the products of carbonisation in the oven into the free space of the oven with reduced differential pressure at the said at least two knife edges, and that the said outer knife edge is provided with a relatively soft sealant.





Fig. 2—DOOR MODIFICATION

| | | |
|--|--|------------------------------|
| Indian Classification | 27 A' | 190258 |
| International Classification ⁴ | B 66 B 1/00 | |
| Title | "A Light Weight Portable Modular Reuseable Bridge". | |
| Applicant | The Chief Controller Research & Development, M/O Defence, of B-341 Sena Bhawan, DHQ P.O., New Delhi-110011, India. | |
| Inventors | MADHUKAR RAMCHANDRA JOSHI - INDIA RANJIT SINGH - INDIA VENKATACHALAM PANIYAL KUNKUNKAR - INDIA | |
| Application for Patent Number | 188/del/1995 | filed on 09/02/1995 |
| Complete left after Provisional Specification filed on | 09/02/1995 | Complete filed on 09/05/1996 |
| Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office, New Delhi Branch - 110 008. | | |

(Claims 08)

A light weight portable modular reusable bridge comprising at least a main panel 1 having intermediate panels 2 secured thereto on either sides thereof, an end panel 4 secured with said intermediate panels 2, a deck unit 9 provided on the upper surface of said panels so as to form a roadway on the bridge, kerb 1 assembly 10 secured to said deck unit 9 on either sides thereof provided to hold the side posts 14 therewith so as to guide the vehicle driver, a base plate 12 assembly provided for mounting the resting of the end panels thereon.



| | | | | |
|---------------------------|-------------|----|-----------------|-------|
| Provisional Specification | No of Pages | 06 | Drawings Sheets | - NIL |
| Complete Specification | No of Pages | 12 | Drawings Sheets | 05 |

Indian Classification :- 107 E **190259**

International Classification⁴ :- F 01, F 02 B 39/00

Title :- "A CATALYTIC CONVERTOR"

Applicant :- Indian Institute of Technology of Hauz Khas, New Delhi - 110 016, INDIA.


Inventors :- HARBANS BAHADUR MATHUR - INDIA

Application for Patent Number :- 254/del/1995 filed on 16/02/1995

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office , New Delhi Branch - 110 008.

(Claims 06)

A catalytic converter for use in two or four stroke engine comprising a chamber (4) having an inlet (2) for introduction of the exhaust gases and an outlet (3) for the discharge of said exhaust gases characterised in that front (5/12) and back plates (6/13) being disposed within said chamber (4) in a spaced relationship with each other so as to define a compartment (7) therebetween, each of said plates having a plurality of openings (9/10) provided therein, and unsupported catalyst like monel or sponge iron in the form of pallets or chips being provided within said compartment (4).



| | | | |
|---|----|--|---------------------|
| Indian Classification | :- | 141 D | 19026 |
| International Classification | :- | C 21B 13/00, C 22B 17/10 | |
| Title | :- | "An apparatus and a Process for producing reduced particulate oxide-containing material in particular fine ore" | |
| Applicant | :- | Voest-Alpine Industrieanlagenbau GMBH, of 44 Turmstrasse, A-4020 Linz, Austria and Brifer International LTD, of the Ernst and Young Building, Bush Hill, Bay Street, Bridgetown, Barbados. | |
| Inventors | :- | WERNER LEOPOLD KEPPLINGER -Austria SIEGFRIED ZELLER -Austria KARL-HEINZ ZIMMERBAUER -Austria ROY HUBERT WHIPP -a US citizen | |
| Application for Patent Number | :- | 376/del/1995 | filed on 07/03/1995 |
| Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office | :- | New Delhi Branch - 110 008. | |

(Claims 14)

Apparatus for producing reduced particulate oxide-containing material comprising at least one whirl-layer reactor (1-4), the whirl-layer reactor comprising a cylindrical lower whirl layer section (25) for accommodating the whirl layer (24), comprising a gas distribution bottom (26), a supply duct (17, 19) for the reducing gas, a supply duct for oxide-containing material and a discharge duct(6) for oxide-containing material, wherein the supply duct and the discharge duct for oxide-containing material are provided above the gas distribution bottom (26), a tapered section (28) arranged immediately above the whirl layer section (25) and widening conically upwards, wherein the inclination of the wall (29) of the tapered section (28) relative to the central axis (30) of the reactor amounts to 10° at most; and a calming section (35) being cylindrical at least in part and being arranged immediately above the tapered section (28), wherein the top of the calming section is closed and a reducing-gas discharge duct(19) departs from the calming section




FIG. 2

Complete Specification

No of Pages

10

Drawings Sheets

2

Ind Cl. : 32 F 3a [IX(1)]

190261

Int. Cl. : C 07 C 67/02

METHOD FOR PRODUCING FATTY ACID ESTERS.

Applicant : PROF. DR. SIEGFRIED PETER OF LINDENWEG 3, 91000, UTTENREUTH-WEIHER, DE, GERMAN NATIONAL.

Inventors: 1. PROF. DR. SIEGFRIED PETER, 2. DR. RUTH GANSWINDT, & 3. DR. ECKHARD WEIDNER.

Application No. 521/BOM/1997 FILED ON : 05.09.1997.

PRIORITY NO. 19638460.5 DATED 19.09.96 OF GERMANY,

Appropriate office for opposition proceedings (Rule 4, Patent Rules 1972) Patent Office Branch, Mumbai-13.

16 CLAIMS

1. A method for producing fatty acid esters, wherein fatty acid triglyceride in the presence of a homogeneous or heterogeneous catalyst is transesterified with monovalent low-molecular weight alcohol, characterized in that the formed fatty acid ester is extracted from the reaction mixture by means of a near-critical extractant.




FIG. 1

(Complete Specification; 19 Pages;

Drawings : 01 Sheets.)

| | | | |
|-----------|---|---|--------|
| IND. CL | : | 133 A [LIX (3)] | 190262 |
| INT. CL. | : | H 02 K 15/00 | |
| TITLE | : | 21/00 ELECTRIC MACHINE WITH PERMANENT MAGNETS AND METHOD OF ASSEMBLING THEREOF. | |
| APPLICANT | : | GP NAUTSCHNO ISSLEDOVATELSKY INSTITUT ELECTROPHYSITSCHESKOY APPARATURY IEMNI D.V. EFREMOVA RUSSIA, 189631 ST PETERSBURG, METALLOSTROY, SOVIETSKY PER, 1, RUSSIAN NATIONAL AND ZENTRALNOYE KONSTRUKTORSKOYE BURO MORSKOY TECHNIKI RUBIN, RUSSIA 191126, ST PETERSBURG, UL. MARATA, 90, RUSSIAN NATIONAL. | |
| INVENTOR | : | <ol style="list-style-type: none"> 1) ANDREYEV, VLADIMIR R. 2) KIBARDIN, ALEXEY S. 3) KUTSCHINSKY, VLADIMIR G. 4) SOYKIN, VLADIMIR F. 5) MIKHAYLOV, VALERY M. 6) KOBYLIN, ARKADY N.N. 7) SOKOLOV, VLADIMIR S. | |

APPLICATION NO. : 665/BOM/97 FILED ON 12.11.97

**APPROPRIATE OFFICE FOR OPPOSITION PROCEEDINGS (RULE 4,
PATENTS RULES 1972), PATENT OFFICE BRANCH, MUMBAI - 13**

05- CLAIMS.

An electric machine with permanent magnets comprising ring shaped stator with a multiphase coil disposed circumferentially around the said stator and cylindrical rotor consisting of : a shaft made from a non-magnetic material; a plurality of the magnetized poles disposed around the said shaft and configured as segments separated by inter-pole spaces in the form of slots extending parallel to the shaft axis; permanent prismatic magnets placed in the said slots and magnetized in tangential direction; and a fixing means to hold permanent magnets in the said slots wherein each of the fixing means is made as a prismatic case enclosing one of the prismatic magnets and having end walls and two side walls opposite to the stator and to the rotor shaft made from a non ferromagnetic material, while two other side walls of the case are made from a ferromagnetic material ; and each of the case is fixed in the corresponding slot by an appropriate means such as bolt, fingers and a flange fastening the end walls of the said case to the rotor in such a way as to make it possible to mount the case into the slot and to dismount it therefrom by moving the case in the axial direction.




Fig. 1

Complete Specification 16 pages; Drawings 03 sheets.

190263

IND. CL : 189

INT. CL. : A 61 K 7/32

TITLE : ANTIPERSPIRANT OR DEODORANT COMPOSITIONS

APPLICANT : HINDUSTAN LEVER LIMITED,
HINDUSTAN LEVER HOUSE,
165/166, BACKBAY RECLAMATION,
MUMBAI - 40020, MAHARASHTRA,
INDIA.

INVENTOR : ISABELLE CLAIRE HELENE MARIE ESSER.

APPLICATION NO. : 733/BOM/97 FILED ON 18.12.97

PRIORITY NO. 9626794.3 DATED 23.12.96 OF U.K.

APPROPRIATE OFFICE FOR OPPOSITION PROCEEDINGS (RULE 4,
PATENTS RULES 1972), PATENT OFFICE BRANCH, MUMBAI - 139—CLAIMS.

1. A nonskin drying antiperspirant or deodorant composition suitable for topical application to the human skin, comprising:
 - (i) 5 to 30% by weight of the total composition of an antiperspirant or deodorant active;
 - (ii) 0.1-50% by weight of a moisturizing cream comprising 2-100% of a humectant;
 - (iii) 20 to 90% non-polar hydrocarbon propellant composition; wherein said moisturizing cream comprises a humectant and a non-volatile emollient.

| | | | |
|------------------|---|--|----------------------------|
| IND. CL. | : | 12 D [XXXIII (2)] | 190264 |
| INT. CL. | : | C 22 C-29/ 16, C 23 C-08/ 24 | |
| TITLE | : | A PROCESS FOR NITRIDING SUBSTRATE AND AN APPARATUS THEREOF. | |
| APPLICANT | : | INSTITUTE FOR PLASMA RESEARCH, GOVERNMENT OF INDIA, B-15-17/P, SECTOR-25, GIDC ELECTRONICS ESTATE, GANDHINAGAR 380 044, GUJARAT, INDIA. | |
| INVENTORS | : | PUCADYIL ITTOOP JOHN | |
| APPLICATION NO.: | | 39/BOM/1998 | FILED ON 19.01.1998 |

APPROPRIATE OFFICE FOR OPPOSITION PROCEEDINGS (RULE 4, PATENTS RULES, 1972), PATENT OFFICE BRANCH, MUMBAI-400 013.

01 CLAIM

A process for nitriding a substrate comprising.

- mounting atleast a pair of substrates on a pair of insulated support placed on the base plate of a partial vaccum chamber,
- introducing mixture of gases in the said partial vacuum chamber,
- connecting a dc supply to the said pair of substrates by means of a pair of fating circuits to provide continuous train of pulses without any temporal overlap of electric pulse supply providing sequentially transfer of said power pulses to said substrates,
- applying the negative pulse to the said pair of substrates to create atomic nitrogen flux resulting in the nitriding by the formation of plasma around the said pair of substrates.




Fig 2(a) Improved Pulse Nitriding Technique

Fig 2(b)

Prov. Specn. 11 pages
Comp.specn. 06 pages

Drgs. 01 Sheets
Drgs. 02 Sheet

IND. CL. : 12 D [XXXIII(2)] **190265**

INT. CL. : C 22 C 29/16
C 23 C 08/24

TITLE : A PROCESS FOR NITRIDING A PLARALITY OF SUBSTRATES AND AN APPARATUS THEREOF.

APPLICANT : INSTITUTE FOR PLASMA RESEARCH,
GOVERNMENT OF INDIA,
B-15-17/P, SECTOR -25,
GIDC ELECTRONICS ESTATE,
GANDHINAGAR – 380 044, GUJARAT, INDIA.

INVENTOR(S) : PUCADYILITTOOP JOHN

APPLICATION NO : 40/BOM/1998 FILED ON : 19.01.98

COMPLETE SPECIFICATION FILED AFTER PROVISIONAL SPECIFICATION
ON 06.04.99.

APPROPRIATE OFFICE FOR OPPOSITION PROCEEDINGS (RULE 4, PATENTS RULES 1972), PATENT OFFICE BRANCH, MUMBAI – 13.

11 CLAIMS

1. A process for nitriding a plurality of substrates comprising
 - mounting plurality of substrates on a plurality of insulated supports placed on the base plate of the partial vacuum chamber,
 - introducing mixture of gases in the said partial vacuum chamber,
 - connecting a d.c supply to the said pair of substrates by means of a pair of gating circuits to provide continuous train of pulses avoiding any temporal overlap of electric pulse supply provide sequentially transfer of said power pulses to said substrates,
 - applying the negative pulse to the said plurality of substrates to create atomic nitrogen flux resulting in the nitriding by the formation of plasma around the said plurality of substrates.




Fig. : Further Improved Pulse Nitriding Technique.


Provisional Specification: 05 Pages; **Drawings 02 Sheets**
Complete Specification: 11 Pages; **Drawings 02 Sheets.**

IND. CL. : 89 [XLI (6)] 190266
 INT. CL. : G 01 N – 3/00, 3/42
 TITLE : AN IMPROVED COMPOSITE INDENTATION HARDNESS TESTER WITH CONSTANT-LOAD-CELL ASSEMBLY FOR RUBBER AND THE LIKE MATERIALS.
 APPLICANT & INVENTORS: KUMAR BALRAM BHATIA, 408-A, POONAM APARTMENTS, DR. ANNIE BESANT ROAD, WORLI, MUMBAI- 400 018, MAHARASHTRA, INDIA. AN INDIAN NATIONAL.
 APPLICATION NO : 54/ BOM/ 1998 FILED ON 28.01.1998

APPROPRIATE OFFICE FOR OPPOSITION PROCEEDINGS (RULE 4, PATENTS RULES 1972), PATENT OFFICE BRANCH, MUMBAI - 13.

02 CLAIMS

An Improved COMPOSITE INDENTATION HARDNESS TESTER with constant-load-cell assembly for rubber & the like materials comprising of an indentor loading assembly with dial gauge & a constant-load-cell assembly, the said indentor loading assembly having an indentor shank with indentor tip at one end & the main loading spring at the other end, a dial gauge mounted inside a dial gauge housing, a dial gauge stem protruding out of the dial gauge housing & slidably accommodating the said indentor shank, the said constant-load-cell assembly having a constant-contact-pressure tube with a Presser-Foot at its bottom-most end, a top cover having a guide tube provided at the upper end of the said constant-contact-pressure tube, an elongated slot provided in the said constant-contact-pressure tube & a guide pin provided in the guide tube of the said top cover, a hollow housing-housing the constant-contact-pressure tube along with the indentor & the top cover, a plurality of constant-load spring provided inside the said hollow housing in between the constant-contact -pressure tube & the top cover of the constant-load-cell assembly, the dial gauge stem being fixed in the said constant-contact-pressure tube by a set screw characterized in that, the said indentor tip protruding out through a central hole in the said Presser-Foot of the said constant-contact-pressure tube according to International Standards.



190267

IND. CL. : 170 A

INT. CL. : A 61 K- 7/13

TITLE : HAIR TREATMENT COMPOSITION

APPLICANT : HINDUSTAN LEVER LIMITED, HINDUSTAN LEVER HOUSE,
165/166 BACKBAY RECLAMATION, MUMBAI 400 020,
MAHARASHTRA, INDIA. AN INDIAN COMPANY

INVENTORS : (1) WALTER THOMAS GIBSON
(2) GILLIAN ELIZABETH WESTGATE

APPLICATION NO : 85 BOM 1998 FILED ON 18.02.1998
Priority No. 9704050.5 dated 27.02.1997 of U.K.

APPROPRIATE OFFICE FOR OPPOSITION PROCEEDINGS (RULE 4,
PATENTS RULES 1972), PATENT OFFICE BRANCH, MUMBAI - 13.

09 CLAIMS

1. A hair treatment composition for the supply of precursors of hair integral lipid fatty acids to the hair follicle comprising:
 - (i) a first fatty acid precursor which is an amino acid selected from leucine, isoleucine, methionine and valine, and mixtures thereof, which precursor is present at levels of from 0.01 to 20 % by weight based on the total weight of the composition, and from 90% to 100% by weight based on the total weight of amino acids present in the composition,
 - (ii) from 0.01% to 20 % by weight of a second fatty acid precursor selected from sugars, mono-, di-, and tri- carboxilic acids and salts thereof, such that second fatty acid precursor is able to donate a two or three-carbon unit for fatty acid chain elongation.,
 - (iii) at least one surfactant selected from anionic, amphoteric, zwitterionic and cationic surfactants and mixtures thereof.

Comp.specn. 25

Drawings NIL

IND. CL. : 179 A [XL(6)] 190268
INT. CL. : B 65 D 47/24
TITLE : A CLOSURE FOR CONTAINER AND CONTAINER INCORPORATING SUCH CLOSURE.
APPLICANT : HINDUSTAN LEVER LIMITED
 HINDUSTAN LEVER HOUSE,
 165-166 BACKBAY RECLAMATION,
 MUMBAI - 400 020, MAHARASHTRA, INDIA.
INVENTOR(S) : 1. NELSON SATOSHI ARAI
 2. SANDRO BRAGONI
 3. RONALD KAPAZ
 4. EDUARDO LUPPI JNR.

APPLICATION NO.: 86/BOM/1998 **FILED ON:** 18.02.1998

PRIORITY NO. 9701142.8 DATED 28.02.97 OF BRAZIL

APPROPRIATE OFFICE FOR OPPOSITION PROCEEDINGS (RULE 4, PATENTS RULES 1972), PATENT OFFICE BRANCH, MUMBAI - 13.


10 CLAIMS

A closure (1) for a container (3), the closure comprising:

- a cap (5) rotably mountable on a neck (2) of a container (3), the cap having an axial product outlet passage (6); and
- valve (7) movable along the axial passage (6) to open and close the passage (6),

the product outlet passage (6) of the cap comprising a bore having one or more apertures (8) in a sidewall thereof, the apertures (8) communicating with an interior of the container (3), and characterized in that the valve (7) is disposed with respect to said passage (6) such that rotation of the cap (5) effects axial movement of the valve (7) along the outlet passage (6) thereby opening and closing the apertures (8) in the side wall, a circumferential sealing gasket (21), mounted between the valve (7) and the product outlet passage (6) along with the axially displaced closed position of the valve (7) with respect to the cap provide for complete closure of the container.

Fig. 1.



IND. CL. : 62,170 190269

INT. CL. : D 06 F 39/02

TITLE : A PROCESS FOR PRODUCING WASHED LAUNDRY IN A WASHING MACHINE

APPLICANT : HINDUSTAN LEVER LIMITED, HINDUSTAN LEVER HOUSE, 165/166 BACKBAY RECLAMATION, MUMBAI 400 020, MAHARASHTRA, INDIA. AN INDIAN COMPANY

INVENTORS : (1) GEORGE THOMAS DAWSON,
 (2) FRANCOIS DELWEL,
 (3) JAMES WILLIAM GORDON,
 (4) ALBERT CORNELIS THEODORUS DE JONG,
 (5) COLIN WATT KERR,
 (6) EDWIN LEO MARIO LEMPERS,
 (7) LOIC MARIE OLIVIER TARDY


APPLICATION NO : 111 BOM 1998 FILED ON 04.03.1998
 Priority No. 9704782.3 dated 07.03.1997 of U.K.

APPROPRIATE OFFICE FOR OPPOSITION PROCEEDINGS (RULE 4, PATENTS RULES 1972), PATENT OFFICE BRANCH, MUMBAI - 13.

18 CLAIMS

A process for producing washed laundry in a washing machine comprising a receptacle for dispensing one or more detergent tablets, the receptacle comprising a net structure having a plurality of apertures for permitting the passage of an aqueous solution there through, the process comprising the steps of:

- placing the dispensing receptacle at least one detergent tablet contained therein a washing machine together with the laundry to be washed;
- carrying out a washing operation,
- characterized in that the net structure used is a loosely fitting net bag with said apertures having an average mesh size of between 1 and 10mm".



Comp.specn. 30 pages

Drawings:07 sheets

| | | | |
|----------------|---|--|--------|
| IND. CL. | : | 170 B + D | 190270 |
| INT. CL. | : | C 11 D- 1/ 83 | |
| TITLE | : | A PARTICULATE DETERGENT COMPOSITION HAVING A BULK DENSITY OF ATLEAST 600 G/L | |
| APPLICANT | : | HINDUSTAN LEVER LIMITED, HINDUSTAN LEVER HOUSE, 165/166 BACKBAY RECLAMATION, MUMBAI 400 020, MAHARASHTRA, INDIA. AN INDIAN COMPANY | |
| INVENTORS | : | (1) WILLIAM DEREK EMERY (2) PAULINE FARNWORTH (3) GEORGINA HAWKES (4) TERRY INSTONE (5) SEENG DJIANG LIEM (6) JOHN LLOYD (7) GILBERT MARTIN VERSCHELLING | |
| APPLICATION NO | : | 313 BOM 1998 FILED ON 20.05.1998 Priority No. 9711356.7 dated 30.05.1997 of U.K. | |

APPROPRIATE OFFICE FOR OPPOSITION PROCEEDINGS (RULE 4, PATENTS RULES 1972), PATENT OFFICE BRANCH, MUMBAI - 13.

21 CLAIMS

A particulate detergent composition having a bulk density at least 600 g/l and comprising at least 10% by weight of organic detergent surfactant and from 10 to 70% by weight of detergency builder, characterized in that the composition is composed of at least two different granular components;

- (i) granules comprising at least 60% by weight of anionic surfactant and
- (ii) granules comprising at least 20% by weight of nonionic surfactant, and less than 10% by weight of aluminosilicate.

Comps. 500 gm, 49 pages

Drawings: NIL

PATENT SEALED ON 06.06.2003




188168 188273 188274 188321 188322 188333 188334 188335 188336 188337 188338 188339 188340
188847

KOL-01, DEL-10, MUM-03, CHEN-NIL.





REGISTRATION OF DESIGNS

The following designs have been registered. They are open for public inspection from the date of registration. (Colour combination if any, is not shown in the representation)

The dates shown in the following each entry is the date of registration.



| | | | |
|--------|-------|---|---|
| Class. | 12-09 | No.189861. MAHINDRA & MAHINDRA LIMITED, Gateway Building, Apollo Bunder, Mumbai-400 001, Maharashtra, India. "TRACTOR", 3 SEPTEMBER 2002. |  |
| Class. | 06-07 | No.190285. TANEJA MINES PRIVATE LIMITED, EMPIRE PLAZA #102, EMPIRE ESTATE, MEHRAULI-GURGAON ROAD, SULTANPUR, NEW DELHI: -110030, INDIA. "PICTURE FRAME", 24 OCTOBER 2002 |  |
| Class. | 03-01 | No.190376. M/S. POOJA THERMOWEAR, AT GALA NO.18, KAMALA BHAVAN, SHARMA INDUSTRIAL ESTATE, WALBHAT ROAD, GOREGAON (E), MUMBAI: -400063, MAHARASHTRA, INDIA. "PICNIC BOX", 8 NOVEMBER 2002 |  |
| Class. | 08-08 | No.190239. KIRLOSKAR COPELAND LIMITED, AT 1202/1, GHOLE ROAD, PUNE-411005, MAHARASHTRA, INDIA. "CIR CLIP", 18 OCTOBER 2002. |  |
| Class. | 24-04 | No.190112. CADILA HEALTHCARE LIMITED, ZYDUS TOWER, SATELLIT CROSS ROAD, AHMEDABAD: - 380 015, GUJARAT, INDIA. "INHALATION DEVICE CUM CONTAINER FOR POWDERED MEDICAMENTS", 7 OCTOBER 2002. |  |




| | | | |
|-------|-------|--|--|
| Class | 06-07 | 190284. TANEJA MINES PRIVATE LIMITED, OF EMPIRE PLAZA #102, EMPIRE ESTATE, MEHRAULI-GURGAON ROAD, SULTANPUR, NEW DELHI-110030, INDIA. "PICTURE FRAME", 24 OCTOBER 2002. | |
| Class | 07-02 | 191081. TOKYO PLAST INTERNATIONAL LTD., TOKYO HOUSE, 9/49 MAROL I CO-OP. INDUSTRIAL ESTATE, M.V. ROAD, SAKI NAKA, ANDHERI(E), MUMBAI-400059, MAHARASHTRA, INDIA. "CASSEROLE", 24 JANUARY 2003. | |
| Class | 23-01 | 190332. F.F. SEELEY NONIVEES PTY LTD., 1-II ROTHESAY AVENUE, ST. MARYS, SOUTH AUSTRALIA, AUSTRALIA. "PUMP", 2 MAY 2002 [PRIORITY AUSTRALIA]. | |
| Class | 31-00 | 190690. SHARDA ENTERPRISES, F-1 DOSHI UDYOG NAGAR, B.P. ROAD, BHAYANDAR (E), PIN-401105, DIST. THANE, MAHARASHTRA, INDIA. "JAR OF MIXER-CUM-GRINDER", 10 DECEMBER 2002. | |
| Class | 07-99 | 190652. AJIT CHEMICALS PVT. LTD., 60-A, DADA NAGAR, KANPUR-208022(U.P.), INDIA. "TEA/COFFEE CUP", 4 DECEMBER 2002. | |



| | | | |
|--------|-------|--|---|
| Class | 07-99 | 190653. AJIT CHEMICALS PVT. LTD., 60-A, DADA NAGAR, KANPUR-208022(U.P.), INDIA. "TEA/COFFEE CUP", 4 DECEMBER 2002. |  |
| Class | 07-99 | 190650. AJIT CHEMICALS PVT. LTD., 60-A, DADA NAGAR, KANPUR-208022(U.P.), INDIA. "SNACK TRAY", 4 DECEMBER 2002. |  |
| Class. | 07-99 | 190651. AJIT CHEMICALS PVT. LTD., 60-A, DADA NAGAR, KANPUR-208022(U.P.), INDIA. "TEA/COFFEE CUP", 4 DECEMBER 2002. |  |
| Class. | 09-03 | 191334. HARESH MEHTA, JAYANT HOUSE, BAIL BAZAR, ANDHERI-KURLA ROAD, KURLA, MUMBAI-400070, MAHARASHTRA, INDIA. "PACKAGING", 5 NOVEMBER 2002. |  |
| Class. | 09-01 | 191329. RECKITT BENCKISER INC., 165 VALLEY ROAD, WAYNE, NEW JERSEY 07474, U.S.A. "LAVATORY CLEANING DEVICE", 24 AUGUST 2002 [PRIORITY U.K.]. |  |


| | | | |
|--------|-------|--|----------------------|
| Class. | 09-01 | 191291. RECKITT BENCKISER (UK) LIMITED, OF 103-105 BATH ROAD, SLOUGH, BERKSHIRE, SL1 3UH, UNITED KINGDOM. "A SQUEEZABLE BOTTLE", 15 AUGUST 2002 [PRIORITY U.K.]. | |
| Class. | 15-01 | 190441. KEIHIN CORPORATION, OF 26-2, NISHISHINJUKU 1-CHOME, SHINJUKU-KU, TOKYO, JAPAN. "CARBURETOR", 17 MAY 2002, [PRIORITY JAPAN]. | |
| Class. | 15-02 | 191538. REXAM DISPENSING SYSTEMS, OF 15 BIS ROUTE NATIONAL-76470 LE TREPORT, FRANCE. "VIAL PUMP WITH FLAG", 12 MARCH 2003. | Front View |
| Class. | 15-02 | 191537. REXAM DISPENSING SYSTEMS, OF 15 BIS ROUTE NATIONAL-76470 LE TREPORT, FRANCE. "VIAL PUMP WITH FLAG", 12 MARCH 2003. | Perspective View |
| Class. | 28-02 | 191234. MANJU DOLLAR COSMETICS BAZAR CHOOR BERI, CHOWK CHINT PURNI, AMRITSAR-143006, PUNJAB STATE, INDIA. "EYE BROW PENCIL", 11 FEBRUARY 2003. | |






| | | | |
|--------|-------|--|--|
| Class. | 19-06 | 191063. MERZ & KRELL GmbH & CO. KgA, BAHNHOFSTRASSE 76, 64401 GROSS-BIEBERAU, GERMANY. "WRITING INSTRUMENT", 22 JULY 2002 [PRIORITY GERMANY]. | |
| Class. | 14-03 | 191071. MATSUSHITA ELECTRIC INDUSTRIAL CO. LTD., A JAPANESE COMPANY, ORGANIZED AND EXISTING UNDER THE LAWS OF JAPAN, MANUFACTURERS AND MERCHANTS, OF 1006, OAZA KADOMA, KADOMA-SHI, OSAKA 571-8501, JAPAN. "TELEVISION RECEIVER", 17 JULY 2002 [PRIORITY JAPAN]. | |
| Class. | 09-07 | 190108. CADILA HEALTHCARE LIMITED, ZYDUS TOWER, SATELLITE CROSS ROAD, AHMEDABAD: - 380 015, GUJARAT, INDIA. "SPOUT FOR INHALATION DEVICE", 7 OCTOBER 2002. | |
| Class. | 08-06 | 190719. KRISHAN KUMAR GUPTA, OF N-1, CHITTRANJAN PARK, NEW DELHI-110019, INDIA. "DOOR HANDLE", 13 DECEMBER 2002. | |
| Class. | 02-07 | 190783. ASHOK CHATURVEDI, 118-119, DAMJI UDYOG BHAWAN, 1 ST FLOOR, 25A, VEERA DESAI ROAD, ANDHERI (WEST), MUMBAI-400053 MAHARASHTRA, INDIA. "DOUBLE NOTCH ZIPPER WITH HANGING PROFILE", 23 DECEMBER 2002. | |


| | | | |
|--------|-------|---|--|
| Class. | 09-03 | 190869. HENKEL KOMMANDITGESELLSCHAFT AUF AKTIEN, OF HENKELSTRASSE 67, 40589 DUSSELDORF, GERMANY. "ADAPTER FOR REPRESHING AND CLEANSING AGENTS TO A TOILET BRUSH", 2 JULY 2002 [PRIORITY GERMANY]. |  |
| Class. | 08-09 | 190913. EFFIPRESS ENGINEERING PVT. LTD., A COMPANY INCORPORATED UNDER THE INDIAN COMPANIES ACT, AT 148-F, ST. CYRIL'S ROAD, BANDRA, MUMBAI-400050, MAHARASHTRA, INDIA. "SHELVING SYSTEM", 7 JANUARY 2003. |  |
| Class. | 02-07 | 190784. ASHOK CHATURV-EDI, 118-119, DAMJI UDYOG BHAWAN, 1 ST FLOOR, 25A, VEERA DESAI ROAD, ANDHER(WEST), MUMBAI-400053, MAHARASHTRA, INDIA. "SLIDER ZIPPER ASSEMBLY", 23 DECEMBER 2002. |  |
| Class. | 02-04 | 190865. M/S. TREL A FOOTWEAR EXPORTS PVT. LTD OF ADDRESS D-38, SITE-C, INDUSTRIAL AREA, SIKANDRA, AGRA-282007, U.P., (INDIA). "SOLE FOR FOOTWEAR", 1 JANUARY 2003. |  |
| Class. | 02-04 | 190866. M/S. TREL A FOOTWEAR EXPORTS PVT. LTD OF ADDRESS D-38, SITE-C, INDUSTRIAL AREA, SIKANDRA, AGRA-282007, U.P., (INDIA). "SOLE FOR FOOTWEAR", 1 JANUARY 2003. |  |





| | | | |
|--------|-------|--|--|
| Class. | 15-01 | 190615. GREIFZUG HEBEZEUGBAU GMBH, SCHEIDTBACHSTRASSE 19-21, 51469 BERGISCH GLADBACH, GERMANY, "WIRE ROPE TRACTION", 2 JULY 2002[PRIORITY GERMANY]. |  FRONT VIEW |
| Class. | 02-04 | 190867. M/S. TREL A FOOTWE-AR EXPORTS PVT. LTD. OF ADDRESS D-38, SITE-C, INDUSTRIAL AREA, SIKANDRA, AGRA-282007, U.P., (INDIA). "SOLE FOR FOOTWEAR", 1 JANUARY 2003. |  |
| Class. | 10-04 | 190617. FMI LIMITED, FEROZEPORE ROAD, LUDHIANA; 141 001, PUNJAB, INDIA. "WINDER FOR MEASURING TAPE", 3 DECEMBER 2002. |  |
| Class. | 07-04 | 190159. M/S. MAGPIE EXPORTS, OF PD-4 B, PITAMPURA, DELHI; - 110088, INDIA, "WINE COLLER TO COOL THE WINE BOTTLES", 9 OCTOBER 2002. |  |
| Class. | 07-04 | 190164. M/S. MAGPIE EXPORTS, OF PD-4 B, PITAMPURA, DELHI; - 110088, INDIA, "SQUEEZER", 9 OCTOBER 2002. |  |

| | | | |
|--------|-------|--|---|
| Class. | 07-04 | 190171. M/S. MAGPIE EXPORTS, OF PD-4 B, PITAMPURA, DELHI; - 110088, INDIA, "ROLE HOLDER TO HOLD THE WRAPPER OF TOILS", 9 OCTOBER 2002. |  |
| Class. | 09-01 | 190676. M/S. ELDORADO, A DIVISION OF M/S. GINSENG HERBALS LTD., 18, PUSA ROAD, NEW DELHI; -110005, INDIA, "BOTTLE", 9 DECEMBER 2002. |  |
| Class. | 13-03 | 190997. PROLITE INDUSTRY, 1 ST FLOOR, PLOT NO.4, SURVEY NO.711/10, SOMNATH ROAD, NANI DAMAN, DAMAN-396210(U.T.). "SWITCH PLATE", 14 JANUARY 2003. |  |
| Class. | 08-09 | 190914. EFFIPRESS ENGINEERING PVT. LTD., AT 148-F, ST. CYRIL'S ROAD, BANDRA, MUMBAI-400050, MAHARASHTRA, INDIA. "SHELVING SYSTEM", 7 JANUARY 2003. |  |
| Class. | 23-02 | 190871. M/S. RAPOL SANIPL-AST PVT. LTD., 9/80, KHANNANAGAR P.O., THRISSUR P.O., KERALA, PIN-680309. "SHOWER", 1 JANUARY 2003. |  |

| | | | |
|--------|-------|--|---|
| Class. | 07-04 | 190148. M/S. MAGPIE EXPORTS, OF PD-4 B, PITAMPURA, DELHI; -110088, INDIA, "BOWL", 9 OCTOBER 2002. |  |
| Class. | 09-01 | 190674. M/S. ELDORADO, A DIVISION OF M/S. GINSENG HERBALS LTD., 18, PUSA ROAD, NEW DELHI: -110005, INDIA, "BOTTLE", 9 DECEMBER 2002. |  |
| Class. | 09-07 | 191653. MOLD-TEK TECHNOLOGIES LTD., WHITE HO-USE, 402/I, 4TH FLOOR, 6-3-1192/1/I, KUNDANBAGH, BEGUMPET, HYDERABAD-500 016 (A.P.), INDIA. "LID", 27 MARCH 2003. |  |
| Class. | 09-02 | 191652. MOLD-TEK TECHNOLOGIES LTD., WHITE HO-USE, 402/I, 4TH FLOOR, 6-3-1192/1/I, KUNDANBAGH, BEGUMPET, HYDERABAD-500 016 (A.P.), INDIA. "CONTAINER", 27 MARCH 2003. |  |
| Class. | 07-04 | 190158. M/S. MAGPIE EXPORTS, OF PD-4 B, PITAMPURA, DELHI; -110088, INDIA, "WINE HOLDER TO HOLD THE WINE BOTTLE ETC.", 9 OCTOBER 2002. |  |

| | | | |
|--------|-------|--|---|
| Class. | 12-11 | 191016. M/S. DEEPAK INTERNATIONAL LTD., DEEPAK ROAD, INDL. AREA-B, LUDHIANA-141003, PUNJAB, (INDIA), "TYRE FOR BICYCLE", 15 JANUARY 2003. |  |
| Class. | 02-04 | 191578. MANJEET PLASTIC INDUSTRIES, B-102/I, NARAINA INDUSTRIAL AREA, PHASE-I, NEW DELHI: -110 028, INDIA. "FOOTWEAR", 17 MARCH 2003. |  |
| Class. | 09-03 | 190046. M/S. FAIZ ENTERPRISES 3868, GALI HOSPITAL WALI, KHIRKI TAFTAZUL HUSSAIN, NEAR JAGAT CINEMA, DELHI -110006. "STAND", 26 SEPTEMBER 2002. |  |
| Class. | 07-04 | 190153. M/S. MAGPIE EXPORTS, OF PD-4 B, PITAMPURA, DELHI; -110088, INDIA, "CAPPUCCINO CUP FOR DRINKING COFFEE OR TEA", 9 OCTOBER 2002. |  |
| Class. | 19-99 | 191273. HINDUSTAN PENCILS LTD., 510, HIMALAYA HOUSE, 79, PALTON ROAD, MUMBAI -400 001. "PENCIL SHARPENER" 13 FEBRUARY 2003. |  |

| | | | |
|--------|-------|---|--|
| Class. | 13-03 | 191359. GERARD INDUSTRIES PTY LTD., 12 PARK TERRACE, BOWDEN SOUTH AUSTRALIA, AUSTRALIA. "WIRE CONNECTOR WALLBOX", 25 FEBRUARY 2003. |  |
| Class. | 07-04 | 190156. M/S. MAGPIE EXPORTS, OF PD-4 B, PITAMPURA, DELHI; -110088, INDIA, "DROP RING TO STOP DROPS FROM THE BOTTLE WHILE POURING THE LIQUID", 9 OCTOBER 2002. |  |
| Class. | 09-01 | 191099. PEARL POLYMERS LTD. 704, ROHIT HOUSE, 3, TOLSTOY MARG, NEW DELHI-110001, INDIA. "BOTTLE", 28 JANUARY 2003. |  |
| Class. | 02-04 | 191577. MANJEET PLASTIC INDUSTRIES, B-102/1, NARAINA INDUSTRIAL AREA, PHASE-I, NEW DELHI-110 028, INDIA. "FOOTWEAR", 17 MARCH 2003. |  |
| Class. | 08-06 | 190729. KRISHAN KUMAR GUPTA, OF N-1, CHITTRANJAN PARK, NEW DELHI-110019, INDIA. "DOOR HANDLE", 16 DECEMBER 2002. |  |

| | | | |
|--------|-------|--|--|
| Class. | 07-02 | 191636. MILTON GLOBAL LIMITED, KAISER-I-HIND BUILDING, 3 RD FLOOR, CURRIMBHOY ROAD, BALLARD ESTATE, MUMBAI - 400 001, MAHARASHTRA, INDIA. "WATER BOTTLE", 25 MARCH 2003. |  |
| Class. | 25-03 | No.190607. WOBEEN ALOYS, ARGESTRASSE 19, 26607 AURICH, GERMANY. "WIND POWER PLANT", 6 JUNE 2002[PRIORITY GERMAN] |  |
| Class. | 23-01 | 190870. M/S. RAPOL SANIPL-AST PVT. LTD., 9/80, KHANNANAGAR P.O., THRISSUR P.O., KERALA, PIN-680309. "ANGLE COCK", 1 JANUARY 2003. |  |
| Class. | 07-02 | 190736. BHUPINDER SINGH & SONS, SHOP NO.10, OLD POST OFFICE BUILDING, MAIN ROAD, GANDHI NAGAR, DELHI: -110 031. (INDIA) AN INDIAN NATIONAL. "HANDLE BAR STRIP" FOR PRESSURE COOKER", 17 DECEMBER 2000. |  |

H. C. BAKSHI
Controller General of Patents Designs & Trademarks

प्रबन्धक, भारत सरकार मुद्रणालय, फरीदाबाद द्वारा मुद्रित
एवं प्रकाशन नियंत्रक, दिल्ली द्वारा प्रकाशित, 2003

PRINTED BY THE MANAGER, GOVERNMENT OF INDIA PRESS, FARIDABAD AND
PUBLISHED BY THE CONTROLLER OF PUBLICATIONS, DELHI, 2003